

PARTS CATALOGUE
VER. 4
MAR 2017

WWW.TOUGHDOG.COM.AU

TABLE OF CONTENTS

Unless specified otherwise, all listings in this catalogue are for 4WD (Four Wheel Drive) vehicles only.

WARRANTY		4 DOOR (HOVER, SAFE, HAVAL)	
TERMS & CONDITIONS.....	5	X240.....	27
PURCHASE ORDER FORM		HOLDEN	
ROCK DOG		FRONTERA LWB & SWB	
SLOW SPEED COMPETITION USE ONLY.....	7	2 DOOR & 4 DOOR, 3.2L V6, 2.2L TDI.....	28
ASIA MOTORS		JACKAROO, ISUZU TROOPER	
ROCSTA		UBS13, 16, 52L.....	29
JD, JS.....	8	UBS16, 17, 52, 55.....	30
DAEWOO		JACKAROO, MONTEREY	
MUSSO		UBS26, 69, 73 (INC WIDE BODY).....	31
INCLUDING UTE.....	9	RODEO	
DIAHATSU		KB4, KBD4.....	32
F10 F20, F50, F60		TFS, G3, G6, R7, R9.....	34
INCLUDING SCAT.....	10	RODEO & COLORADO	
F25, F55, F65		RA-RC.....	36
FEROZA		COLORADO	
CX12, F300.....	12	RG, MMU142, GM1700.....	38
FEROZA II		COLORADO 7/TRAILBLAZER	
F310.....	13	ALL MODELS.....	40
ROCKY		HYUNDAI	
6/84-89 - F80, F85.....	14	TERRACAN	
F77, F87 PICKUP & TRAYBACK.....	15	HP.....	41
F73, F78 (COIL SPRINGS).....	16	ISUZU	
FORD		D-MAX	
COURIER		MY09-MY11.....	42
PC, PD, PE, PG, PH.....	17	TFS85, V-CROSS, MY12.....	44
EVEREST		MU-X	
All Models.....	18	MY13 On.....	46
EXPLORER		JEEP	
UN, UP, UQ.....	20	CHEROKEE	
F250		XJ Limited, Sport.....	48
Live Axle Front, Quad Rear Shocks.....	21	WG, WJ - 6/99-05.....	49
BRONCO		GRAND CHEROKEE	
Third Generation.....	22	WRANGLER	
RANGER		TJ.....	50
PJ & PJ, 2.5L & 3.0L.....	23	JK.....	51
PX & PX II- All Models.....	24	LAND ROVER	
GREAT WALL		80, 88 SWB, 109 LWB	
UTE (WINGLE, SAILOR)		SERIES I, II, IIA & III.....	52
V200, 240, 2.4L.....	26	110 COUNTY ONLY	53

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TABLE OF CONTENTS

Unless specified otherwise, all listings in this catalogue are for 4WD (Four Wheel Drive) vehicles only.

DEFENDER		D40 - 3.0L STX-550 V6	90
90, 110, 130 Series	54	NP300 - Coil Rear Only	92
DISCOVERY		NP300 - Leaf rear only	94
SERIES I	56	PATHFINDER	
SERIES II, III	58	WNYD21, WHYD21	96
RANGE ROVER		R50 (Series I, II, III)	97
NON AIR SUSPENSION	59	R51 - 2.5L, 4.0L	98
WITH AIR SUSPENSION	60	R51 - 3.0L V6	100
LADA		PATROL	
NIVA		9/80-85 MQ, MK	102
ALL	61	GQ Patrol (Y60) - 2" Lift	104
MAZDA		GU Patrol (Y61) - 2" Lift	106
B2500, B2600		GQ, GU Patrol (Y60, Y61) - 3" Lift	108
PC, PD, PE, PG, PH	62	GQ, GU Patrol (Y60, Y61) - 4" Lift	110
BT-50		GQ, GU Patrol (Y60, Y61) - 5" Lift	112
B2500, B3000	63	GQ, GU Patrol (Y60, Y61) - 6" Lift	114
MY11 On	64	GQ Cab Chassis (Leaf/Leaf)	116
MITSUBISHI		GQ, GU Cab Chassis (Coil/Leaf)	118
CHALLENGER		GQ, GU Cab Chassis (Coil/Coil)	120
PA - LEAF REAR	66	Y62 (Non Hydraulic Suspension Only)	122
PA II - COIL REAR	67	TERRANO II	
MY10, 11LS & XLS	68	R20	124
L200 4WD		SSANGYONG	
MA, MB, MC, MD	70	MUSSO (INC SPORT UTE)	
L300 4WD		ALSO SEE DAEWOO	125
SC, SD, SE, SF, SG, SH	71	SUZUKI	
PAJERO / MONTERO		JIMNY	
LEAF REAR	72	SN413 (JB33/43/48)	126
COIL REAR	73	SIERRA	
NM, NP, NS, NT (LWB)	74	LEAF SPRING ONLY	128
NM, NP, NS, NT (SWB)	76	VITARA	
PAJERO SPORT		INCLUDES GRAND VITARA & XL-7	129
MY16 on	78	TOYOTA	
TRITON		FORTUNER	
ME, MF, MG, MH, MK	80	04 - 12/15	130
ML MN (To MY15)	82	15 On	132
MQ (From MY16)	84	4RUNNER	
NISSAN		IFS WITH LEAF REAR	134
NAVARA		IFS WITH COIL REAR	135
D21, D22	86	HILUX	
D40 - 2.5L, 4.0L	88	LEAF/LEAF 4WD	136

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TABLE OF CONTENTS

Unless specified otherwise, all listings in this catalogue are for 4WD (Four Wheel Drive) vehicles only.

TORSION BAR FRONT.....	138	All Models.....	193
TORSION BAR FRONT.....	140	FITTING SHEET	
KUN26R (COIL/LEAF).....	142	PLEASE COMPLETE THIS FORM BEFORE ANY	
KUN26R - MINING APPLICATIONS.....	144	FITMENT.....	194
AN120/130 (COIL/LEAF).....	146	CLAIMS FORM	
LANDCRUISER		WARRANTY & RETURNS	
40, 42 SERIES.....	148	DISCLAIMER FORM	
45, 47 SERIES.....	150	VEHICLES LIFTED MORE THAN 50MM.....	196
60, 61, 62 SERIES.....	152	VEHICLE WEIGHT	
70 SERIES BUNDERA.....	154	GVM & RELATED INFORMATION.....	197
71, 74 SERIES SWB & LWB.....	155		
70, 73, 74 SERIES.....	156		
75 SERIES.....	158		
76 SERIES WAGON.....	160		
77 SERIES FZJ77, HZJ77, PZJ77.....	162		
78 SERIES WITH COIL SPRINGS.....	163		
78, 79 SERIES INC V8 (EXCEPT DUAL CAB).....	164		
78, 79 SERIES INC V8 (EXCEPT DUAL CAB).....	165		
79 SERIES DUAL CAB.....	166		
80 & 105 SERIES.....	168		
80 & 105 SERIES 3" LIFT.....	170		
80 & 105 SERIES 4" LIFT.....	172		
80 & 105 SERIES 5" LIFT.....	174		
80 & 105 SERIES 6" LIFT.....	176		
100 SERIES (IFS).....	178		
200 Series.....	180		
PRADO			
95 SERIES.....	182		
120 SERIES LWB & SWB.....	184		
150 SERIES LWB & SWB.....	186		
FJ CRUISER			
All Models.....	188		
RAV 4			
SAX 10, 11.....	190		
TUNDRA			
UCK, UPK, USK 55, 56.....	191		
UAZ			
ALL MODELS			
UAZ, HUNTER, PATRIOT.....	192		
VOLKSWAGEN			
AMAROK			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

WARRANTY

TERMS & CONDITIONS

Please note: All Warranty Claims are to be made to the place of original purchase

ACCOUNTS

Account Applications that are approved must comply with the following Term & Conditions

1. All export orders must be prepaid before shipment
2. Credit terms are 30 days from the end of the trading month
3. Credit will be suspended if payment is not made within the trading terms.
4. Unpaid accounts at 30 days are on stop supply.
5. If no credit arrangement exists, all goods must be prepaid before leaving 4Way Suspension premises.
6. If Applicant is a company, the Directors Guarantee must be completed by all relevant parties.

FREIGHT & INSURANCE

All Prices are quoted Ex-Warehouse and do not include freight. Goods pass to the buyer at the time they leave the 4Way Suspension Premises. Unless specified otherwise, freight will be added to the total cost of goods using the Supplier's preferred freight company.

CREDIT & WARRANTY RETURNS

Goods for credit or exchange must be returned within fourteen (14) days of invoice date accompanied by a completed **Returns Form**. Goods returned for the purpose of warranty claim must also be accompanied by the returns form along with a copy of the customer invoice. Freight for returned goods can be arranged by the returned or by 4Way Suspension, but in both cases, the associated costs remain the responsibility of the returner.

15% OF THE TOTAL VALUE OF THE RETURNED GOODS WILL BE CHARGED IN THE EVENT THAT REPACKAGING IS REQUIRED

WARRANTY EXCLUSIONS

1. Parts that have been incorrectly installed
2. Interference between shock absorber and other suspension components
3. Parts that have been involved in a motor vehicle accident or have been bent or have been physically damaged by impact of any kind.
4. Parts showing evidence of improper tightening of the mounting bolts causing parts to wear or bend
5. Gripping tool marks (vice grips or multi grips) or any other tool made mark on the polished chrome section of the shock absorber shaft
6. All parts subjected to abuse.
7. All parts used in Off-road or other racing events or activities
8. Any special order parts

Please Note: Any components built to a special order or specification outside the catalogue listings is not covered by warranty. This is because the manufacturer is unable to design components to withstand stresses in applications the R&D has not approved.

PROOF OF PURCHASE

A Copy of proof of purchase by the retail customer must be attached to the claim including the kilometre reading at the time of fitment (if applicable). Each 4WD Suspension fitted must have a fitting sheet completed and kept on file by either the vehicle owner or the fitment centre performing the work. Failure to produce the fitting sheet may affect the warranty of the product.

WARRANTY PERIODS

53mm Ralph (standard use)	3 Years/60,000km
53mm Ralph (IFS 100 Series)	2 Years/40,000km
53mm Ralph (Commercial Use)	1 Year/20,000km
45mm Adjustable (up to 2" Lift)	2 Years/40,000km
45mm Adjustable (above 2" lift)	1 Year/20,000km
45mm Adjustable (Commercial Use)	1 Year/20,000km
Foam/Gas/40mm Adj (standard use)	2 Year/40,000km
Foam/Gas/40mm Adj (above 2" lift)	1 Year/20,000km
41mm Foam Cell (IFS 100 Series)	1 Year/20,000km
RTC/EXT/SV Dampers	2 Year/40,000km
Leaf Springs	2 Year/40,000km
Coil Springs (up to 2")	3 year/60,000km
Coil Springs (above 2" Lift)	No Warranty

SELF FIT (DIY) SUSPENSIONS

DIY suspension fitment does not affect the warranty application or term as long as the following conditions are adhered to:

1. A fitting sheet is completed prior to the suspension being fitted and filed for later reference
2. The Above fitment sheet accurately and clearly includes bottom of rim to wheel arch measurements for all four corners of the vehicle both before, after and at the 500km check service.
3. U-Bolts must be replaced at the time of fitment. U-Bolts are a 'stretch fit' item, and should not be torqued to tightness twice. Re-using U-Bolts puts the vehicle and occupants at risk.

WARRANTY LIMITS

4way Suspension Products Pty Ltd's product warranty is limited to the repair or replacement of defective or faulty parts and does not include any costs incurred in labour for the removal or re-fitment of parts or damage incurred as a result of the product's fitment.

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

ROCK DOG

ROCK CRAWLING COMPETITION COILOVERS

SLOW SPEED COMPETITION USE ONLY

Coilover setup can be complex - Please call (02) 9672 8899 to tailor a solution

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BMX45305	2	Shock - 12" Travel (505/810mm)		Includes Heim Joints
BMX45355	2	Shock - 14" Travel (565/910mm)		
BMX45406	2	Shock - 16" Travel (610/1015mm)		
COIL SPRINGS				
TDC-BMX160	2	160lbs Coil Spring		One Piece Design - Tender Built In
TDC-BMX180	2	180lbs Coil Spring		
TDC-BMX100	2	100lbs Tender Coil Spring		
TDC-BMX180T	2	180lbs Dual Rate (Tapered) Coil		
Custom Coil Design Available - Contact us on (02) 9672 8899				
COMPONENTS				
TDUK-2000	1	Urethane Spring Connector		Urethane seating Collar
TDUK-2001	1	Urethane Protector Sleeve		Protects shock body from spring
361321	1	QA1 Heim Joints		Replacement Unit



Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

P: (02) 9672 8899 | F: (02) 9672 8099



ASIA MOTORS

ROCSTA
7/93-00
JD, JS



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1102T	2	35mm Nitrogen Gas Shock		Suits OE Height Only
BM401102	2	40mm 9 Stage Adjustable Shock		
BD1104T	2	35mm Nitrogen Gas		Suits 50mm Lift
BM401104	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T72	2	Leaf Spring: 50mm Lift		Petrol/Alloy Bar
STEERING DAMPERS				
SD5700	1	Replacement Damper		H/D Replacement
COMPONENTS				
TDUK-001	1	Urethane Shackle Bushing Kit		
TDUB-001	2	U-Bolt Kit		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1364T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401364	2	40mm 9 Stage Adjustable Shock		
BD1366T	2	35mm Nitrogen Gas		Suit 50mm Lift
BM401366	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T73	2	0-300KG Load		50mm Lift
COMPONENTS				
TDUK-001	1	Urethane Shackle Bushing Kit		
TDUB-001	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Front Top Pin Mount		Pin Style Bushing
404702	1	Bottom Front Eying		Eying Bushing
404702	2	Top & Bottom Rear Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitrogen Gas	0-300KG		
40mm 9 Stage Adjustable	0-300KG		
Includes 4 x Leaf Springs 4 x Shocks 2x Urethane Kits 4x U-Bolt Kits			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



DAEWOO

MUSSO

7/98-02
INCLUDING UTE

FRONT SUSPENSION

ESTIMATED LIFT: 35mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitrogen Gas Shock		Suits up to 35mm Lift
TORSION BARS				
4WTB-1800	1	Replacement Torsion Bars (Pair)		26mm/1040mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1104T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401104	2	40mm 9 Stage Adjustable Shock		
BD1105T	2	35mm Nitrogen Gas		Suit 35mm Lift
BM401105	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC100	2	0-300KG Load		35mm Lift
TDC100H	2	CONSTANT 300Kg Load		35mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Front Top Pin Mount		Pin Style Bushing
412772	1	Bottom Front Eying		Eying Bushing
TW959	2	Rear Top Pin Mount		Pin Style Bushing
404702	1	Bottom Rear Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitrogen Gas	ANY		
40mm 9 Stage Adjustable	ANY		
Includes 4 x Shocks 2 x Coil Springs			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

DIAHATSU

F10 F20, F50, F60

8/75-84

INCLUDING SCAT



FRONT SUSPENSION

ESTIMATED LIFT: No Springs Avail.

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1364T	2	35mm Nitrogen Gas Shock		Suits OE Height Only
BM401364	2	40mm 9 Stage Adjustable Shock		
BD1366T	2	35mm Nitrogen Gas		Suits 50mm Lift
BM401366	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUK-019	1	Urethane Shackle Bushing Kit		All Excluding F50
TDUK-020	1	Urethane Shackle Bushing Kit		Suits F50 Only
TDUB-027	2	U-Bolt Kit		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1366T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401366	2	40mm 9 Stage Adjustable Shock		
BD1382T	2	35mm Nitrogen Gas		Suit 50mm Lift
BM401382	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUK-019	1	Urethane Shackle Bushing Kit		All Excluding F50
TDUK-020	1	Urethane Shackle Bushing Kit		Suits F50 Only
TDUB-027	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
404702	2	Suits Top & Bottom Front & Rear		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



DIAHATSU

F25, F55, F65
2/80-84

FRONT SUSPENSION

ESTIMATED LIFT: No Springs Avail.

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1366T	2	35mm Nitrogen Gas Shock		Suits OE Height Only
BM401366	2	40mm 9 Stage Adjustable Shock		
BD1382T	2	35mm Nitrogen Gas		Suits 50mm Lift
BM401382	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUK-002	1	Urethane Shackle Bushing Kit		
TDUB-027	2	U-Bolt Kit		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1400T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401400	2	40mm 9 Stage Adjustable Shock		
BD1441T	2	35mm Nitrogen Gas		Suit 50mm Lift
BM401441	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUK-023	1	Urethane Shackle Bushing Kit		
TDUB-027	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
404702	2	Suits Top & Bottom Front Shock		Eyering Bushing
404702	1	Suits Top Eyering Mount Rear		Eyering Bushing
TW959	2	Suits Bottom Pin Mount Rear		Pin Style Bushing

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

DIAHATSU

FEROZA

10/88-98

CX12, F300



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitrogen Gas Shock		All Applications
TORSION BARS				
4WTB-0197	1	Replacement Torsion Bars (Pair)		26mm/1093mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1102T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401102	2	40mm 9 Stage Adjustable Shock		
BD1104T	2	35mm Nitrogen Gas		Suit 40mm Lift
BM401104	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T67	2	0-300Kg Load		40mm Lift
COMPONENTS				
TDUK-003	1	Urethane Shackle Bushing Kit		
TDUB-027	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin Bushing		Pin Style Bushing
412772	1	Suits Bottom Front Eye Bushing		Eyering Bushing
TW959	2	Suits Top Rear Pin Bushing		Pin Style Bushing
404702	1	Suits Bottom Rear Eye Bushing		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitrogen Gas	0-300KG		
40mm 9 Stage Adjustable	0-300KG		
Includes 2 x Leaf Springs 4 x Shocks 1x Urethane Kits 2x U-Bolt Kits			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



DIAHATSU

FEROZA II

4/93-99
F310

FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitrogen Gas Shock		All Applications
TORSION BARS				
4WTB-0197	1	Replacement Torsion Bars (Pair)		26mm/1093mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1005T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401005	2	40mm 9 Stage Adjustable Shock		
BD1007T	2	35mm Nitrogen Gas		Suit 40mm Lift
BM401007	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T76	2	0-300Kg Load		40mm Lift
COMPONENTS				
TDUK-022	1	Urethane Shackle Bushing Kit		
TDUB-027	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin Bushing		Pin Style Bushing
412772	1	Suits Bottom Front Eye Bushing		Eyering Bushing
TW959	2	Suits Top Rear Pin		Pin Style Bushing
404702	2	Suits Bottom Rear Eyering		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitrogen Gas	0-300KG		
40mm 9 Stage Adjustable	0-300KG		
Includes 4 x Leaf Springs 4 x Shocks 2x Urethane Kits 4x U-Bolt Kits			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

DIAHATSU

ROCKY

6/84-93 - F70, F75

6/84-89 - F80, F85



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1102TB	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401102	2	40mm 9 Stage Adjustable Shock		
BD1104TB	2	35mm Nitrogen Gas		Suit 40mm Lift
BM401104	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T65	2	Petrol/Diesel/Bar		Suits LWB Only
T65C	2	Petrol/Diesel/Bar		Suits SWB Only
COMPONENTS				
TDUK-002	1	Urethane Shackle Bushing Kit		
TDUB-002	1	U-Bolt Kit		Suits D/S (1 Kit Req'd)
TDUB-027	1	U-Bolt Kit		Suits P/S (1 Kit Req'd)

REAR SUSPENSION

SHOCK ABSORBERS				
BD1400T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401400	2	40mm 9 Stage Adjustable Shock		
BD1104T	2	35mm Nitrogen Gas		Suit 40mm Lift
BM401104	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T64	2	0-300Kg Load		Suits LWB Only
T64M	2	0-300Kg Load		Suits SWB Only
COMPONENTS				
TDUK-003	1	Urethane Shackle Bushing Kit		
TDUB-027	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Pin - Front & Rear		Pin Style Bushing
404702	2	Suits Bottom Eye - Front & Rear		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitrogen Gas	0-300KG SWB		
	0-300KG LWB		
40mm 9 Stage Adjustable	0-300KG SWB		
	0-300KG LWB		
Includes 4 x Leaf Springs 4 x Shocks 2x Urethane Kits 4x U-Bolt Kits			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



DIAHATSU

ROCKY

11/86-93
F77, F87 PICKUP & TRAYBACK

FRONT SUSPENSION

ESTIMATED LIFT: No Springs Avail.

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1102TB	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401102	2	40mm 9 Stage Adjustable Shock		
BD1104TB	2	35mm Nitrogen Gas		Suit 40mm Lift
BM401104	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUK-002	1	Urethane Shackle Bushing Kit		
TDUB-002	2	U-Bolt Kit		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1400T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401400	2	40mm 9 Stage Adjustable Shock		
BD1441T	2	35mm Nitrogen Gas		Suit 40mm Lift
BM401441	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUB-027	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Pin - Front & Rear		Pin Style Bushing
404702	1	Suits Eye - Front & Rear		Eyering Bushing

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

DIAHATSU

ROCKY

8/93-99

F73, F78 (COIL SPRINGS)



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42019B	2	41mm Foam Cell Shock		
TORSION BARS				
4WTB-0198	1	Replacement Torsion Bars		26mm/1093mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
FC41184	2	41mm Foam Cell Shock		
BM401184	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC066	2	0-300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
TW959	2	Suits Top Rear Pin		Pin Style Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
Foam Cell Front Adjustable Rear	0-300KG		
Includes 4 x Shock Absorbers 2 x Coil Springs			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



FORD COURIER 5/87-10/06 PC, PD, PE, PG, PH

FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42051B	2	41mm Foam Cell Shock		Suits up to 40mm Lift
TDSK-020	1	Shock Mount Strengthening Kit		Top Pin Mount Bracket
Please Note: - Failure to fit TDSK-020 will cause top mount failure. Fitting instructions at toughdog.com.au				
TORSION BARS				
4WTB-1546	1	Replacement Torsion Bars		26mm/926mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1232T	2	35mm Nitrogen Gas Shock		Suits Up to 40mm Lift
FC41232	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401232	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS365	2	0-300kg Load		40mm Lift
FS367	2	CONSTANT 300Kg Load		40mm Lift
COMPONENTS				
TDUK-034	1	Urethane Shackle Bushing Kit		
TDUB-005	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959 + TW961	2	Suits Top Front & Rear Pin		Pin Style Bushing
412772	1	Suits Bottom Front & Rear Eye		Eyering Bushing
ADJ00191	1	Suits Top Rear Eyering		Suit Foam Cell Shocks
SPF420-02	1	Suits Bottom Rear Eyering		
230100	1	Suits Top Rear Eyering		Suit 40mm Adjustable Shocks
230002	1	Suits Bottom Rear Eyering		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Front Nitro gas Rear	0-300KG Constant 300kg		
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
2 x Leaf Springs 2 x U-Bolt Kits	Includes 4 x Shocks 1 x Urethane Kits 1 x Shock Strengthening Kit		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

FORD

EVEREST

2015 On
All Models



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404500	2	40mm Foam Cell Strut		
BM404500	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC452	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC452HL	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MAZ-005	2	BM404500/TDC452		Petrol/Diesel/Bar
MAZ-006	2	BM404500/TDC452HL		Petrol/Diesel/Bar/Winch
MAZ-007	2	FC404500/TDC452		Petrol/Diesel/Bar
MAZ-008	2	FC404500/TDC452HL		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MAZ-4051	2	Strut Top		Replacement Strut Top

REAR SUSPENSION


SHOCK ABSORBERS				
FC43013	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM403013	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
COIL SPRINGS				
TDC453	2	0-300kg Load		40mm Lift
TDC453L	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MAZ-4051	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00305	1	Suits Bottom Front Eye		Eyering Bonded Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>Foam Cell Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		
<p>40mm Adjustable Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

FORD

EXPLORER

10/96-05
UN, UP, UQ



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41450B	2	41mm Foam Cell Shock		Suits up to 40mm Lift

REAR SUSPENSION

SHOCK ABSORBERS				
FC41446	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
LEAF SPRINGS				
FS024	2	0-300kg Load		40mm Lift
Please Note: - The Limited is 35mm lower in ride height than XLT with OE Suspension				
COMPONENTS				
TDUK-024	1	Urethane Shackle Bushing Kit		
TDUB-022	2	U-Bolt Kit		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
<p style="text-align: center;">Includes</p> <p>2 x Leaf Springs 4 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits</p>			

Please Note:

1) The "Limited" comes standard with (Self Levelling) air shocks. These can be retained or removed as desired. If the (Self Levelling) air shocks are removed, the self levelling indicator light in the dash will turn on and off intermittently.

The air hoses should be sealed off and fastened to the chassis for later use if needed.

2) The air compressor must be turned off. The switch is located in the left hand rear inspection console. If further electrical work is required, please consult an Automotive Electrician.

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



FORD

F250
03-06

Live Axle Front, Quad Rear Shocks

FRONT SUSPENSION

ESTIMATED LIFT: 100 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
TDR3500	2	53mm 'Ralph' Big Bore		Suits OE Height Only
BMX3500/4	2	45mm 9 Stage Adjustable		Suits 100mm Lift
LEAF SPRINGS				
FS026	2	Petrol/Diesel/Alloy Bar		100mm Lift
FS026H	2	Petrol/Diesel/Bar/Winch		100mm Lift
STEERING DAMPER				
SS5250-XHD	1	XHD Return To Centre Damper		When fitted to OE height vehicle, Low ground clearance occurs
SV5250	1	'SV' 9 Stage Adjustable Damper		
COMPONENTS				
TDUK-064	1	Shackle Bushing Kit		Kit fitted to springs when ordered
TDUB-033	2	U-Bolt Kit		
TDPR-250	1	Adjustable Panhard Rod		

REAR SUSPENSION

SHOCK ABSORBERS				
BMX3501	2	45mm 9 Stage Adjustable		Forward of Rear Axle - OE Height
BMX3502	2	45mm 9 Stage Adjustable		Rear of Rear Axle - OE Height
BMX3501/4	2	45mm 9 Stage Adjustable		Forward of Rear Axle - 100mm lift
BMX3502/4	2	45mm 9 Stage Adjustable		Rear of Rear Axle - 100mm lift
LEAF SPRINGS				
FS027	2	0-500kg Load		100mm Lift
FS027H	2	CONSTANT 500Kg Load		100mm Lift
COMPONENTS				
TDUK-064	1	Shackle Bushing Kit		Kit fitted to springs when ordered
TDUB-034	2	U-Bolt Kit		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
45mm 9 Stage Adjustable	0-500KG		
	Constant 500kg		
Includes 4 x Leaf Springs 6 x Shocks 2 x Bushing Kits 4 x U-Bolt Kits 1 x Panhard Rod			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

P: (02) 9672 8899 | F: (02) 9672 8099



FORD

BRONCO

3/81-89

Third Generation



FRONT SUSPENSION

ESTIMATED LIFT: No Springs Avail.

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS (ALL EXCL. QUAD SHOCK)				
FC41130B	2	41mm Foam Cell Shock		Suits up to 30mm Lift
SHOCK ABSORBERS (QUAD SHOCK)				
FC41102B	2	41mm Foam Cell Shock		OE Height - Front of Axle
FC41130B	2	41mm Foam Cell Shock		OE Height - Rear of Axle

REAR SUSPENSION

SHOCK ABSORBERS (ALL MODELS)				
FC41379	2	41mm Foam Cell Shock		Suits Up to 30mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing (#1102B ONLY)
404702	1	Suits Bottom Front Eye		Eyering Bushing (#1102B ONLY)
404702	1	Suits Top Rear		Eyering Bushing
SPF420	1	Suits Bottom Rear		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



FORD RANGER 12/06-10/11 PJ & PJ, 2.5L & 3.0L

FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42051B	2	41mm Foam Cell Shock		Suits up to 45mm Lift
TDSK-020	1	Shock Mount Strengthening Kit		Top Pin Mount Bracket
Please Note: - Failure to fit TDSK-020 will cause top mount failure. Fitting instructions at toughdog.com.au				
TORSION BARS				
4WTB-1440	1	Replacement Torsion Bars		27mm/1028mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1232T	2	35mm Nitrogen Gas Shock		Suits Up to 45mm Lift
FC41232	2	41mm Foam Cell Shock		Suits Up to 45mm Lift
BM401232	2	40mm 9 Stage Adjustable		Suits Up to 45mm Lift
LEAF SPRINGS				
FS368C	2	0-300kg Load		45mm Lift
FS368L	2	CONSTANT 300Kg Load		45mm Lift
COMPONENTS				
TDUK-069	1	Urethane Shackle Bushing Kit		
TDUB-037	2	U-Bolt Kit		
TDGS-386/1	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959 (x1)+TW961 (x1)	1 + 1	Suits Top Front Pin (1 each req'd)		Pin Style Bushing
412772	1	Suits Bottom Front & Rear Eye		Eyering Bushing
ADJ00191	1	Suits Top Rear Eyering		Suit Foam Cell Shocks
4W-SPF420-02	1	Suits Bottom Rear Eyering		
230100	1	Suits Top Rear Eyering		
230002	1	Suits Bottom Rear Eyering		Suit 40mm Adjustable Shocks

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Front Nitro gas Rear	0-300KG		
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
Includes 2 x Leaf Springs, 4 x Shocks, 1 x Urethane Kit, 2 x U-Bolt Kits 1 x Shock Strengthening Kit			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

FORD

RANGER

11/11 On

PX & PX II- All Models



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404500	2	40mm Foam Cell Strut		
BM404500	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC451	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC451HL	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MAZ-001	2	BM404500/TDC451		Petrol/Diesel/Bar
MAZ-002	2	BM404500/TDC451HL		Petrol/Diesel/Bar/Winch
MAZ-003	2	FC404500/TDC451		Petrol/Diesel/Bar
MAZ-004	2	FC404500/TDC451HL		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MAZ-4051	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1232T	2	35mm Nitrogen Gas Shock		Up to 40mm Lift (For Comfort)
FC41232	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401232	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS369C	2	0-300kg Load		40mm Lift
FS369L	2	CONSTANT 300Kg Load		40mm Lift
FS369LL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-070	1	Urethane Shackle Bushing Kit		
TDUB-039	2	U-Bolt Kit		Suits FS369L & LL Spring
TDUB-040	2	U-Bolt Kit		Suits FS369C Spring Only
TDGS-390	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		
TDSP-007	1	Transmission Spacer Kit		Must Be fitted to All Lift Kits

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MAZ-4051	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00305	1	Suits Bottom Front Eye		Eyering Bonded Bushing
ADJ00191	1	Suits Top Rear Eyering		Suit Foam Cell Shocks
4W-SPF420-02	1	Suits Bottom Rear Eyering		
230100	1	Suits Top Rear Eyering		Suit 40mm Adjustable Shocks
230002	1	Suits Bottom Rear Eyering		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

FORD

RANGER

11/11 On

PX & PXII - All Models

Note: Transmission spacer fitting instructions available at toughdog.com.au

35mm Nitro Gas shocks should be used when extra comfort is desired in vehicles carrying little to no load. They are not suitable for heavy load carrying applications

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer</p>	<p>FS369C (Foam Front Gas Rear)</p> <p>FS369C (Foam Cell All)</p> <p>FS369L CONSTANT 300KG</p> <p>FC369LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Space</p>	<p>FS369C (Foam Front Gas Rear)</p> <p>FS369C (Foam Cell All)</p> <p>FS369L CONSTANT 300KG</p> <p>FS369LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer</p>	<p>FS369C 0-300KG</p> <p>FS369L CONSTANT 300KG</p> <p>FS369LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer</p>	<p>FS369C 0-300KG</p> <p>FS369L CONSTANT 300KG</p> <p>FS369LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

P: (02) 9672 8899 | F: (02) 9672 8099



GREAT WALL

UTE (WINGLE, SAILOR)

6/09 On

V200, 240, 2.4L



FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42019B	2	41mm Foam Cell Shock		Suits up to 45mm Lift
TORSION BARS				
4WTB-1559	1	Replacement Torsion Bars		30mm/1145mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1388T	2	35mm Nitrogen Gas Shock		Suits 45mm Lift
FC41388	2	41mm Foam Cell Shock		
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS213	2	0-300kg Load		45mm Lift
FS213H	2	CONSTANT 300Kg Load		45mm Lift
COMPONENTS				
TDUK-065	1	Urethane Shackle Bushing Kit		
TDUB-039	2	U-Bolt Kit		
TDGS-386	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eying		Eying Bushing
404702	2	Suits Top & Bottom Rear Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Front Nitro gas Rear	0-300KG Constant 300kg		
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
Includes 2 x Leaf Springs 4 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



GREAT WALL

4 DOOR (HOVER, SAFE, HAVAL)

05- On
X240

FRONT SUSPENSION

ESTIMATED LIFT: 30 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42019B	2	41mm Foam Cell Shock		Suits up to 30mm Lift
TORSION BARS				
4WTB-1559	1	Replacement Torsion Bars		30mm/1145mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
FC41460	2	41mm Foam Cell Shock		Suits Up to 30mm Lift
BM401460	2	40mm 9 Stage Adjustable		Suits Up to 30mm Lift
COIL SPRINGS				
TDC045	2	0-300kg Load		30mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
TW959	2	Suits Top & Bottom Rear Pin		Pin Style Bushing
TW038/16	1	Suits Bottom Rear Eyering		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
Foam Cell Front Adjustable Rear	0-300KG		
Includes 2 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

HOLDEN

FRONTERA LWB & SWB

10/95-99 & 3/99-04

2 DOOR & 4 DOOR, 3.2L V6, 2.2L TDI



FRONT SUSPENSION

ESTIMATED LIFT: 40 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42019B	2	41mm Foam Cell Shock		Suits up to 40mm Lift
TORSION BARS				
4WTB-1559	1	Replacement Torsion Bars		30mm/1145mm - 3/99-04 ONLY
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
FC41200	2	41mm Foam Cell Shock		Check Mounts before ordering Suits Eye/Eye Vehicles
BM401200	2	40mm 9 Stage Adjustable		
FC41201B	2	41mm Foam Cell Shock		Check Mounts before ordering Suits Pin/Eye Vehicles
BM401201	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC290	2	0-300kg Load		OE Height (10/95-99 ONLY)
TDC267	2	0-300kg Load		40mm Lift (10/95-99 ONLY)
TDC267	2	0-300kg Load		35mm Lift (3/99-04 ONLY)
TDC267H	2	CONSTANT 300Kg Load		35mm Lift (3/99-04 ONLY)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
Includes 2 x Coil Springs 4 x Shocks			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



HOLDEN

JACKAROO, ISUZU TROOPER

11/81-86
UBS13, 16, 52L

FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitrogen Gas Shock		Suits up to 45mm Lift
FC42057B	2	41mm Foam Cell Shock		Suits up to 45mm Lift
TORSION BARS				
4WTB-1546	1	Replacement Torsion Bars		26mm/926mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1388T	2	35mm Nitrogen Gas Shock		Suits 45mm Lift
FC41388	2	41mm Foam Cell Shock		
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS113	2	0-300kg Load		45mm Lift
FS113H	2	CONSTANT 300Kg Load		45mm Lift
COMPONENTS				
TDUK-004	1	Urethane Shackle Bushing Kit		
TDUB-006	2	U-Bolt Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
404702	2	Suits Top & Bottom Rear Eye		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	0-300KG Constant 300kg		
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
Includes			
2 x Leaf Springs 4 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

HOLDEN

JACKAROO, ISUZU TROOPER

11/86-92
UBS16, 17, 52, 55



FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitrogen Gas Shock		Suits up to 45mm Lift
FC42057B	2	41mm Foam Cell Shock		Suits up to 45mm Lift
TORSION BARS				
4WTB-1548	1	Replacement Torsion Bars		26mm/997mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1105T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41105	2	41mm Foam Cell Shock		
BM401105	2	40mm 9 Stage Adjustable		
BD1106TB	2	35mm Nitrogen Gas Shock		Suits 45mm Lift
FC41106	2	41mm Foam Cell Shock		
BM401106	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS113	2	0-300kg Load		45mm Lift
FS113H	2	CONSTANT 300Kg Load		45mm Lift
COMPONENTS				
TDUK-004	1	Urethane Shackle Bushing Kit		
TDUB-006	2	U-Bolt Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
404702	2	Suits Top & Bottom Rear Eye		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	0-300KG Constant 300kg		
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
Includes			
2 x Leaf Springs 4 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

HOLDEN

JACKAROO, MONTEREY

5/92-98 & 2/98-04
UBS26, 69, 73 (INC WIDE BODY)

FRONT SUSPENSION

ESTIMATED LIFT: 40 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42019B	2	41mm Foam Cell Shock		Suits up to 40mm Lift
TORSION BARS				
4WTB-1549	1	Replacement Torsion Bars		29.3mm/1220mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
FC41200	2	41mm Foam Cell Shock		Suits up to 40mm Lift
BM401200	2	40mm 9 Stage Adjustable		Suits up to 40mm Lift
COIL SPRINGS				
TDC267	2	0-300kg Load		40mm Lift
TDC267H	2	CONSTANT 300Kg Load		Suit UBS25, 69
TDC267HH	2	CONSTANT 500Kg Load		
TDC267H	2	0-300kg Load		40mm Lift
TDC267HH	2	CONSTANT 300Kg Load		Suit UBS26, 73 Wide Body

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	ANY		
Foam Cell Front Adjustable Rear	ANY		
Includes 2 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

HOLDEN

RODEO

1/81-88

KB4, KBD4



FRONT SUSPENSION

ESTIMATED LIFT: 40 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
TORSION BARS				
4WTB-1536	1	Replacement Torsion Bars		26mm/927mm (1/81-83 ONLY)
4WTB-1546	1	Replacement Torsion Bars		26mm/926mm (83-88 ONLY)
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1388T	2	35mm Nitrogen Gas Shock		Suits 40mm Lift
FC41388	2	41mm Foam Cell Shock		
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS113	2	0-300kg Load		40mm Lift
FS113H	2	CONSTANT 300Kg Load		40mm Lift
FS113HM	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-004	1	Urethane Shackle Bushing Kit		
TDUB-006	2	U-Bolt Kit		
TDGS-386	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
404702	2	Suits Top & Bottom Rear Eye		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

HOLDEN

RODEO

1/81-88

KB4, KBD4

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>35mm Nitro Gas Rear</p> <p><u>Includes</u> 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS113 0-300KG Spring</p> <p>FS113H CONSTANT 300KG Spring</p> <p>FS113HM CONSTANT 500KG Spring</p>		
<p>41mm Foam Cell Rear</p> <p><u>Includes</u> 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS113 0-300KG Spring</p> <p>FS113H CONSTANT 300KG Spring</p> <p>FS113HM CONSTANT 500KG Spring</p>		
<p>40mm Adjustable Rear</p> <p><u>Includes</u> 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS113 0-300KG Spring</p> <p>FS113H CONSTANT 300KG Spring</p> <p>FS113HM CONSTANT 500KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

HOLDEN

RODEO

8/88-03

TFS, G3, G6, R7, R9



FRONT SUSPENSION

ESTIMATED LIFT: 40 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitrogen Gas Shock		Suits up to 40mm Lift
TORSION BARS				
4WTB-1548	1	Replacement Torsion Bars		26mm/997mm - 36mm Spline
4WTB-1566	1	Replacement Torsion Bars		27mm/998mm - 33mm Spline
Check Spline & Diameter prior to ordering				
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1388T	2	35mm Nitrogen Gas Shock		Suits 40mm Lift
FC41388	2	41mm Foam Cell Shock		
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
Check No. of Leaves - Rare special editions have heavier leaf packs from factory				
FS113	2	0-300kg Load		40mm Lift
FS113H	2	CONSTANT 300Kg Load		40mm Lift
FS113HM	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-037	1	Urethane Shackle Bushing Kit		
TDUB-005	2	U-Bolt Kit		
TDGS-386	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
404702	2	Suits Top & Bottom Rear Eye		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

HOLDEN

RODEO

8/88-03

TFS, G3, G6, R7, R9

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>35mm Nitro Gas</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS113 0-300KG Spring</p> <p>FS113H CONSTANT 300KG Spring</p> <p>FS113HM CONSTANT 500KG Spring</p>		
<p>Nitro Gas Front Foam Cell Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS113 0-300KG Spring</p> <p>FS113H CONSTANT 300KG Spring</p> <p>FS113HM CONSTANT 500KG Spring</p>		
<p>Nitro Gas Front Adjustable Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS113 0-300KG Spring</p> <p>FS113H CONSTANT 300KG Spring</p> <p>FS113HM CONSTANT 500KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

HOLDEN

RODEO & COLORADO

2/03-2012
RA-RC



FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42019B	2	41mm Foam Cell Shock		Suits up to 45mm Lift
TORSION BARS				
4WTB-1559	1	Replacement Torsion Bars		30mm/1145mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1388T	2	35mm Nitrogen Gas Shock		Suits 45mm Lift
FC41388	2	41mm Foam Cell Shock		
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS213	2	0-300kg Load		45mm Lift
FS213H	2	CONSTANT 300Kg Load		45mm Lift
COMPONENTS				
TDUK-065	1	Urethane Shackle Bushing Kit		
TDUB-039	2	U-Bolt Kit		
TDGS-386	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
404702	2	Suits Top & Bottom Rear Eye		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

HOLDEN

RODEO & COLORADO

2/03-2012
RA-RC

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Front Nitro Gas Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS213 0-300KG Spring</p>		
<p>41mm Foam Cell</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS213 0-300KG Spring</p> <p>FS213H CONSTANT 300KG Spring</p>		
<p>Foam Cell Front Adjustable Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS213 0-300KG Spring</p> <p>FS213H CONSTANT 300KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

HOLDEN

COLORADO

11/11 On

RG, MMU142, GM1700



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404200	2	40mm Foam Cell Strut		
BM404200	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC270	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
HOL-001	2	BM404200/TDC270		Petrol/Diesel/Bar
HOL-002	2	BM404200/TDC974		Petrol/Diesel/Bar/Winch
HOL-003	2	FC404200/TDC270		Petrol/Diesel/Bar
HOL-004	2	FC404200/TDC974		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP - Strut top special info sheet at toughdog.com.au				
TOY-1081	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits Up to 40mm Lift
FC41382	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401382	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS214C	2	0-300kg Load		40mm Lift
FS214L	2	CONSTANT 300Kg Load		40mm Lift
FS214LL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-071	1	Urethane Shackle Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-391	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		
TDSK-021	1	Handbrake Relocation kit		Req'd for MY17 vehicles
Handbrake Relocation kit is required for all vehicles MY17 onwards (06/16 release onward)				

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1081	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eye		Eyering Bonded Bushing
404702	2	Suits Top & Bottom Rear Eyering		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Kit price reference does not include handbrake relocation kit. Please add to kit for MY17 on vehicles

HOLDEN

COLORADO

11/11 On
RG, MMU142, GM1700

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>FS214C (Foam Front Gas Rear)</p> <p>FS214C (Foam Cell All)</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>FS214C (Foam Front Gas Rear)</p> <p>FS214C (Foam Cell All)</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>FS214C 0-300KG</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>FS214C 0-300KG</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

HOLDEN

COLORADO 7/TRAILBLAZER

11/11 On
ALL MODELS



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404200	2	41mm Foam Cell Strut		
BM404200	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC270	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
HOL-001	2	BM404200/TDC270		Petrol/Diesel/Bar
HOL-002	2	BM404200/TDC974		Petrol/Diesel/Bar/Winch
HOL-003	2	FC404200/TDC270		Petrol/Diesel/Bar
HOL-004	2	FC404200/TDC974		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
TOY-1081	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1125T	2	35mm Nitrogen Gas Shock		Suits Up to 40mm Lift
FC41125	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401125	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
COIL SPRINGS				
TDC271	2	0-300kg Load		40mm Lift
TDC271H	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1081	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eye		Eyering Bonded Bushing
TW040/14	1	Suits Rear Bottom Eye		Eyering Bush
TW959	2	Suits Rear Top Pin		Pin Style Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell Note: To use gas rear shock for comfort Subtract \$70	Any		<p>Front Struts can be purchased Assembled or as Separate Components</p>
9 Stage Adjustable	Any (Complete Assy)		
	Any		
	Any (Complete Assy)		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



HYUNDAI TERRACAN 12/01 On HP

FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42059B	2	41mm Foam Cell Shock		Suits up to 45mm Lift
TORSION BARS				
4WTB-1725	1	Replacement Torsion Bars		27.5mm/1275mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
FC41120B	2	41mm Foam Cell Shock		Suits OE Height
BM401120	2	40mm 9 Stage Adjustable		
FC41121B	2	41mm Foam Cell Shock		Suits 45mm Lift
BM401121	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC680	2	0-300kg Load		45mm Lift
TDC632SL	2	CONSTANT 300Kg Load		45mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
402267	2	Suits Top Front Pin		Pin Style Bushing
402267	2	Suits Top Rear Pin		Pin Style Bushing
ADJ00191	1	Suits Bottom Rear Eye		Eyering Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
	Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG		
	Constant 300kg		
Includes 2 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

ISUZU

D-MAX

04/08-12

MY09-MY11



FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42019B	2	41mm Foam Cell Shock		Suits up to 45mm Lift
TORSION BARS				
4WTB-1559	1	Replacement Torsion Bars		30mm/1145mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1388T	2	35mm Nitrogen Gas Shock		Suits 45mm Lift
FC41388	2	41mm Foam Cell Shock		
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS213	2	0-300kg Load		45mm Lift
FS213H	2	CONSTANT 300Kg Load		45mm Lift
COMPONENTS				
TDUK-065	1	Urethane Shackle Bushing Kit		
TDUB-039	2	U-Bolt Kit		
TDGS-386	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
404702	2	Suits Top & Bottom Rear Pin		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

ISUZU

D-MAX

4/08-12

MY09-MY11

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Front Nitro Gas Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS213 0-300KG Spring</p>		
<p>41mm Foam Cell</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS213 0-300KG Spring</p> <p>FS213H CONSTANT 300KG Spring</p>		
<p>Foam Cell Front Adjustable Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS213 0-300KG Spring</p> <p>FS213H CONSTANT 300KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

ISUZU

D-MAX

05/12 On

TFS85, V-CROSS, MY12



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404200	2	40mm Foam Cell Strut		
BM404200	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC270	2	40mm Lift Spring		Petrol/Diesel/Up to Alloy Bar
TDC974	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
HOL-001	2	BM404200/TDC270		Petrol/Diesel/Up to Alloy Bar
HOL-002	2	BM404200/TDC974		Petrol/Diesel/Steel Bar
HOL-005	2	BM404200/TDC974H		Petrol/Diesel/Bar/Winch
HOL-003	2	FC404200/TDC270		Petrol/Diesel/Up to Alloy Bar
HOL-004	2	FC404200/TDC974		Petrol/Diesel/Steel Bar
HOL-006	2	FC404200/TDC974H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
TOY-1081	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits Up to 40mm Lift
FC41382	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401382	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS214C	2	0-300kg Load		40mm Lift
FS214L	2	CONSTANT 300Kg Load		40mm Lift
FS214LL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-071	1	Urethane Shackle Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-391	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		
TDSK-021	1	Handbrake Relocation kit		Req'd for up to MY15.5 vehicles
Handbrake Relocation kit is required for all vehicles to MY15.5 (04/16 release) Not req'd for 04/16 onward.				

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1081	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eye		Eyering Bonded Bushing
404702	2	Suits Top & Bottom Rear Eyering		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**Note: Kit price reference includes handbrake relocation kit.
Please remove from kit for MY15.5 on vehicles**

ISUZU

D-MAX

05/12 On

TFS85, V-CROSS, MY12

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Handbrake Bkt Kit 	<p>FS214C (Foam Front Gas Rear)</p> <p>FS214C (Foam Cell All)</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Handbrake Bkt Kit 	<p>FS214C (Foam Front Gas Rear)</p> <p>FS214C (Foam Cell All)</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Handbrake Bkt Kit 	<p>FS214C 0-300KG</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Handbrake Bkt Kit 	<p>FS214C 0-300KG</p> <p>FS214L CONSTANT 300KG</p> <p>FS214LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

ISUZU

MU-X
8/14 On
MY13 On



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404200	2	40mm Foam Cell Strut		
BM404200	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC270	2	40mm Lift Spring		Petrol/Diesel/Up to Alloy Bar
TDC974	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
HOL-001	2	BM404200/TDC270		Petrol/Diesel/Up to Alloy Bar
HOL-002	2	BM404200/TDC974		Petrol/Diesel/Steel Bar
HOL-005	2	BM404200/TDC974H		Petrol/Diesel/Bar/Winch
HOL-003	2	FC404200/TDC270		Petrol/Diesel/Up to Alloy Bar
HOL-004	2	FC404200/TDC974		Petrol/Diesel/Steel Bar
HOL-006	2	FC404200/TDC974H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
TOY-1081	2	Strut Top		Replacement Strut Top


REAR SUSPENSION

SHOCK ABSORBERS				
BD1125T	2	35mm Nitrogen Gas Shock		Suits Up to 40mm Lift
FC41125	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401125	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
COIL SPRINGS				
TDC272SL	2	0-300kg Load		O.E Height
TDC272	2	0-300kg Load		40mm Lift
TDC272H	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1081	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eye		Eyering Bonded Bushing
TW040/14	1	Suits Rear Bottom Eye		Eyering Bush
TW959	2	Suits Rear Top Pin		Pin Style Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Struts Require Assembly <u>Includes</u> 4 x Coil Springs 4 x Shocks	ANY (Foam Front Gas Rear)		
	ANY (Foam Cell All)		
Foam Cell Complete Assembly Struts <u>Includes</u> 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks	ANY (Foam Front Gas Rear)		
	ANY (Foam Cell All)		
40mm Adjustable Struts Require Assembly <u>Includes</u> 4 x Coil Springs 4 x Shocks	ANY		
40mm Adjustable Complete Assembly Struts <u>Includes</u> 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

JEEP

CHEROKEE

4/94-01

XJ Limited, Sport

Note: Transmission spacer fitting instructions available at toughdog.com.au



FRONT SUSPENSION

ESTIMATED LIFT: 35 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41063	2	41mm Foam Cell Shock		Suits OE Height
BM401063	2	40mm 9 Stage Adjustable		
FC41068	2	41mm Foam Cell Shock		Suits 35mm Lift
BM401068	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC333	2	35mm Lift		Petrol/Diesel/Bar
TDC352	2	35mm Lift		Petrol/Diesel/Bar/Winch
STEERING DAMPERS				
SS5922-P/S	1	Return to Centre Damper		Power Steering
SV5922	1	9 Stage Adjustable Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
FC41241	2	41mm Foam Cell Shock		Suits OE Height
BM401241	2	40mm 9 Stage Adjustable		
FC41249	2	41mm Foam Cell Shock		Suits 35mm Lift
BM401249	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS025H	2	0-300kg Load		35mm Lift
COMPONENTS				
TDUK-027	1	Urethane Shackle Bushes		
TDUB-020	2	U-bolt Kit		
TDSP-002	1	Transmission Spacer		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
404702	1	Suits Bottom Rear Eye		Eyering Bushing

Bar Pin Style Bushings are not User Servicable - Contact 4Way Suspension for Replacement Service

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	ANY		
9 Stage Adjustable	ANY		
<p>Includes</p> <p>2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolts 1 x Urethane kit 1 x Transmission Spacer</p>			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



JEEP

GRAND CHEROKEE

ZG - 4/96-99
WG, WJ - 6/99-05

FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41068	2	41mm Foam Cell Shock		
BM401068	2	40mm Adjustable Shock		9 Stage Adjustable
COIL SPRINGS				
TDC358	2	40mm Lift Spring		30mm Lift-ZG 4/96-99 ONLY
TDC360	2	40mm Lift Spring		30mm Lift-WG, WJ 6/99-05 ONLY
STEERING DAMPERS				
SS5922-P/S	1	Return to Centre Damper		
SV5922	1	9 Stage Adjustable Damper		ZG 4/96-99 ONLY
SS5924-P/S	1	Return to Centre Damper		
SV5924	1	9 Stage Adjustable Damper		WG, WJ 6/99-05 ONLY

REAR SUSPENSION

SHOCK ABSORBERS				
FC41444	2	41mm Foam Cell Shock		ZG 4/96-99 ONLY
BM401444	2	40mm 9 Stage Adjustable		Suits up to 30mm Lift
FC41190	2	41mm Foam Cell Shock		WG, WJ 6/99-05 ONLY
BM401190	2	40mm 9 Stage Adjustable		Suits up to 30mm Lift
COIL SPRINGS				
TDC359	2	0-300kg Load		30mm Lift-ZG 4/96-99 ONLY
TDC361	2	0-300kg Load		30mm Lift-WG, WJ 6/99-05 ONLY

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
404702	1	Suits Top Rear Eye (ZG)		Eyering Bushing
Bar Pin Style Bushings are not User Servicable - Contact 4Way Suspension for Replacement Service				

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	Any		
9 Stage Adjustable	Any		
Includes			
4 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

JEEP WRANGLER 10/96-07 TJ

**Note: Transmission spacer
fitting instructions available
at toughdog.com.au**



FRONT SUSPENSION

ESTIMATED LIFT: 45mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1063T	2	35mm Nitro Gas Shocks		Suits OE Height
BM401063	2	40mm Adjustable Shock		
BD1068T	2	35mm Nitro Gas Shocks		Suits 45mm Lift
BM401068	2	40mm Adjustable Shock		
COIL SPRINGS				
TDC354	2	40mm Lift Spring		Suits up to Bullbar (45mm Lift)
STEERING DAMPERS				
SS5922-P/S	1	Return to Centre Damper		Power Steering
SV5922	1	9 Stage Adjustable Damper		
TRANSMISSION SPACERS				
TDSP-001	1	Transmission Spacer		Man & Auto - 10/96-03 ONLY
TDSP-005	1	Transmission Spacer		Auto - 03-07 ONLY
TDSP-006	1	Transmission Spacer		Manual - 03-07 ONLY

REAR SUSPENSION

SHOCK ABSORBERS				
BD1443T	2	35mm Nitro Gas Shocks		Suits OE Height
BM401443	2	40mm Adjustable Shock		
BD1461T	2	35mm Nitro Gas Shocks		Suits 45mm Lift
BM401461	2	40mm Adjustable Shock		
COIL SPRINGS				
TDC355	2	0-300kg Load		45mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
Bar Pin Style Bushings are not User Servicable - Contact 4Way Suspension for Replacement Service				

COMPLETE KIT PRICE REFERENCE

SHOCK & SPRING	SPACER	RRP inc GST	CONTENTS
35mm Nitro Gas Any Spring	TDSP-001		
	TDSP-005		
	TDSP-006		
9 Stage Adjustable Any Spring	TDSP-001		
	TDSP-005		
	TDSP-006		
Includes 4 x Coil Springs 4 x Shocks 1 x Transmission Spacer			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



JEEP WRANGLER

3/07 On
JK

FRONT SUSPENSION

ESTIMATED LIFT: 40 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BM401069	2	40mm Adjustable Shock		Suits up to 40mm Lift
COIL SPRINGS				
TDC331	2	40mm Lift Spring		Petrol SWB - Up to bullbar
TDC332	2	40mm Lift Spring		Petrol SWB - Bullbar & Winch
TDC337	2	40mm Lift Spring		Petrol LWB - Up To Bullbar
TDC338	2	40mm Lift Spring		Petrol LWB - Bullbar & Winch
TDC332	2	40mm Lift Spring		Diesel SWB - Up to Bullbar
TDC338	2	40mm Lift Spring		Diesel SWB - Bullbar & Winch
TDC338	2	40mm Lift Spring		Diesel LWB - Up to Bullbar
TDC342	2	40mm Lift Spring		Diesel LWB - Bullbar & Winch
STEERING DAMPERS				
SV5926	1	9 Stage Adjustable Damper		instructions at toughdog.com.au
PANHARD RODS				
TDPR-017	1	Adjustable Panhard Rod		

REAR SUSPENSION

SHOCK ABSORBERS				
BM401463	2	40mm 9 Stage Adjustable Shock		Suits 40mm Lift
COIL SPRINGS				
TDC340	2	0-300kg Load		40mm Lift (suits SWB only)
TDC339	2	CONSTANT 300Kg Load SWB		40mm Lift (also 0-300kg for LWB)
TDC341	2	CONSTANT 300Kg Load LWB		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
Bar Pin Style Bushings are not User Servicable - Contact 4Way Suspension for Replacement Service				

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
9 Stage Adjustable	Any		
<p align="center">Includes 4 x Coil Springs 4 x Shocks</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

LAND ROVER

80, 88 SWB, 109 LWB

53-83

SERIES I, II, IIA & III



FRONT SUSPENSION

ESTIMATED LIFT: No Springs Avail.

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2000T	2	35mm Nitro Gas Shocks		Suits up to 50mm Lift
FC42000	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
STEERING DAMPERS				
EXT5000	1	H/Duty Steering Damper		Suits SI, II, IIA & III
SS5000-M/S	1	Return to Centre Damper		Suits Series I ONLY
SV5000	1	9 Stage Adjustable Damper		Suits SII, IIA, III ONLY

REAR SUSPENSION

SHOCK ABSORBERS				
BD3005T	2	35mm Nitro Gas Shocks		Suits '53-83 SI, II, IIA, III SWB
FC43005	2	41mm Foam Cell Shock		And '53-58 SI LWB
BD1399T	2	35mm Nitro Gas Shocks		Suits '58-83 SII, III LWB
FC41399	2	41mm Foam Cell Shock		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
4W-SPF390	2	Suits Top & Bottom Front Eye		Eye Ring Bushing
4W-SPF390	2	Suits Top & Bottom Rear Eying		Eying Bushing for #3005 shocks
4W-SPF390	1	Suits Top Eye Mount		Eying Busing for #1399 shocks
TW959	2	Suits Bottom Rear Pin Mount		Pin Bushing for #1399 shocks

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



LAND ROVER

DEFENDER

11/84-91
110 COUNTY ONLY

FRONT SUSPENSION

ESTIMATED LIFT: 30 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41049	2	41mm Foam Cell Shocks		Suits up to 30mm Lift
BM401049	2	40mm Adjustable Shock		Suits up to 30mm Lift
BMX1049/2	2	45mm Adjustable Shock		Suits up to 30mm Lift
TDR1049B	2	53mm 'Ralph' Shock		Suits up to 30mm Lift
COIL SPRINGS				
TDC511	2	30mm Lift Spring		Suits Petrol with Bar
TDC513	2	30mm Lift Spring		Suits Diesel with Bar
TDC508H	2	30mm Lift Spring		Suits All with bar & Winch
STEERING DAMPERS				
EXT5009	1	H/Duty Steering Damper		
SS5009-P/S	1	Return to Centre Damper		
SV5009	1	9 Stage Adjustable Damper		
PANHARD RODS				
TDPR-002	1	Panhard Rod (14mm Sleeve)		Up to Chassis #2A626645
TDPR-018	1	Panhard Rod (16mm Sleeve)		Up to Chassis #2A626646

REAR SUSPENSION

SHOCK ABSORBERS				
FC41397	2	41mm Foam Cell Shocks		Suits up to 30mm Lift
BM401397	2	40mm Adjustable Shock		Fit this part number if the lower rubber bushes are conical in shape & fit into a metal housing.
BMX1397/2	2	45mm Adjustable Shock		
TDR1397B	2	53mm 'Ralph' Shock		
FC41398	2	41mm Foam Cell Shocks		
BM401398	2	40mm Adjustable Shock		Fit this part number if the lower rubber bushes are flat & approx. 45mm in diameter
BMX1398/2	2	45mm Adjustable Shock		
TDR1398	2	53mm 'Ralph' Shock		
TDC512	2	0-300kg Load		
TDC512HH	2	CONSTANT 300Kg Load		30mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW957	4	Suits Top & Bottom Front Pin		
TW967	2	Suits Bottom Rear Pin		Pin Style Bushing #1397 Shocks
415024	1	Suits Top Rear Eye		Eyering Bushing #1397 Shocks
ADJ00191	1	Suits Top Rear Eye		Eyering Bushing #1398 Shocks
TW957	2	Suits Bottom Rear Pin		Pin Style Bushing #1398 Shocks

COMPLETE KIT PRICE REFERENCE

**FOR COMPLETE KIT PRICING REFERENCE PLEASE USE
LAND ROVER DEFENDER 90-130 SERIES ON NEXT PAGE**

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

LAND ROVER

DEFENDER

92 On

90, 110, 130 Series



FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41049	2	41mm Foam Cell Shocks		Suits up to 30mm Lift
BM401049	2	40mm Adjustable Shock		Suits up to 30mm Lift
BMX1049/2	2	45mm Adjustable Shock		Suits up to 30mm Lift
TDR1049B	2	53mm 'Ralph' Shock		Suits up to 30mm Lift
COIL SPRINGS				
TDC505	2	30mm Lift Spring		Suits 90 S Petrol with Bar
TDC535	2	30mm Lift Spring		Suits 90 S Petrol Bar/Winch Or Dies with Bar
TDC504	2	30mm Lift Spring		Suits 90 Series with Bar & Winch
TDC520	2	30mm Lift Spring		Suits 110, 130 with Bar
TDC514	2	30mm Lift Spring		Suits 110, 130 with Bar & Winch
STEERING DAMPERS				
EXT5009	1	H/Duty Steering Damper		
SS5009-P/S	1	Return to Centre Damper		
SV5009	1	9 Stage Adjustable Damper		
PANHARD RODS				
TDPR-002	1	Panhard Rod (14mm Sleeve)		Up to Chassis #2A626645
TDPR-018	1	Panhard Rod (16mm Sleeve)		Up to Chassis #2A626646

REAR SUSPENSION

SHOCK ABSORBERS				
FC41397	2	41mm Foam Cell Shocks		Suits up to 30mm Lift
BM401397	2	40mm Adjustable Shock		Fit this part number if the lower rubber bushes are conical in shape & fit into a metal housing.
BMX1397/2	2	45mm Adjustable Shock		
TDR1397B	2	53mm 'Ralph' Shock		
FC41398	2	41mm Foam Cell Shocks		
BM401398	2	40mm Adjustable Shock		Fit this part number if the lower rubber bushes are flat & approx. 45mm in diameter
BMX1398/2	2	45mm Adjustable Shock		
TDR1398	2	53mm 'Ralph' Shock		
COIL SPRINGS				
TDC518	2	0-300kg Load		30mm Lift - Suit 90s SWB
TDC518H	2	CONSTANT 300Kg Load		30mm Lift - Suit 90s SWB
TDC504	2	CONSTANT 500Kg Load		30mm Lift - Suit 90s SWB
TDC536	2	0-300kg Load		30mm Lift - Suit 110s
TDC523	2	0-500kg Load		30mm Lift - Suit 130s LWB
TDC522H	2	CONSTANT 500Kg Load		30mm Lift - Suit 130s LWB

REPLACEMENT BUSHINGS

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE LAND ROVER DEFENDER 110 COUNTY ON PAGE 53

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

LAND ROVER

DEFENDER

92 On
90, 110, 130 Series

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell <u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils	\$ 130 Priced Coil (F&R) \$ 160 Priced Coil \$ 180 Priced Coil \$ 210 Priced Coil		
40mm Adjustable <u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils	\$ 130 Priced Coil (F&R) \$ 160 Priced Coil \$ 180 Priced Coil \$ 210 Priced Coil		
45mm Big Bore Adjustable <u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils	\$ 130 Priced Coil (F&R) \$ 160 Priced Coil \$ 180 Priced Coil \$ 210 Priced Coil		
53mm 'Ralph' Big Bore <u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils	\$ 130 Priced Coil (F&R) \$ 160 Priced Coil \$ 180 Priced Coil \$ 210 Priced Coil		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

LAND ROVER

DISCOVERY

4/91-99

SERIES I



FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41049	2	41mm Foam Cell Shocks		Suits up to 30mm Lift
BM401049	2	40mm Adjustable Shock		Suits up to 30mm Lift
BMX1049/2	2	45mm Adjustable Shock		Suits up to 30mm Lift
TDR1049B	2	53mm 'Ralph' Shock		Suits up to 30mm Lift
COIL SPRINGS				
TDC505	2	30mm Lift Spring		Suits All with Bar
TDC504	2	30mm Lift Spring		Suits All with Bar & Winch
STEERING DAMPERS				
EXT5000	1	H/Duty Steering Damper		
SS5000-P/S	1	Return to Centre Damper		Power Steering
SV5000	1	9 Stage Adjustable Damper		
PANHARD RODS				
TDPR-002	1	Panhard Rod (14mm Sleeve)		Up to Chassis #2A626645

REAR SUSPENSION

SHOCK ABSORBERS				
FC41397	2	41mm Foam Cell Shocks		Suits up to 30mm Lift
BM401397	2	40mm Adjustable Shock		Fit this part number if the lower rubber bushes are conical in shape & fit into a metal housing.
BMX1397/2	2	45mm Adjustable Shock		
TDR1397B	2	53mm 'Ralph' Shock		
FC41398	2	41mm Foam Cell Shocks		
BM401398	2	40mm Adjustable Shock		Fit this part number if the lower rubber bushes are flat & approx. 45mm in diameter
BMX1398/2	2	45mm Adjustable Shock		
TDR1398	2	53mm 'Ralph' Shock		
COIL SPRINGS				
TDC518	2	0-300kg Load		30mm Lift
TDC518H	2	CONSTANT 300Kg Load		30mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW967	2	Suits Bottom & Top Front Pin		Pin Style Bushing #1397 Shocks
415024	1	Suits Top Front Eye		Eyering Bushing #1397 Shocks
ADJ00191	1	Suits Top Rear Eye		Eyering Bushing #1398 Shocks
TW957	2	Suits Bottom Rear Pin		Pin Style Bushing #1398 Shocks
TW957	4	Suits Front Shock Top & Bottom		Pin Style Bushing #1049 Shocks

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

LAND ROVER

DISCOVERY

4/91-99
SERIES I

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>41mm Foam Cell</p> <p><u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	ANY		
<p>40mm Adjustable</p> <p><u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	ANY		
<p>45mm Big Bore Adjustable</p> <p><u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	ANY		
<p>53mm 'Ralph' Big Bore</p> <p><u>Includes</u> 2x Front shocks 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

LAND ROVER

DISCOVERY

3/99-05 & 4/05 On
SERIES II, III



FRONT SUSPENSION

ESTIMATED LIFT: 35mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41043	2	41mm Foam Cell Shock		Suits up to 35mm Lift (S2 ONLY)
BM401043	2	40mm Adjustable Shock		Suits up to 35mm Lift (S2 ONLY)
COIL SPRINGS				
TDC530	2	35mm Lift Spring		Suits S2 with Bar
TDC530H	2	35mm Lift Spring		Suits S2 with Bar & Winch
TDC545	2	40mm Lift Spring		Suits S3 with Bar
TDC545H	2	40mm Lift Spring		Suits S3 with Bar & Winch
STEERING DAMPERS				
EXT5003	1	H/Duty Steering Damper		(S2 ONLY)
SS5003-P/S	1	Return to Centre Damper		(S2 ONLY) Power Steering
SV5003	1	9 Stage Adjustable Damper		(S2 ONLY)

REAR SUSPENSION

SHOCK ABSORBERS				
FC41396	2	41mm Foam Cell Shock		Suits up to 35mm Lift (S2 ONLY)
BM401396	2	40mm Adjustable Shock		Suits up to 35mm Lift (S2 ONLY)
COIL SPRINGS				
TDC508	2	0-300kg Load		35mm Lift (S2 ONLY)
TDC508H	2	CONSTANT 300Kg Load		35mm Lift (S2 ONLY)
TDC546	2	0-300kg Load		40mm Lift (S3 ONLY)
TDC546H	2	CONSTANT 300Kg Load		40mm Lift (S3 ONLY)

**PLEASE TAKE CAREFUL NOTE OF PARTS SUITABILITY FOR SERIES II AND SERIES III
SERIES II PARTS ARE NOT COMPATIBLE WITH SERIES III VEHICLES**

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	All \$130 Coils		
	\$160 Rear Coils		
9 Stage Adjustable	All \$130 Coils		
	\$160 Rear Coils		
<p>Includes 4 x Coil Springs 4 x Shocks</p>			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



LAND ROVER

RANGE ROVER

6/72-4/95

NON AIR SUSPENSION

FRONT SUSPENSION

ESTIMATED LIFT: 35 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41049	2	41mm Foam Cell Shock		Suits up to 35mm Lift
BM401049	2	40mm Adjustable Shock		Suits all models without Air Suspension (6/72-94)
BMX1049/2	2	45mm Adjustable Shock		
TDR1049B	2	53mm 'Ralph' Shock		
COIL SPRINGS (Non Air Suspension Models Only)				
TDC501	2	O.E Height Spring		Suits Petrol with Bar
TDC505	2	35mm Lift Spring		Suits Diesel with Bar
TDC504	2	35mm Lift Spring		Suits All with Bar & Winch
STEERING DAMPERS				
EXT5000	1	H/Duty Steering Damper		Power Steering
SS5000-P/S	1	Return to Centre Damper		
SV5000	1	9 Stage Adjustable Damper		
PANHARD RODS				
TDPR-002	1	Panhard Rod (14mm Sleeve)		Up to Chassis #2A626645

REAR SUSPENSION

SHOCK ABSORBERS				
FC41398	2	41mm Foam Cell Shock		Suits up to 35mm Lift
BM401398	2	40mm Adjustable Shock		Suits all models without Air Suspension (6/72-94)
BMX1398/2	2	45mm Adjustable Shock		
TDR1398	2	53mm 'Ralph' Shock		
COIL SPRINGS				
TDC502	2	0-300kg Load		Suits OE Height Only
TDC504	2	0-300kg Load		35mm Lift
TDC508	2	CONSTANT 300Kg Load		35mm Lift
TDC508H	2	CONSTANT 500Kg Load		35mm Lift

COMPLETE KIT PRICE REFERENCE

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE LAND ROVER DEFENDER 110 COUNTY ON PAGE 53

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	ANY		
9 Stage Adjustable	ANY		
9 Stage Adjustable 45mm Big Bore	ANY		
53mm 'Ralph'	ANY		
Includes 4 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

LAND ROVER

RANGE ROVER

5/95-00

WITH AIR SUSPENSION



FRONT SUSPENSION

ESTIMATED LIFT: AIR SYSTEM

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41008	2	41mm Foam Cell Shock		Suits up to 35mm Lift
BM401008	2	40mm Adjustable Shock		Suits all models with Air Suspension (5/95-00)
BMX1008/2	2	45mm Adjustable Shock		
TDR1008	2	53mm 'Ralph' Shock		
STEERING DAMPERS				
EXT5000	1	H/Duty Steering Damper		Power Steering
SS5000-P/S	1	Return to Centre Damper		
SV5000	1	9 Stage Adjustable Damper		
PANHARD RODS				
TDPR-002	1	Panhard Rod (14mm Sleeve)		Up to Chassis #2A626645

REAR SUSPENSION

SHOCK ABSORBERS				
FC41397	2	41mm Foam Cell Shock		Suits up to 35mm Lift
BM401397	2	40mm Adjustable Shock		Suits all models with Air Suspension (5/95-00)
BMX1397/2	2	45mm Adjustable Shock		
TDR1397	2	53mm 'Ralph' Shock		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
TW957	2	Suits Top & Bottom Front Pin		Pin Style Bushing #1008 Shocks
415024	1	Suits Top Rear Eye		Eyering Bushing #1397 Shocks
TW967	2	Suits Bottom Rear Pin		Pin Style Bushing #1397 Shocks

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



LADA

NIVA

7/93-96
ALL

FRONT SUSPENSION

ESTIMATED LIFT: 25 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2006T	2	35mm Nitro Gas Shocks		Suits up to 25mm Lift
COIL SPRINGS				
TDC402	2	25mm Lift Spring		All Applications

REAR SUSPENSION

SHOCK ABSORBERS				
BD3020T	2	35mm Nitro Gas Shocks		Suits up to 25mm Lift
COIL SPRINGS				
TDC403	2	25mm Lift Spring		All Applications

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	4	Suits Top Front Pin		Pin Style Bush
412773	1	Suits Bottom Front Eye		Eyering Bush
404702	1	Suits Top Rear Eye		Eyering Bush
4W-SPF420-02	1	Suits Bottom Rear Eye		Eye Style Bus

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	ANY	\$ 1060	
Includes 4 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MAZDA

B2500, B2600

5/87-10/06

PC, PD, PE, PG, PH



ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42051B	2	41mm Foam Cell Shock		Suits up to 40mm Lift
TDSK-020	1	Shock Mount Strengthening Kit		Top Pin Mount Bracket
Please Note: - Failure to fit TDSK-020 will cause top mount failure. Fitting instructions at toughdog.com.au				
TORSION BARS				
4WTB-1546	1	Replacement Torsion Bars		26mm/926mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1232T	2	35mm Nitrogen Gas Shock		Suits Up to 40mm Lift
FC41232	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401232	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS365	2	0-300kg Load		40mm Lift
FS367	2	CONSTANT 300Kg Load		40mm Lift
COMPONENTS				
TDUK-034	1	Urethane Shackle Bushing Kit		
TDUB-005	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959 + TW961	1 (ea)	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front & Rear Eye		Eyering Bushing
ADJ00191	1	Suits Top Rear Eyering		Suit Foam Cell Shocks
4W-SPF420-02	1	Suits Bottom Rear Eyering		
230100	1	Suits Top Rear Eyering		Suit 40mm Adjustable Shocks
230002	1	Suits Bottom Rear Eyering		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Front Nitro gas Rear	0-300KG Constant 300kg		
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
Includes 2 x Leaf Springs 4 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits 1 x Shock Strengthening Kit			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



MAZDA

BT-50

11/06-10/11

B2500, B3000

FRONT SUSPENSION

ESTIMATED LIFT: 45 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42051B	2	41mm Foam Cell Shock		Suits up to 40mm Lift
TDSK-020	1	Shock Mount Strengthening Kit		Top Pin Mount Bracket
Please Note: - Failure to fit TDSK-020 will cause top mount failure. Fitting instructions at toughdog.com.au				
TORSION BARS				
4WTB-1440	1	Replacement Torsion Bars		27mm/1028mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1232T	2	35mm Nitrogen Gas Shock		Suits Up to 45mm Lift
FC41232	2	41mm Foam Cell Shock		Suits Up to 45mm Lift
BM401232	2	40mm 9 Stage Adjustable		Suits Up to 45mm Lift
LEAF SPRINGS				
FS368C	2	0-300kg Load		45mm Lift
FS368L	2	CONSTANT 300Kg Load		45mm Lift
COMPONENTS				
TDUK-069	1	Urethane Shackle Bushing Kit		
TDUB-037	2	U-Bolt Kit		
TDGS-386/1	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959 + TW961	1 (ea)	Suits Top Front & Rear Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing
ADJ00191	1	Suits Top Rear Eyering		Suit Foam Cell Shocks
4W-SPF420-02	1	Suits Bottom Rear Eyering		
230100	1	Suits Top Rear Eyering		Suit 40mm Adjustable Shocks
230002	1	Suits Bottom Rear Eyering		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Front Nitro gas Rear	0-300KG		
41mm Foam Cell	0-300KG Constant 300kg		
Foam Cell Front Adjustable Rear	0-300KG Constant 300kg		
2 x Leaf Springs 2 x U-Bolt Kits	Includes 4 x Shocks 1 x Urethane Kits 1 x Shock Strengthening Kit		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MAZDA

BT-50

11/11 On

MY11 On



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404500	2	40mm Foam Cell Strut		
BM404500	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC451	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC451HL	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MAZ-001	2	BM404500/TDC451		Petrol/Diesel/Bar
MAZ-002	2	BM404500/TDC451HL		Petrol/Diesel/Bar/Winch
MAZ-003	2	FC404500/TDC451		Petrol/Diesel/Bar
MAZ-004	2	FC404500/TDC451HL		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MAZ-4051	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1232T	2	35mm Nitrogen Gas Shock		Up to 40mm Lift (Comfort Use)
FC41232	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401232	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS369C	2	0-300kg Load		40mm Lift
FS369L	2	CONSTANT 300Kg Load		40mm Lift
FS369LL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-070	1	Urethane Shackle Bushing Kit		
TDUB-039	2	U-Bolt Kit		Suits FS369L & LL Spring
TDUB-040	2	U-Bolt Kit		Suits FS369C Spring Only
TDGS-390	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		
TDSP-007	1	Transmission Spacer Kit		Must Be fitted to All Lift Kits

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MAZ-4051	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00305	1	Suits Bottom Front Eye		Eyering Bonded Bushing
ADJ00191	1	Suits Top Rear Eyering		Suit Foam Cell Shocks
4W-SPF420-02	1	Suits Bottom Rear Eyering		
230100	1	Suits Top Rear Eyering		Suit 40mm Adjustable Shocks
230002	1	Suits Bottom Rear Eyering		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Transmission spacer fitting instructions available at toughdog.com.au

MAZDA

BT-50
11/11 On
MY11 On

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer 	<p>FS369C (Foam Front Gas Rear)</p> <p>FS369C (Foam Cell All)</p> <p>FS369L CONSTANT 300KG</p> <p>FC369LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Space 	<p>FS369C (Foam Front Gas Rear)</p> <p>FS369C (Foam Cell All)</p> <p>FS369L CONSTANT 300KG</p> <p>FS369LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer 	<p>FS369C 0-300KG</p> <p>FS369L CONSTANT 300KG</p> <p>FS369LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer 	<p>FS369C 0-300KG</p> <p>FS369L CONSTANT 300KG</p> <p>FS369LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

CHALLENGER

3/98-00

PA - LEAF REAR



FRONT SUSPENSION

ESTIMATED LIFT: 35mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42057B	2	41mm Foam Cell Shock		Suits up to 35mm Lift
TORSION BARS				
4WTB-0203	1	Replacement Torsion Bars		27.5mm/1307mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits Up to 35mm Lift
FC41382	2	41mm Foam Cell Shock		Suits Up to 35mm Lift
BM401382	2	40mm 9 Stage Adjustable		Suits Up to 35mm Lift
LEAF SPRINGS				
FS021	2	0-300kg Load		35mm Lift
COMPONENTS				
TDUK-066/31	1	Urethane Shackle Bushing Kit		
TDUB-006	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bonded Bushing
404702	2	Suits Top & Bottom Rear Eyering		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Front Nitro gas Rear	0-300KG		
41mm Foam Cell	0-300KG		
Foam Cell Front Adjustable Rear	0-300KG		
Includes 2 x Leaf Springs 4 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



MITSUBISHI

CHALLENGER

8/00-08
PA II - COIL REAR

FRONT SUSPENSION

ESTIMATED LIFT: 35 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42057B	2	41mm Foam Cell Shock		Suits up to 35mm Lift
TORSION BARS				
4WTB-0203	1	Replacement Torsion Bars		27.5mm/1307mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
FC41439	2	41mm Foam Cell Shock		Suits Up to 35mm Lift
BM401439	2	40mm 9 Stage Adjustable		Suits Up to 35mm Lift
COIL SPRINGS				
TDC640	2	0-300kg Load		35mm Lift
TDC632SL	2	CONSTANT 300Kg Load		35mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bonded Bushing
404702	1	Suits Top Rear Eyering		Eyering Bushing
TW038/16	1	Suits Bottom Rear Eye		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
Foam Cell Front Adjustable Rear	0-300KG		
Includes 2 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

PB CHALLENGER/PAJERO SPORT

09-2015
MY10, 11LS & XLS



FRONT SUSPENSION

ESTIMATED LIFT: 25mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404800	2	40mm Foam Cell Strut		
BM404800	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC670	2	25mm Lift Spring		Petrol/Diesel/Bar
TDC670H	2	25mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MIT-060/01	2	BM404800/TDC670		Petrol/Diesel/Bar
MIT-060/02	2	BM404800/TDC670H		Petrol/Diesel/Bar/Winch
MIT-060/03	2	FC404800/TDC670		Petrol/Diesel/Bar
MIT-060/04	2	FC404800/TDC670H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MIT-4040	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41440B	2	41mm Foam Cell Shock		Suits Up to 25mm Lift
BM401440	2	40mm 9 Stage Adjustable		Suits Up to 25mm Lift
COIL SPRINGS				
TDC636L	2	0-300kg Load		25mm Lift
TDC636HL	2	CONSTANT 300Kg Load		25mm Lift
Use of CONSTANT load spring without load will result in tailshaft vibrations.				

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MIT-4040	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/50	1	Suits Bottom Front Eye		Eyering Bonded Bushing
404702	1	Suits Top Rear Eyering		Eyering Bushing
TW038/16	1	Suits Bottom Rear Eye		Eyering Bushing


Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

MITSUBISHI

PB CHALLENGER/PAJERO SPORT

09 On
MY10. 11LS & XLS

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

mitsubishi

L200 4WD

5/79-86

MA, MB, MC, MD



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
TORSION BARS				
4WTB-1726	1	Replacement Torsion Bars		26mm/1277.5mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1388T	2	35mm Nitrogen Gas Shock		Suits 40mm Lift
FC41388	2	41mm Foam Cell Shock		
BM401388	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUK-021/35	1	Urethane Shackle Bushing Kit		
TDUB-006	2	U-Bolt Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
404702	2	Suits Top & Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



mitsubishi

L300 4WD

4/83-94

SC, SD, SE, SF, SG, SH

FRONT SUSPENSION

ESTIMATED LIFT: 40 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2058T	2	35mm Nitro Gas Shock		
FC42058B	2	41mm Foam Cell Shock		Suits up to 40mm Lift
TORSION BARS				
4WTB-1726	1	Replacement Torsion Bars		26mm/1277.5mm - SC, SD, SE
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1366T	2	35mm Nitro Gas Shock		Suits OE Height SC, SD, SE (5/83-86) ONLY
FC41366	2	41mm Foam Cell Shock		
BM401366	2	40mm 9 Stage Adjustable		
BD1382T	2	35mm Nitro Gas Shock		Suits 40mm Lift SC, SD, SE (5/83-86) ONLY
FC41382	2	41mm Foam Cell Shock		
BM401382	2	40mm 9 Stage Adjustable		
BD1386T	2	35mm Nitro Gas Shock		Suits OE Height SF, SG, SH (10/86-94) ONLY
FC41386	2	41mm Foam Cell Shock		
BM401386	2	40mm 9 Stage Adjustable		
BD1400T	2	35mm Nitro Gas Shock		Suits 40mm Lift SF, SG, SH (10/86-94) ONLY
FC41400	2	41mm Foam Cell Shock		
BM401400	2	40mm 9 Stage Adjustable		
COMPONENTS				
TDUK-005	1	Urethane Shackle Bushing Kit		35mm Lift
TDUB-006	2	U-Bolt Kit		35mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Mount
404702	2	Suits Top & Bottom Rear Eying		Eying Bushing (#1366 & #1382)
404702	1	Suits Top & Bottom Rear Eying		Eying Bushing (#1386 & #1400)
TW959	2	Suits Bottom Rear Pin		Pin Style Mount (#1386 & #1400)
412772	1	Suits Bottom Front Eying		Eying Bushing (#42057B)

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

P: (02) 9672 8899 | F: (02) 9672 8099



MITSUBISHI

PAJERO / MONTERO

7/83-91 (NA-NG) & 5/91-96

LEAF REAR



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42058B	2	41mm Foam Cell Shock (bar pin)		40mm Lift (7/83-91 ONLY)
FC42057B	2	41mm Foam Cell Shock (sleeve)		40mm Lift (5/91-96 ONLY)
TORSION BARS				
4WTB-1726	1	Replacement Torsion Bars		26mm/1277.5mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
SS5013-P/S	1	Return to Centre Damper		Damper Mounts Present in Vehicle
SS5016-P/S	1	Return to Centre Damper		Mounts Not Present in Vehicle

REAR SUSPENSION

SHOCK ABSORBERS				
FC41382	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401382	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS021	2	0-300kg Load		40mm Lift
FS021H	2	CONSTANT 300Kg Load		40mm Lift
COMPONENTS				
TDUK-005	1	Urethane Shackle Bushing Kit		
TDUB-006	2	U-Bolt Kit		
TDGP-004	1	Greasable Pin Kit		
TDGS-900	1	Greasable Shackle Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
404702	2	Suits Top & Bottom Rear Eying		Eying Bushing
412772	1	Suits Bottom Front Eying		Eying Bushing (#2057B ONLY)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
	CONSTANT 300KG		
Foam Cell Front Adjustable Rear	0-300KG		
	CONSTANT 300KG		
Includes 2 x Leaf Springs 4 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



MITSUBISHI

PAJERO / MONTERO

8/88-91 (NF-NG) & 5/91-00 (NH-NL)

COIL REAR

FRONT SUSPENSION

ESTIMATED LIFT: 40 mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42058B	2	41mm Foam Cell Shock		40mm Lift (7/88-91 ONLY)
FC42057B	2	41mm Foam Cell Shock		40mm Lift (5/91-00 ONLY)
TORSION BARS				
4WTB-1726	1	Replacement Torsion Bars		26mm/1277.5mm
4WTB-0203	1	Replacement Torsion Bars		27.5mm/1307mm (NH, NJ, NK)
Check bars first! - Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
SS5013-P/S	1	Return to Centre Damper		Damper Mounts Present in Vehicle
SS5016-P/S	1	Return to Centre Damper		Mounts Not Present in Vehicle

REAR SUSPENSION

SHOCK ABSORBERS				
FC41439	2	41mm Foam Cell Shock		Up to 40mm Lift (7/88-91 ONLY)
BM401439	2	40mm 9 Stage Adjustable		Up to 40mm Lift (7/88-91 ONLY)
FC41170B	2	41mm Foam Cell Shock		Suits OE Height (5/91-00 ONLY)
BM401170	2	40mm 9 Stage Adjustable		Suits OE Height (5/91-00 ONLY)
FC41178B	2	41mm Foam Cell Shock		Up to 40mm Lift (5/91-00 ONLY)
BM401178	2	40mm 9 Stage Adjustable		Up to 40mm Lift (5/91-00 ONLY)
COIL SPRINGS				
TDC632SL	2	0-300kg Load		40mm Lift
TDC632L	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing (#2057B)
402267	2	Suits Top Pin Mount Rear		Eyering Bushing (#1170 & 78)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
Foam Cell Front Adjustable Rear	0-300KG		
Includes 2 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

PAJERO / MONTERO

5/00-15

NM, NP, NS, NT (LWB)



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404300	2	40mm Foam Cell Strut		
BM404300	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC631	2	OE Height Spring		
TDC633	2	40mm Lift Spring		Petrol/Bar
TDC633L	2	40mm Lift Spring		Diesel/Bar
TDC633H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MIT-050/01	2	BM404300/TDC633		Petrol/Bar
MIT-050/02	2	BM404300/TDC633L		Diesel/Bar
MIT-050/03	2	BM404300/TDC633H		Petrol/Diesel/Bar/Winch
MIT-050/04	2	FC404300/TDC633		Petrol/Bar
MIT-050/05	2	FC404300/TDC633L		Diesel/Bar
MIT-050/06	2	FC404300/TDC633H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MIT-4038	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41148	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
COIL SPRINGS				
TDC635S	2	0-300kg Load		OE Height
TDC635	2	CONSTANT 300Kg Load		OE Height
TDC635	2	0-300kg Load		40mm Lift
TDC635H	2	CONSTANT 300Kg Load		40mm Lift
TDC635HH	2	CONSTANT 500Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MIT-4038	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eye		Eyering Bonded Bushing
TW959	2	Suits Top Rear Pin Style		Pin Style Bushing
4W-BS101CH	1	Suits Bottom Rear Eyering		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Front Strut Fitting Instructions available at toughdog.com.au


MITSUBISHI

PAJERO / MONTERO

5/00-15

NM, NP, NS, NT

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		
<p>Adjustable Front Foam Cell Rear Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>Adjustable Front Foam Cell Rear Complete Assembly Struts</p> <p>Includes 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

PAJERO / MONTERO

5/00-15 - SHORT WHEEL BASE

NM, NP, NS, NT (SWB)



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404300	2	40mm Foam Cell Strut		
BM404300	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC631	2	OE Height Spring		
TDC633	2	40mm Lift Spring		Petrol/Bar
TDC633L	2	40mm Lift Spring		Diesel/Bar
TDC633H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MIT-050/01	2	BM404300/TDC633		Petrol/Bar
MIT-050/02	2	BM404300/TDC633L		Diesel/Bar
MIT-050/03	2	BM404300/TDC633H		Petrol/Diesel/Bar/Winch
MIT-050/04	2	FC404300/TDC633		Petrol/Bar
MIT-050/05	2	FC404300/TDC633L		Diesel/Bar
MIT-050/06	2	FC404300/TDC633H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MIT-4038	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41148	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
COIL SPRINGS				
TDC635S	2	0-300kg Load		40mm Lift
TDC635	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MIT-4038	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eye		Eyering Bonded Bushing
TW959	2	Suits Top Rear Pin Style		Pin Style Bushing
4W-BS101CH	1	Suits Bottom Rear Eyering		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Front Strut Fitting Instructions available at toughdog.com.au


MITSUBISHI

PAJERO / MONTERO

5/00-15 - SHORT WHEEL BASE

NM, NP, NS, NT

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		
<p>Adjustable Front Foam Cell Rear Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>Adjustable Front Foam Cell Rear Complete Assembly Struts</p> <p>Includes 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

PAJERO SPORT

2015 On
MY16 on



FRONT SUSPENSION

ESTIMATED LIFT: 20mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404800	2	40mm Foam Cell Strut		
BM404800	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC681	2	20mm Lift Spring		Diesel
TDC681L	2	20mm Lift Spring		Diesel/Bar
TDC681HL	2	20mm Lift Spring		Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MIT-061/01	2	BM404800/TDC681		Diesel
MIT-061/02	2	BM404800/TDC681L		Diesel/Bar
MIT-061/03	2	BM404800/TDC681HL		Diesel/Bar/Winch
MIT-061/05	2	FC404800/TDC681		Diesel
MIT-061/06	2	FC404800/TDC681L		Diesel/Bar
MIT-061/07	2	FC404800/TDC681HL		Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MIT-4040	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41440B	2	41mm Foam Cell Shock		Suits Up to 20mm Lift
BM401440	2	40mm 9 Stage Adjustable		Suits Up to 20mm Lift
COIL SPRINGS				
TDC638L	2	0-300kg Load		20mm Lift
TDC638HL	2	CONSTANT 300Kg Load		20mm Lift
Use of CONSTANT load spring without load will result in tailshaft vibrations.				

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MIT-4040	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/50	1	Suits Bottom Front Eye		Eyering Bonded Bushing
404702	1	Suits Top Rear Eyering		Eyering Bushing
TW038/16	1	Suits Bottom Rear Eye		Eyering Bushing


Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

mitsubishi

PAJERO SPORT

2015 on
MY16 on

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Front Strut Assy 2x Rear Shocks 2x Rear Coils</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

TRITON

10/86-06

ME, MF, MG, MH, MK



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2058T	2	35mm Nitro Gas Shock		Up to 40mm Lift (Up to MK)
BD2057T	2	35mm Nitro Gas Shock		Up to 40mm Lift (MK 10/96-06)
FC42057B	2	41mm Foam Cell Shock		Up to 40mm Lift (MK 10/96-06)
TORSION BARS				
4WTB-1726	1	Replacement Torsion Bars		26mm/1277.5mm
4WTB-1736	1	Replacement Torsion Bars		26mm/1370mm
Check bars first! - Adjust torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1388T	2	35mm Nitro Gas Shock		Suits Up to 40mm Lift
FC41388	2	41mm Foam Cell Shock		Suits Up to 40mm Lift
BM401388	2	40mm 9 Stage Adjustable		Suits Up to 40mm Lift
LEAF SPRINGS				
FS021	2	0-300kg Load		40mm Lift
FS021H	2	CONSTANT 300Kg Load		40mm Lift
Some special edition models equipped with H/Duty leaf packs from factory - Check prior to ordering.				
COMPONENTS				
TDUK-021/31	1	Urethane Shackle Bushing Kit		
TDUB-006	2	U-Bolt Kit		
TDGS-900	1	Greasable Shackle Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
412772	1	Suits Bottom Front Eye		Eyering Bushing (#2057)
404702	2	Suits Top & Bottom Rear Eye		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

MITSUBISHI

TRITON

10/86-06

ME, MF, MG, MH, MK

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>35mm Nitro Gas</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>0-300KG Spring</p> <p>CONSTANT 300KG Spring</p>		
<p>41mm Foam Cell</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>0-300KG Spring</p> <p>CONSTANT 300KG Spring</p>		
<p>Foam Cell Front Adjustable Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>0-300KG Spring</p> <p>CONSTANT 300KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

TRITON

7/06-15

ML MN (To MY15)



FRONT SUSPENSION

ESTIMATED LIFT: 25mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404800	2	40mm Foam Cell Strut		
BM404800	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC670	2	25mm Lift Spring		Petrol/Diesel/Bar
TDC670H	2	25mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MIT-060/01	2	BM404800/TDC670		Petrol/Diesel/Bar
MIT-060/02	2	BM404800/TDC670H		Petrol/Diesel/Bar/Winch
MIT-060/03	2	FC404800/TDC670		Petrol/Diesel/Bar
MIT-060/04	2	FC404800/TDC670H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MIT-4040	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1383T	2	35mm Nitro Gas Shocks		Suits Up to 25mm Lift
FC41383	2	41mm Foam Cell Shock		Suits Up to 25mm Lift
BM401383	2	40mm 9 Stage Adjustable		Suits Up to 25mm Lift
LEAF SPRINGS				
FS122C	2	0-300kg Load		25mm Lift
FS122L	2	CONSTANT 300Kg Load		25mm Lift
FS122LL	2	CONSTANT 500Kg Load		25mm Lift
COMPONENTS				
TDUK-021/41	1	Urethane Shackle Bushing Kit		Suits OEM Spring ONLY
TDUK-021/31	1	Urethane Shackle Bushing Kit		Suits Tough Dog Spring ONLY
TDUB-036	2	U-Bolt Kit		
TDGS-900	1	Greasable Shackle Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MIT-4040	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/50	1	Suits Bottom Front Eying		Eying Bushing (FC and BM Pts)
402702	2	Suits Top & Bottom Rear Eying		Eying Bushing (Foam Cell)
TW038-16	1	Suits Top Rear Eying		Eying Bushing (Adjustable)
404702	1	Suits Bottom Rear Eying		Eying Bushing (Adjustable)

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

MITSUBISHI

TRITON

7/06-15

ML MN (To MY15)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes</p> <p>2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS122C (Foam Front Gas Rear)</p> <p>FS122C (Foam Cell All)</p> <p>FS122L CONSTANT 300KG</p> <p>FS122LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes</p> <p>2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS122C (Foam Front Gas Rear)</p> <p>FS122C (Foam Cell All)</p> <p>FS122L CONSTANT 300KG</p> <p>FS122LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p>Includes</p> <p>2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS122C 0-300KG</p> <p>FS122L CONSTANT 300KG</p> <p>FS122LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p>Includes</p> <p>2x Front Strut Assy 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>FS122C 0-300KG</p> <p>FS122L CONSTANT 300KG</p> <p>FS122LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

MITSUBISHI

TRITON

01/15 On

MQ (From MY16)



FRONT SUSPENSION

ESTIMATED LIFT: 20mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404800	2	40mm Foam Cell Strut		
BM404800	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC681	2	20mm Lift Spring		Diesel
TDC681L	2	20mm Lift Spring		Diesel/Bar
TDC681HL	2	20mm Lift Spring		Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
MIT-061/01	2	BM404800/TDC681		Diesel
MIT-061/02	2	BM404800/TDC681L		Diesel/Bar
MIT-061/03	2	BM404800/TDC681HL		Diesel/Bar/Winch
MIT-061/05	2	FC404800/TDC681		Diesel
MIT-061/06	2	FC404800/TDC681L		Diesel/Bar
MIT-061/07	2	FC404800/TDC681HL		Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
MIT-4040	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD3012T	2	35mm Nitro Gas Shocks		Suits Up to 20mm Lift
FC43012	2	41mm Foam Cell Shock		Suits Up to 20mm Lift
BM403012	2	40mm 9 Stage Adjustable		Suits Up to 20mm Lift
LEAF SPRINGS				
FS123C	2	0-300kg Load		20mm Lift
FS123L	2	CONSTANT 300Kg Load		20mm Lift
FS123LL	2	CONSTANT 500Kg Load		20mm Lift
COMPONENTS				
TDUK-077	1	Urethane Shackle Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-901	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		
TDSP-008	1	Centre Bearing Strengthening Kit		Required with all Lift Kits

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
MIT-4040	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/50	1	Suits Bottom Front Eying		Eying Bonded Bushing
404702	1	Suits Top Rear Eying		Eying Bushing
TW038-16	1	Suits Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Centre bearing strengthening kit fitting instructions available at toughdog.com.au

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer</p>	<p>FS123C (Foam Front Gas Rear)</p> <p>FS123C (Foam Cell All)</p> <p>FS123L CONSTANT 300KG</p> <p>FC 123 LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer</p>	<p>FS123C (Foam Front Gas Rear)</p> <p>FS123C (Foam Cell All)</p> <p>FS123L CONSTANT 300KG</p> <p>FS123LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer</p>	<p>FS123C 0-300KG</p> <p>FS123L CONSTANT 300KG</p> <p>FS123LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 1x Transmission Spacer</p>	<p>FS123C 0-300KG</p> <p>FS123L CONSTANT 300KG</p> <p>FS123LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

NAVARA

1/86-15

D21, D22



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC42052B	2	35mm Foam Cell Shock		Up to 40mm Lift
TORSION BARS				
4WTB-1456	1	Replacement Torsion Bars		26mm/1203mm '1/86-97 ONLY
4WTB-1446	1	Replacement Torsion Bars		26mm/890mm '97 On ONLY
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
SD14035	1	H/D Replacement Damper		Suits D21 Vehicles Only
EXT5925	1	H/D Replacement Damper		Suits D22 Vehicles Only
SS5925-P/S	1	Return to Centre Damper		Fitting instructions found at toughdog.com.au
SV5925	1	9 Stage Adjustable Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1366T	2	35mm Nitro Gas Shock		
FC41366B	2	41mm Foam Cell Shock		Suits OE Height
BM401366	2	40mm 9 Stage Adjustable		
BD1382T	2	35mm Nitro Gas Shock		
FC41382B	2	41mm Foam Cell Shock		Suits 40mm Lift
BM401382	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T63	2	0-300kg Load		40mm Lift
T63H	2	CONSTANT 300Kg Load		40mm Lift
COMPONENTS				
TDUK-007	1	Urethane Shackle Bushing Kit		
TDUB-012	2	U-Bolt Kit		
TDGS-668	1	Greasable Shackle Kit		
TDGP-669	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Front Top Pin		Pin Style Bushing
404702	2	Suits Top & Bottom Rear Eye		Eyering Bushing
412773	1	Suits Front Bottom Eye		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

NISSAN

NAVARA

1/86-15
D21, D22

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Front Nitro Gas Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T63 0-300KG Spring</p> <p>T63H CONSTANT 300KG Spring</p>		
<p>41mm Foam Cell</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T63 0-300KG Spring</p> <p>T63H CONSTANT 300KG Spring</p>		
<p>Foam Cell Front Adjustable Rear</p> <p><u>Includes</u> 2x Front Shocks 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T63 0-300KG Spring</p> <p>T63H CONSTANT 300KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

NAVARA

12/05-15

D40 - 2.5L, 4.0L



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404700	2	40mm Foam Cell Strut		
BM404700	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC770	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC770H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
NIS-040/01	2	BM404700/TDC770		Petrol/Diesel/Bar
NIS-040/02	2	BM404700/TDC770H		Petrol/Diesel/Bar/Winch
NIS-040/04	2	FC404700/TDC770		Petrol/Diesel/Bar
NIS-040/05	2	FC404700/TDC770H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
NIS-3030	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1368T	2	35mm Nitro Gas Shock		Up to 40mm Lift (Comfort Use)
FC41368	2	41mm Foam Cell Shock		Up to 40mm Lift
BM401368	2	40mm 9 Stage Adjustable		Up to 40mm Lift
LEAF SPRINGS				
T85C	2	0-300kg Load		40mm Lift
T85L	2	CONSTANT 300Kg Load		40mm Lift
T85LL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-068	1	Urethane Shackle Bushing Kit		
TDUB-035	2	U-Bolt Kit		
TDGS-667	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
NIS-3030	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
404702	1	Suits Rear Top Eying		Eying Bushing
TW040-14	1	Suits Rear Bottom Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Urethane Bushing kit fitting instructions available at toughdog.com.au

NISSAN

NAVARA

12/05-15
D40 - 2.5L, 4.0L

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C (Foam Front Gas Rear)</p> <p>T85C (Foam Cell All)</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C (Foam Front Gas Rear)</p> <p>T85C (Foam Cell All)</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C 0-300KG</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C 0-300KG</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

NAVARA

11-15

D40 - 3.0L STX-550 V6



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404700	2	40mm Foam Cell Strut		
BM404700	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC772	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC772H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
NIS-040/06	2	BM404700/TDC772		Petrol/Diesel/Bar
NIS-040/03	2	BM404700/TDC772H		Petrol/Diesel/Bar/Winch
NIS-040/07	2	FC404700/TDC772		Petrol/Diesel/Bar
NIS-040/08	2	FC404700/TDC772H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
NIS-3030	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
BD1368T	2	35mm Nitro Gas Shock		Up to 40mm Lift (Comfort Use)
FC41368	2	41mm Foam Cell Shock		Up to 40mm Lift
BM401368	2	40mm 9 Stage Adjustable		Up to 40mm Lift
LEAF SPRINGS				
T85C	2	0-300kg Load		40mm Lift
T85L	2	CONSTANT 300Kg Load		40mm Lift
T85LL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-068	1	Urethane Shackle Bushing Kit		
TDUB-035	2	U-Bolt Kit		
TDGS-667	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
NIS-3030	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
404702	1	Suits Rear Top Eying		Eying Bushing
TW040-14	1	Suits Rear Bottom Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Urethane Bushing kit fitting instructions available at toughdog.com.au

NISSAN

NAVARA

11-15

D40 - 3.0L STX-550 V6

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C (Foam Front Gas Rear)</p> <p>T85C (Foam Cell All)</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C (Foam Front Gas Rear)</p> <p>T85C (Foam Cell All)</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C 0-300KG</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits</p>	<p>T85C 0-300KG</p> <p>T85L CONSTANT 300KG</p> <p>T85LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

NAVARA

7/15 On

NP300 - Coil Rear Only



FRONT SUSPENSION

ESTIMATED LIFT: 35mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404710	2	40mm Foam Cell Strut		
BM404710	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC773	2	30mm Lift Spring		Petrol/Diesel/Bar
TDC773H	2	30mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
NIS-300/05	2	BM404710/TDC773		Petrol/Diesel/Bar
NIS-300/06	2	BM404710/TDC773H		Petrol/Diesel/Bar/Winch
NIS-300/07	2	FC404710/TDC773		Petrol/Diesel/Bar
NIS-300/08	2	FC404710/TDC773H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
NIS-3030	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41369	2	41mm Foam Cell Shock		Up to 35mm Lift
BM401369	2	40mm 9 Stage Adjustable		Up to 35mm Lift
COIL SPRINGS				
TDC774	2	0-300kg Load		35mm Lift
TDC774H	2	CONSTANT 300Kg Load		35mm Lift
TDC774VHL	2	CONSTANT 500Kg Load		35mm Lift
COMPONENTS				
TDPR-300	1	Adjustable Panhard Rod		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
NIS-3030	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
TW038-16	1	Suits Rear Top Eying		Eying Bushing
TW040-14	1	Suits Rear Bottom Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue


NISSAN

NAVARA

7/15 On

NP300 - Coil Rear Only

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	<p>TDC774 0-300KG Spring</p> <p>TDC774H CONSTANT 300KG Spring</p> <p>TDC774VHL CONSTANT 500KG Spring</p>		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes 2x Front Strut Assembly 2x Rear Shocks 2x Rear Coils</p>	<p>TDC774 0-300KG Spring</p> <p>TDC774H CONSTANT 300KG Spring</p> <p>TDC774VHL CONSTANT 500KG Spring</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	<p>TDC774 0-300KG Spring</p> <p>TDC774H CONSTANT 300KG Spring</p> <p>TDC774VHL CONSTANT 500KG Spring</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p>Includes 2x Front Strut Assembly 2x Rear Shocks 2x Rear Coils</p>	<p>TDC774 0-300KG Spring</p> <p>TDC774H CONSTANT 300KG Spring</p> <p>TDC774VHL CONSTANT 500KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

NAVARA

7/15 on

NP300 - Leaf rear only



FRONT SUSPENSION

ESTIMATED LIFT: 35mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404710	2	40mm Foam Cell Strut		
BM404710	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC773	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC773H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
NIS-300/05	2	BM404710/TDC773		Petrol/Diesel/Bar
NIS-300/06	2	BM404710/TDC773H		Petrol/Diesel/Bar/Winch
NIS-300/07	2	FC404710/TDC773		Petrol/Diesel/Bar
NIS-300/08	2	FC404710/TDC773H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
NIS-3030	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC43017	2	41mm Foam Cell Shock		Up to 35mm Lift
BM403017	2	40mm 9 Stage Adjustable		Up to 35mm Lift
LEAF SPRINGS				
T86C	2	0-300kg Load		35mm Lift
T86L	2	CONSTANT 300Kg Load		35mm Lift
T86LL	2	CONSTANT 500Kg Load		35mm Lift
COMPONENTS				
TDUK-079	1	Urethane Shackle Bushing Kit		
TDUB-005	2	U-Bolt Kit		
TDGS-669	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
NIS-3030	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
404702	1	Suits Rear Top Eying		Eying Bushing
404702	1	Suits Rear Bottom Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Urethane Bushing kit fitting instructions available at toughdog.com.au

NISSAN

NAVARA

7/15 on
NP300 - Leaf rear only

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>T86C</p> <p>T86L CONSTANT 300KG</p> <p>T86LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>T86C</p> <p>T86L CONSTANT 300KG</p> <p>T86LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>T86C 0-300KG</p> <p>T86L CONSTANT 300KG</p> <p>T86LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p>Includes</p> <ul style="list-style-type: none"> 2x Complete Struts 2x Rear Shocks 2x Leaf Springs 1x Urethane Kit 2x U-Bolt Kits 	<p>T86C 0-300KG</p> <p>T86L CONSTANT 300KG</p> <p>T86LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATHFINDER

12/86-95

WNYD21, WHYD21



FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitro Gas Shock		Up to 30mm Lift
FC42057B	2	41mm Foam Cell Shock		Up to 30mm Lift
TORSION BARS				
4WTB-1458	1	Replacement Torsion Bars		26mm/1232mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
SD14035	1	H/D Replacement Damper		Suits D21 Vehicles Only

REAR SUSPENSION

SHOCK ABSORBERS				
BD1382T	2	35mm Nitro Gas Shock		Up to 30mm Lift
FC41382B	2	41mm Foam Cell Shock		Up to 30mm Lift
BM401382	2	40mm 9 Stage Adjustable		Up to 30mm Lift
COIL SPRINGS				
TDC739S	2	0-300kg Load		OE Height
TDC739	2	0-300kg Load		30mm Lift
TDC739H	2	CONSTANT 300Kg Load		30mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin Mount		Pin Style Bushing
404702	2	Suits Rear Top & Bottom Eying		Eying Bushing
412772	1	Suits Bottom Front Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro gas	ANY		
41mm Foam Cell	ANY		
Foam Cell Front Adjustable Rear	ANY		
Includes 2 x Coil Springs 4 x Shocks			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



NISSAN

PATHFINDER R50

11/95-99 & 2/99-05
R50 (Series I, II, III)

FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BDS4002 (D/S)	1	Twin Tube McPherson Strut		OE Height Suit 11/95-99 ONLY
BDS4003 (P/S)	1	Twin Tube McPherson Strut		OE Height Suit 11/95-99 ONLY
BDS4024	2	Twin Tube McPherson Strut		Suits up to 30mm (all models)
COIL SPRINGS				
TDC784S	2	OE Height Lift Spring		
TDC784	2	30mm Lift Spring		Suits up to Steel Bar
TDC784H	2	30mm Lift Spring		Suits Bar & Winch

REAR SUSPENSION

SHOCK ABSORBERS				
BD3009T	2	35mm Nitro Gas Shock		OE Height Suit 11/95-99 ONLY
FC43009	2	41mm Foam Cell Shock		OE Height Suit 11/95-99 ONLY
BD3010T	2	35mm Nitro Gas Shock		30mm Lift Suit 11/95-99 ONLY
FC43010	2	41mm Foam Cell Shock		30mm Lift Suit 11/95-99 ONLY
BD3011T	2	35mm Nitro Gas Shock		OE & 30mm 11/95-05 ONLY
FC43011	2	41mm Foam Cell Shock		OE & 30mm 11/95-05 ONLY
COIL SPRINGS				
TDC783S	2	0-300kg Load		OE Height
TDC783	2	0-300kg Load		30mm Lift
TDC783H	2	CONSTANT 500Kg Load		30mm Lift

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitrogen Gas	30mm Lift		
	OE Height (95-99)		
Nitrogen Gas Front Foam Cell Rear	30mm Lift		
	OE Height (99-05)		
<p align="center">Includes</p> <p align="center">2 x Struts 4 x Coil Springs 2 x Rear Shocks</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATHFINDER

11/05-15

R51 - 2.5L, 4.0L



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404700	2	40mm Foam Cell Strut		
BM404700	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC770	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC770H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
NIS-040/01	2	BM404700/TDC770		Petrol/Diesel/Bar
NIS-040/02	2	BM404700/TDC770H		Petrol/Diesel/Bar/Winch
NIS-040/04	2	FC404700/TDC770		Petrol/Diesel/Bar
NIS-040/05	2	FC404700/TDC770H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
NIS-3030	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41347	2	41mm Foam Cell Shock		Up to 40mm Lift
BM401347	2	40mm 9 Stage Adjustable		Up to 40mm Lift
COIL SPRINGS				
TDC771	2	0-300kg Load		40mm Lift
TDC771H	2	CONSTANT 300Kg Load		40mm Lift
TDC771XHD	2	CONSTANT 500Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
NIS-3030	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

NISSAN

PATHFINDER

11/05-15

R51 - 2.5L, 4.0L

REAR SUSPENSION

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATHFINDER

11/05-15

R51 - 3.0L V6



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404700	2	40mm Foam Cell Strut		
BM404700	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC772	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC772H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
NIS-040/06	2	BM404700/TDC772		Petrol/Diesel/Bar
NIS-040/03	2	BM404700/TDC772H		Petrol/Diesel/Bar/Winch
NIS-040/07	2	FC404700/TDC772		Petrol/Diesel/Bar
NIS-040/08	2	FC404700/TDC772H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
NIS-3030	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41347	2	41mm Foam Cell Shock		Up to 40mm Lift
BM401347	2	40mm 9 Stage Adjustable		Up to 40mm Lift
COIL SPRINGS				
TDC771	2	0-300kg Load		40mm Lift
TDC771H	2	CONSTANT 300Kg Load		40mm Lift
TDC771XHD	2	CONSTANT 500Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
NIS-3030	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

NISSAN

PATHFINDER

11/05-15

R51 - 3.0L V6

REAR SUSPENSION

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 2x Front Coils 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Rear Coils</p>	<p>TDC771 0-300KG Spring</p> <p>TDC771H CONSTANT 300KG Spring</p> <p>TDC771XHD CONSTANT 500KG Spring</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

61-80 G60

9/80-85 MQ, MK



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1005T	2	35mm Nitrogen Gas Shock		
FC41005	2	41mm Foam Cell Shocks		Suit OE Height
BM401005	2	40mm 9 Stage Adjustable Shock		
BD1007T	2	35mm Nitrogen Gas		
FC41007	2	41mm Foam Cell Shocks		Suit 40mm Lift
BM401007	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
BPN-007	2	Petrol/Diesel/Bar		Suits MQ, MK ONLY
BPN-007H	2	Petrol/Diesel/Bar/Winch		Suits MQ, MK ONLY
STEERING STABILIZERS				
EXT5005	1	H/Duty Replacement Damper		
SS5005-P/S	1	Return to Centre Damper		Suits Power Steering
SS5005-M/S	1	Return to Centre Damper		Suits Manual Steering
COMPONENTS				
TDUK-036	1	Urethane Shackle Bushing Kit		Suits G60 & MQ OE Springs
TDUK-009	1	Urethane Shackle Bushing Kit		Suits MQ, MK with T.D Springs
TDUK-009 Bush Kit must be used when fitting Tough Dog leaf springs to both MQ and MK Vehicles				
TDUB-004	1	U-Bolt Kit		Suits G60
TDUB-007	1	U-Bolt Kit		Suits G60
TDUB-009	1	U-Bolt Kit		Suits MQ, MK
TDUB-004	1	U-Bolt Kit		Suits MQ, MK
TDGP-470	1	Greasable pins		
TDGS-355	1	Greasable Shackles		Suits G60, MQ
TDGS-665	1	Greasable Shackles		Suits MQ, MK with T.D Springs
TDGS-665 must be fitted when using Tough Dog springs to both MQ and MK Vehicles				
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	4	Suits Top & Bottom Front Pin		Pin Style Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

NISSAN

PATROL

61/80 G60
9/80-85 MQ, MK

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1005T	2	35mm Nitrogen Gas Shock		Suit OE Height Suits G60 ONLY
FC41005	2	41mm Foam Cell Shocks		
BM401005	2	40mm 9 Stage Adjustable Shock		
BD1007T	2	35mm Nitrogen Gas Shock		Suit 40mm Lift Suits G60 ONLY
FC41007	2	41mm Foam Cell Shocks		
BM401007	2	40mm 9 Stage Adjustable Shock		
BD1400T	2	35mm Nitrogen Gas Shock		Suit OE Height Suits MQ, MK ONLY
FC41400	2	41mm Foam Cell Shocks		
BM401400	2	40mm 9 Stage Adjustable Shock		
BD1441T	2	35mm Nitrogen Gas		Suit 40mm Lift Suits MQ, MK ONLY
FC41441	2	41mm Foam Cell Shocks		
BM401441	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
BPN-008	2	0-300kg Load		Suits MQ, MK ONLY
BPN-008H	2	CONSTANT 300Kg Load		Suits MQ, MK ONLY
COMPONENTS				
TDUK-036	1	Urethane Shackle Bushing Kit		Suits G60
TDUK-010	1	Urethane Shackle Bushing Kit		Suits MQ, MK
TDUB-008	2	U-Bolt Kit		Suits G60
TDUB-010	2	U-Bolt Kit		Suits MQ & MK
TDGP-470	1	Greasable pins		
TDGS-355	1	Greasable Shackles		Suits G60
TDGS-664	1	Greasable Shackles		Suits MQ, MK

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas MQ, MK Only	BPN007+BPN008 BPN007H+BPN008 BPN007+BPN008H BPN007H+BPN008H		 <p>Includes</p> <p>4 x Leaf Springs 4 x Shocks 2 x Urethane Kits 4 x U-Bolt Kits 2x Greasable Shackle Kits</p>
41mm Foam Cell MQ, MK Only	BPN007+BPN008 BPN007H+BPN008 BPN007+BPN008H BPN007H+BPN008H		
40mm 9 Stage Adjustable MQ, MK Only	BPN007+BPN008 BPN007H+BPN008 BPN007+BPN008H BPN007H+BPN008H		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

2/88-98

GQ Patrol (Y60) - 2" Lift



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41047	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401047	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1047/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1047B	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC731	2	25mm Lift Coil		Suit SWB with Alloy Bar
TDC734SL	2	25mm Lift Coil		Suit LWB up to Bullbar
TDC734HSL	2	25mm Lift Coil		Suit LWB with Bullbar & Winch
TDC734CL	2	50mm Lift Coil		Suit LWB with 2.8L/Alloy Bar
TDC734L	2	50mm Lift Coil		Suit LWB up to Bullbar
TDC734HL	2	50mm Lift Coil		Suit LWB with Bullbar & Winch
STEERING STABILIZERS				
EXT5612	1	H/Duty Replacement Damper		
SS5612-P/S	1	Return to Centre Damper		Suits 2/88-8/89 GQ ONLY
SV5612	1	9 Stage Adjustable Damper		
EXT5613	1	H/Duty Replacement Damper		
SS5613-P/S	1	Return to Centre Damper		Suits 9/89-98 GQ ONLY
SV5613	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction Bush		instructions at toughdog.com.au
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GQ
TDPR-014	1	Adjustable Panhard Rod		Suits GQ LHD ONLY
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-051	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1734/15	1	Urethane Spring Spacer 15mm		1 required per coil as required
TDUK-1734/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW967	4	Suits Top & Bottom Front Pin		Pin Style Bushing
ADJ00191	1	Suits Top Rear Eying		Eying Bushing
415024	1	Suits Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

KIT PRICING REFERENCE COMPONENTS AS PER IMAGE

please order using part numbers

NISSAN

PATROL

2/88-98
GQ Patrol (Y60) - 2" Lift

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS - Fitting BMX? instructions at toughdog.com.au				
FC41206	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401206	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1206/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1206	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC733	2	25mm Lift 0-300Kg Load		Suit SWB
TDC732SL	2	25mm Lift 0-300Kg Load		Suit LWB
TDC732HSL	2	25mm Lift CONSTANT 300kg		Suit LWB
TDC732CL	2	50mm Lift No Load (Comfort)		Suit LWB
TDC732L	2	50mm Lift 0-300Kg Load		Suit LWB
TDC749HL	2	50mm Lift CONSTANT 300kg		Suit LWB
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-005	1	Adjustable Panhard Rod		Suits GQ
COMPONENTS				
TDUK-052	1	Trailing Arm Bushing Kit		2 Kits required Upper & Lower
TDUK-051	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1736/15	1	Urethane Spring Spacer 15mm		1 required per coil as required
TDUK-1736/30	1	Urethane Spring Spacer 30mm		1 required per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	\$130 Rear Coils		
	\$160 Rear Coils		
40mm 9 Stage Adjustable	\$130 Rear Coils		
	\$160 Rear Coils		
45mm Big Bore 9 Stage Adjustable	\$130 Rear Coils		
	\$160 Rear Coils		
53mm Big Bore 'Ralph'	\$130 Rear Coils		
	\$160 Rear Coils		
Includes 4 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

12/97-2015

GU Patrol (Y61) - 2" Lift



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41047	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401047	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1047/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1047B	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC734SL	2	25mm Lift Coil		Suit LWB up to Bullbar
TDC734HSL	2	25mm Lift Coil		Suit LWB with Bullbar & Winch
TDC734L	2	50mm Lift Coil		Suit LWB up to Bullbar
TDC734HL	2	50mm Lift Coil		Suit LWB with Bullbar & Winch
STEERING STABILIZERS				
EXT5000	1	H/Duty Replacement Damper		
SS5000-P/S	1	Return to Centre Damper		Suits 12/97-00 GU ONLY
SV5000	1	9 Stage Adjustable Damper		
EXT5617	1	H/Duty Replacement Damper		
SS5617-P/S	1	Return to Centre Damper		Suits 4/00-15 GU ONLY
SV5617	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction Bush		instructions at toughdog.com.au
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GU Utes
TDPR-012	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
TDPR-014	1	Adjustable Panhard Rod		Suits GU Utes LHD ONLY
TDPR-016	1	Adjustable Panhard Rod		Suits GU Wagon LHD ONLY
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-055	1	Panhard Rod Bush (Diff End)		1 Kit required (diff end only)
TDUK-056	1	Panhard Rod Bush (Chassis End)		1 Kit required (chassis end only)
TDUK-1734/15	1	Urethane Spring Spacer 15mm		1 required per coil as required
TDUK-1734/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW967	4	Suits Top & Bottom Front Pin		Pin Style Bushing
ADJ00191	1	Suits Top Rear Eying		Eying Bushing
415024	1	Suits Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**

please order using part numbers

**NISSAN
PATROL
12/97-2015
GU Patrol (Y61) - 2" Lift**

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS - Fitting BMX? instructions at toughdog.com.au				
FC41206	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401206	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1206/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1206	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC742SL	2	25mm Lift 0-300Kg Load		Suit LWB
TDC742HSL	2	25mm Lift CONSTANT 300kg		Suit LWB
TDC742L	2	50mm Lift 0-300Kg Load		Suit LWB
TDC742HL	2	50mm Lift CONSTANT 300kg		Suit LWB
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-005	1	Adjustable Panhard Rod		Suits GU Utes
TDPR-013	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
COMPONENTS				
TDUK-052	1	Trailing Arm Bushing Kit		2 Kits required Upper & Lower
TDUK-055	1	Panhard Rod Bush (Diff End)		1 Kit required (diff end only)
TDUK-056	1	Panhard Rod Bush (Chassis End)		1 Kit required (chassis end only)
TDUK-1736/15	1	Urethane Spring Spacer 15mm		1 required per coil as required
TDUK-1736/30	1	Urethane Spring Spacer 30mm		1 required per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	\$130 Rear Coils		
	\$160 Rear Coils		
40mm 9 Stage Adjustable	\$130 Rear Coils		
	\$160 Rear Coils		
45mm Big Bore 9 Stage Adjustable	\$130 Rear Coils		
	\$160 Rear Coils		
53mm Big Bore 'Ralph'	\$130 Rear Coils		
	\$160 Rear Coils		
Includes 4 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 3" Lift



FRONT SUSPENSION

ESTIMATED LIFT: 75mm (3")

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41047/3	2	41mm Foam Cell Shocks		Suits 75mm Lift
BM401047/3	2	40mm 9 Stage Adjustable Shock		Suits 75mm Lift
BMX1047/3	2	45mm 9 Stage Adjustable Shock		Suits 75mm Lift
COIL SPRINGS				
TDC734/3	2	75mm Lift Coil		Suit LWB up to Bullbar
TDC734/3H	2	75mm Lift Coil		Suit LWB with Bullbar & Winch
STEERING STABILIZERS				
EXT5612	1	H/Duty Replacement Damper		Suits 2/88-9/89 GQ ONLY
SS5612-P/S	1	Return to Centre Damper		
SV5612	1	9 Stage Adjustable Damper		
EXT5613	1	H/Duty Replacement Damper		Suits 8/89-98 GQ ONLY
SS5613-P/S	1	Return to Centre Damper		
SV5613	1	9 Stage Adjustable Damper		
EXT5000	1	H/Duty Replacement Damper		Suits 12/97-00 GU ONLY
SS5000-P/S	1	Return to Centre Damper		
SV5000	1	9 Stage Adjustable Damper		
EXT5617	1	H/Duty Replacement Damper		Suits 4/00-15 GU ONLY
SS5617-P/S	1	Return to Centre Damper		
SV5617	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction Bush		instructions at toughdog.com.au
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-012	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
TDPR-014	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes LHD
TDPR-016	1	Adjustable Panhard Rod		Suits GU Wagon LHD
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-004 & 014 ONLY
TDUK-055	1	Panhard Rod Bush (Diff End)		(diff end) TDPR-012, 013 & 016
TDUK-056	1	Panhard Rod Bush (Chassis End)		(chasss end)TDPR-012,013 & 016
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE RELEVANT NISSAN PATROL PAGES (P104) PREVIOUS IN CATALOGUE

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

KIT PRICING REFERENCE COMPONENTS AS PER IMAGE

please order using part numbers

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 3" Lift

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS - Fitting BMX? instructions at toughdog.com.au				
FC41206/3	2	41mm Foam Cell Shocks		Suits 75mm Lift
BM401206/3	2	40mm 9 Stage Adjustable Shock		Suits 75mm Lift
BMX1206/3	2	45mm 9 Stage Adjustable Shock		Suits 75mm Lift
COIL SPRINGS				
TDC732/3	2	75mm Lift 0-300Kg Load		Suit LWB
TDC732/3H	2	75mm Lift CONSTANT 300kg		Suit LWB
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-005	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-013	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
COMPONENTS				
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-005 ONLY
TDUK-052	1	Trailing Arm Bushing Kit		2 Kits required Upper & Lower
TDUK-055	1	Panhard Rod Bush (Diff End)		1 Kit required (diff end only)
TDUK-056	1	Panhard Rod Bush (Chassis End)		1 Kit required (chassis end only)
TRANSMISSION SPACER				
TDSP-004/2	1	Transmission Spacer Kit		instructions at toughdog.com.au
BRAKE HOSE KITS				
TDBH-001	1	Non ABS Rubber Hose		SUIT VEHICLES UP TO 2002
TDBH-194	1	Non ABS Braided Hose		SUIT VEHICLES UP TO 2002
TDBH-390	1	With ABS Rubber Hose		SUIT VEHICLES 98 ON
TDBH-190	1	With ABS - Braided Hose		SUIT VEHICLES 98 ON
TDBH-400	1	With ABS & Stability - Rubber		SUIT VEHICLES 98 ON

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	TO SUIT GQ TO SUIT GU		
40mm 9 Stage Adjustable	TO SUIT GQ TO SUIT GU		
45mm Big Bore 9 Stage Adjustable	TO SUIT GQ TO SUIT GU		
<p>Includes</p> <p>4 x Coil Springs 4 x Shocks 1 x Caster correction kit 2 x Panhard Rods 1 x Transmission Spacer 1 x Brake Hose Kit (Brake Hose kit is rubber non ABS - adjust price if required)</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 4" Lift



FRONT SUSPENSION

ESTIMATED LIFT: 100mm (4")

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41047/4	2	41mm Foam Cell Shocks		Suits 100mm Lift
BMX1047/4/5	2	45mm 9 Stage Adjustable Shock		Suits 100mm Lift
COIL SPRINGS				
TDC734/4	2	100mm Lift Coil		Suit LWB up to Bullbar
TDC734/4H	2	100mm Lift Coil		Suit LWB with Bullbar & Winch
STEERING STABILIZERS				
SS5613-XHD	1	H/Duty Return to Centre Damper		Comes with brackets, fitting instructions at toughdog.com.au
SV5613/4	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/3	1	3 Degree Caster Correction Bush		instructions at toughdog.com.au
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-012	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
TDPR-014	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes LHD
TDPR-016	1	Adjustable Panhard Rod		Suits GU Wagon LHD
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-004 & 014 ONLY
TDUK-055	1	Panhard Rod Bush (Diff End)		(diff end) TDPR-012, 013 & 016
TDUK-056	1	Panhard Rod Bush (Chassis End)		(chassis end)TDPR-012,013 & 016
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE RELEVANT NISSAN PATROL PAGES (P104) PREVIOUS IN CATALOGUE

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

KIT PRICING REFERENCE COMPONENTS AS PER IMAGE

please order using part numbers

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 4" Lift

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS - Fitting BMX? instructions at toughdog.com.au				
FC41206/4	2	41mm Foam Cell Shocks		Suits 100mm Lift
BMX1206/4/5	2	45mm 9 Stage Adjustable Shock		Suits 100mm Lift
COIL SPRINGS				
TDC732/4	2	100mm Lift 0-300Kg Load		Suit LWB
TDC732/4H	2	100mm Lift CONSTANT 300kg		Suit LWB
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-005	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-013	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
COMPONENTS				
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-005 ONLY
TDUK-052	1	Trailing Arm Bushing Kit		2 Kits required Upper & Lower
TDUK-055	1	Panhard Rod Bush (Diff End)		1 Kit required (diff end only)
TDUK-056	1	Panhard Rod Bush (Chassis End)		1 Kit required (chassis end only)
TRANSMISSION SPACER				
TDSP-004/2	1	Transmission Spacer Kit		instructions at toughdog.com.au
BRAKE HOSE KITS				
TDBH-001	1	Non ABS Rubber Hose		SUIT VEHICLES UP TO 2002
TDBH-194	1	Non ABS Braided Hose		SUIT VEHICLES UP TO 2002
TDBH-390	1	With ABS Rubber Hose		SUIT VEHICLES 98 ON
TDBH-190	1	With ABS - Braided Hose		SUIT VEHICLES 98 ON
TDBH-400	1	With ABS & Stability - Rubber		SUIT VEHICLES 98 ON

VEHICLES LIFTED 100MM OR MORE REQUIRE THE REAR TAILSHAFT TO BE SPUN 180 DEGREES SO THAT THE CLEARANCE BETWEEN THE CROSS MEMBER AND THE TAILSHAFT IS INCREASED.

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	TO SUIT GQ TO SUIT GU		
45mm Big Bore 9 Stage Adjustable	TO SUIT GQ TO SUIT GU		
Includes 4 x Coil Springs 4 x Shocks 1 x Caster correction kit 2 x Panhard Rods 1 x Transmission Spacer 1 x Brake Hose Kit (Brake Hose kit is rubber non ABS - adjust price if required)			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 5" Lift



FRONT SUSPENSION

ESTIMATED LIFT: 125mm (5")

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BMX1047/4/5	2	45mm 9 Stage Adjustable Shock		Suits 125mm Lift ONLY
COIL SPRINGS				
TDC734/5	2	125mm Lift Coil		Suit LWB up to Bullbar
TDC734/5H	2	125mm Lift Coil		Suit LWB with Bullbar & Winch
STEERING STABILIZERS				
SS5613-XHD	1	H/Duty Return to Centre Damper		Comes with brackets, fitting instructions at toughdog.com.au
SV5613/4	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDCP-005	1	5 Degree Caster Correction Plate		instructions at toughdog.com.au
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-012	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
TDPR-014	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes LHD
TDPR-016	1	Adjustable Panhard Rod		Suits GU Wagon LHD
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-004 & 014 ONLY
TDUK-055	1	Panhard Rod Bush (Diff End)		(diff end) TDPR-012, 013 & 016
TDUK-056	1	Panhard Rod Bush (Chassis End)		(chassis end)TDPR-012,013 & 016
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE RELEVANT NISSAN PATROL PAGES (P104) PREVIOUS IN CATALOGUE

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

KIT PRICING REFERENCE COMPONENTS AS PER IMAGE

please order using part numbers

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 5" Lift

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS - Shock fitting instructions at toughdog.com.au				
BMX1206/4/5	2	45mm 9 Stage Adjustable Shock		Suits 125mm Lift ONLY
COIL SPRINGS				
TDC732/5	2	125mm Lift 0-300Kg Load		Suit LWB
TDC732/5H	2	125mm Lift CONSTANT 300kg		Suit LWB
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-005	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-013	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
COMPONENTS				
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-005 ONLY
TDUK-052	1	Trailing Arm Bushing Kit		2 Kits required Upper & Lower
TDUK-055	1	Panhard Rod Bush (Diff End)		1 Kit required (diff end only)
TDUK-056	1	Panhard Rod Bush (Chassis End)		1 Kit required (chassis end only)
TRANSMISSION SPACER				
TDSP-004/2	1	Transmission Spacer Kit		instructions at toughdog.com.au
BRAKE HOSE KITS				
TDBH-001	1	Non ABS Rubber Hose		SUIT VEHICLES UP TO 2002
TDBH-194	1	Non ABS Braided Hose		SUIT VEHICLES UP TO 2002
TDBH-390	1	With ABS Rubber Hose		SUIT VEHICLES 98 ON
TDBH-190	1	With ABS - Braided Hose		SUIT VEHICLES 98 ON
TDBH-400	1	With ABS & Stability - Rubber		SUIT VEHICLES 98 ON

VEHICLES LIFTED 100MM OR MORE REQUIRE THE REAR TAILSHAFT TO BE SPUN 180 DEGREES SO THAT THE CLEARANCE BETWEEN THE CROSS MEMBER AND THE TAILSHAFT IS INCREASED.

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
45mm Big Bore 9 Stage Adjustable	TO SUIT GQ (0-300 rear)		
	TO SUIT GQ (300kg + rear)		
	TO SUIT GU (0-300 rear)		
	TO SUIT GU (300kg + rear)		
Includes 4 x Coil Springs 4 x Shocks 1 x Caster correction kit 2 x Panhard Rods 1 x Transmission Spacer 1 x Brake Hose Kit (Brake Hose kit is rubber non ABS - adjust price if required)			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 6" Lift



FRONT SUSPENSION

ESTIMATED LIFT: 150mm (6")

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BMX1047/6	2	45mm 9 Stage Adjustable Shock		Suits 150mm Lift ONLY
COIL SPRINGS				
TDC734/6	2	150mm Lift Coil		Suit LWB up to Bullbar
TDC734/6H	2	150mm Lift Coil		Suit LWB with Bullbar & Winch
STEERING STABILIZERS				
SS5613-XHD	1	H/Duty Replacement Damper		Comes with brackets, fitting instructions at toughdog.com.au
SV5613/4	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDCP-007	1	5 Degree Caster Correction Plate		instructions at toughdog.com.au
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-012	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
TDPR-014	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes LHD
TDPR-016	1	Adjustable Panhard Rod		Suits GU Wagon LHD
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-004 & 014 ONLY
TDUK-055	1	Panhard Rod Bush (Diff End)		(diff end) TDPR-012, 013 & 016
TDUK-056	1	Panhard Rod Bush (Chassis End)		(chassis end) TDPR-012, 013 & 016
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE RELEVANT NISSAN PATROL PAGES (P104) PREVIOUS IN CATALOGUE

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

KIT PRICING REFERENCE COMPONENTS AS PER IMAGE

please order using part numbers

NISSAN

PATROL

2/88-2015

GQ, GU Patrol (Y60, Y61) - 6" Lift

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS - Shock fitting instructions at toughdog.com.au				
BMX1206/6	2	45mm 9 Stage Adjustable Shock		Suits 150mm Lift ONLY
COIL SPRINGS				
TDC732/6	2	150mm Lift 0-300Kg Load		Suit LWB
TDC732/6H	2	150mm Lift CONSTANT 300kg		Suit LWB
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-005	1	Adjustable Panhard Rod		Suits GQ (all) & GU Utes
TDPR-013	1	Adjustable Panhard Rod		Suits GU Wagon ONLY
COMPONENTS				
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-005 ONLY
TDUK-052	1	Trailing Arm Bushing Kit		2 Kits required Upper & Lower
TDUK-055	1	Panhard Rod Bush (Diff End)		1 Kit required (diff end only)
TDUK-056	1	Panhard Rod Bush (Chassis End)		1 Kit required (chassis end only)
TRANSMISSION SPACER				
TDSP-004/2	1	Transmission Spacer Kit		instructions at toughdog.com.au
BRAKE HOSE KITS				
TDBH-001	1	Non ABS Rubber Hose		SUIT VEHICLES UP TO 2002
TDBH-194	1	Non ABS Braided Hose		SUIT VEHICLES UP TO 2002
TDBH-390	1	With ABS Rubber Hose		SUIT VEHICLES 98 ON
TDBH-190	1	With ABS - Braided Hose		SUIT VEHICLES 98 ON
TDBH-400	1	With ABS & Stability - Rubber		SUIT VEHICLES 98 ON

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
45mm Big Bore 9 Stage Adjustable	SUIT GQ (0-300kg)		
	SUIT GQ (Bar+Winch)		
SUIT GQ (300kg Rear)			
SUIT GU (0-300kg)			
Includes			
4 x Coil Springs			4 x Shocks
1 x Caster correction kit			2 x Panhard Rods
1 x Transmission Spacer			1 x Brake Hose Kit
(Brake Hose kit is rubber non ABS - adjust price if required)			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

2/88-98

GQ Cab Chassis (Leaf/Leaf)



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41108	2	41mm Foam Cell Shocks		Suit OE Height
BM401108	2	40mm 9 Stage Adjustable Shock		
FC41113	2	41mm Foam Cell Shocks		Suit 50mm Lift
BM401113	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
FS37	2	50mm Lift Spring		Petrol/Diesel/Bar
FS37H	2	50mm Lift Spring		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5005	1	H/Duty Replacement Damper		Eye/Eye Mounting
SS5005-P/S	1	Return to Centre Damper		Check Vehicle Prior to Ordering.
EXT5613	1	H/Duty Replacement Damper		Pin/Pin Mounting
SS5613-P/S	1	Return to Centre Damper		Check Vehicle Prior to Ordering.
SV5613	1	9 Stage Adjustable Dampers		
COMPONENTS				
TDUK-011	1	Urethane Shackle Bushing Kit		
TDUB-011	2	U-Bolt Kit		
TDGP-667	1	Greasable pins		
TDGS-666	1	Greasable Shackles		
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
ADJ00191	1	Suits Bottom Front Eying		Eying Bushing
ADJ00191	1	Suits Top Rear Eying		Eying Bushing
TW959	2	Suits Bottom Rear Pin		Pin Style Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**

please order using part numbers

NISSAN

PATROL

2/88-98

GQ Cab Chassis (Leaf/Leaf)

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41404	2	41mm Foam Cell Shocks		Suit 50mm Lift
BM401404	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
BPN-010	2	0-300kg Load		50mm Lift Spring
BPN-010H	2	CONSTANT 300Kg Load		50mm Lift Spring
FS39M	2	CONSTANT 500Kg Load		50mm Lift Spring
FS38M	2	Mine Spec - CONSTANT GVM		50mm Lift Spring
COMPONENTS				
TDUK-012	1	Urethane Shackle Bushing Kit		
TDUB-025	2	U-Bolt Kit		
TDGP-667	1	Greasable pins		
TDGS-666	1	Greasable Shackles		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	FS37+BPN-010		
	FS37H+BPN-010		
	FS37+BPN-010H		
	FS37H+BPN010H		
	FS37+FS38/39M		
	FS37H+FS38/39M		
40mm 9 Stage Adjustable	FS37+BPN-010		
	FS37H+BPN-010		
	FS37+BPN-010H		
	FS37H+BPN010H		
	FS37+FS38/39M		
	FS37H+FS38/39M		
<p>Includes</p> <p>4 x Leaf Springs 4 x Shocks</p> <p>2 x Urethane Kits 4 x U-Bolt Kits</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

92-15

GQ, GU Cab Chassis (Coil/Leaf)



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41047	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401047	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1047/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1047B	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC734L	2	50mm Lift Coil		Suit up to Bullbar
TDC734HL	2	50mm Lift Coil		Suit with Bullbar & Winch
STEERING STABILIZERS				
EXT5613	1	H/Duty Replacement Damper		Suits GQ ONLY (Pin/Pin)
SS5613-P/S	1	Return to Centre Damper		Please Check Mountings Prior to Ordering - Model is not consistent in application.
SV5613	1	9 Stage Adjustable Damper		
EXT5000	1	H/Duty Replacement Damper		Suits GU ONLY (Pin/Pin)
SS5000-P/S	1	Return to Centre Damper		Please Check Mountings Prior to Ordering - Model is not consistent in application.
SV5000	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction Bush		1 Kit required per vehicle
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GQ & GU Utes
TDPR-014	1	Adjustable Panhard Rod		Suits GQ & GU Utes LHD
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-051	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1734/15	1	Urethane Spring Spacer 15mm		1 required per coil as required
TDUK-1734/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW967	4	Suits Top & Bottom Front Pin		Pin Style Bushing
ADJ00191	1	Suits Top Rear Eying		Eying Bushing
TW959	2	Suits Bottom Rear Pin		Pin Style Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**

please order using part numbers

NISSAN

PATROL

92-15

GQ, GU Cab Chassis (Coil/Leaf)

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41404	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401404	2	40mm 9 Stage Adjustable		Suits up to 50mm Lift
BMX1404/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1404	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
LEAF SPRINGS				
BPN-010	2	0-300kg Load		50mm Lift Spring
BPN-010H	2	CONSTANT 300Kg Load		50mm Lift Spring
FS39M	2	CONSTANT 500Kg Load		50mm Lift Spring
FS38M	2	Mine Spec - CONSTANT GVM		50mm Lift Spring
COMPONENTS				
TDUK-012	1	Urethane Shackle Bushing Kit		
TDUB-023	2	U-Bolt Kit		
TDGP-667	1	Greasable pins		
TDGS-666	1	Greasable Shackles		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	BPN-010		
	BPN-010H		
	FS38/39M		
40mm 9 Stage Adjustable	BPN-010		
	BPN-010H		
	FS38/39M		
45mm Big Bore 9 Stage Adjustable	BPN-010		
	BPN-010H		
	FS38/39M		
53mm Big Bore 'Ralph'	BPN-010		
	BPN-010H		
	FS38/39M		
<p align="center"><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 1 x Urethane Kit 2 x U-Bolt Kits</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

92-15

GQ, GU Cab Chassis (Coil/Coil)



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41047	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401047	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1047/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1047B	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC734L	2	50mm Lift Coil		Suit up to Bullbar
TDC734HL	2	50mm Lift Coil		Suit with Bullbar & Winch
STEERING STABILIZERS				
EXT5613	1	H/Duty Replacement Damper		Suits GQ ONLY (Pin/Pin)
SS5613-P/S	1	Return to Centre Damper		Please Check Mountings Prior to Ordering - Model is not consistent in application.
SV5613	1	9 Stage Adjustable Damper		
EXT5000	1	H/Duty Replacement Damper		Suits GU ONLY (Pin/Pin)
SS5000-P/S	1	Return to Centre Damper		Please Check Mountings Prior to Ordering - Model is not consistent in application.
SV5000	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction Bush		1 Kit required per vehicle
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-004	1	Adjustable Panhard Rod		Suits GQ & GU Utes
COMPONENTS				
TDUK-041	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-051	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1734/15	1	Urethane Spring Spacer 15mm		1 required per coil as required
TDUK-1734/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
NAK-005	1	Offset Kingpin		0.5 Degree
NAK-075	1	Offset Kingpin		0.75 Degree
NAK-001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW967	4	Suits Top & Bottom Front Pin		Pin Style Bushing
ADJ00191	1	Suits Top Rear Eying		Eying Bushing
415024	1	Suits Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

KIT PRICING REFERENCE COMPONENTS AS PER IMAGE

please order using part numbers

NISSAN

PATROL

92-15

GQ, GU Cab Chassis (Coil/Coil)

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS - Fitting BMX? instructions at toughdog.com.au				
FC41206	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401206	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1206/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1206	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC749HL	2	50mm Lift 0-300Kg Load		
TDC749VHL	2	50mm Lift CONSTANT 300kg		
PANHARD ROD (Check Bushes Prior to Ordering)				
TDPR-005	1	Adjustable Panhard Rod		
COMPONENTS				
TDUK-051	1	Pan Hard Rod Bushes		Suits TDPR-005 ONLY
TDUK-052	1	Trailing Arm Bushing Kit		2 Kits required Upper & Lower
TDUK-1736/15	1	Urethane Spring Spacer 15mm		1 required per coil as required
TDUK-1736/30	1	Urethane Spring Spacer 30mm		1 required per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	\$160 Rear Coils		
	\$190 Rear Coils		
40mm 9 Stage Adjustable	\$160 Rear Coils		
	\$190 Rear Coils		
45mm Big Bore 9 Stage Adjustable	\$160 Rear Coils		
	\$190 Rear Coils		
53mm Big Bore 'Ralph'	\$160 Rear Coils		
	\$190 Rear Coils		
Includes 4 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

PATROL

10 On

Y62 (Non Hydraulic Suspension Only)



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404750	2	40mm Foam Cell Strut		
BM404750	2	40mm Adjustable Strut		9 Stage Adjustable
BMX454750	2	45mm Adjustable Strut		9 Stage Big Bore Adjustable
COIL SPRINGS				
TDC790L	2	40mm Lift Spring		Petrol With Bar
TDC790HL	2	40mm Lift Spring		Petrol with Bar & Winch
TDC791L	2	40mm Lift Spring-45mm Adj Only		Petrol With Bar
TDC791HL	2	40mm Lift Spring-45mm Adj Only		Petrol with Bar & Winch
COMPLETE STRUT ASSEMBLY				
NIS-062/02	2	FC404750/TDC790L		Petrol With Bar
NIS-062/03	2	FC404750/TDC790HL		Petrol with Bar & Winch
NIS-062/07	2	BM404750/TDC790L		Petrol With Bar
NIS-062/08	2	BM404750/TDC790HL		Petrol with Bar & Winch
NIS-062/10	2	BMX454750/TDC791L (45mm)		Petrol With Bar
NIS-062/11	2	BMX454750/TDC791HL (45mm)		Petrol with Bar & Winch
REPLACEMENT STRUT TOP				
NIS-062	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC401220	2	41mm Foam Cell Shock		Up to 40mm Lift
BM401220	2	40mm 9 Stage Adjustable		Up to 40mm Lift
BMX1220/2	2	45mm 9 Stage Adjustable		Up to 40mm Lift
COIL SPRINGS				
TDC795	2	0-120kg Load		40mm Lift
TDC795L	2	CONSTANT 120-300Kg Load		40mm Lift
TDC795HL	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
NIS-062	1	Replacement Strut Top		Available As Complete Unit Only
4WAY-002	1	Suits Bottom Front Eying		Eying Bonded Bushing
Retainer-W	1	Suits Rear Top Pin		Eying Bushing
Retainer-X	1	Suits Rear Bottom Pin		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

NISSAN

PATROL

13 On

Y62 (Non Hydraulic Suspension Only)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	<p>\$160 Rear Coils</p> <p>\$180 Rear Coils</p>		
<p>Foam Cell Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	<p>\$160 Rear Coils</p> <p>\$180 Rear Coils</p>		
<p>40mm Adjustable Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	<p>\$160 Rear Coils</p> <p>\$180 Rear Coils</p>		
<p>40mm Adjustable Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	<p>\$160 Rear Coils</p> <p>\$180 Rear Coils</p>		
<p>45mm Adjustable Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	<p>\$160 Rear Coils</p> <p>\$180 Rear Coils</p>		
<p>45mm Adjustable Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	<p>\$160 Rear Coils</p> <p>\$180 Rear Coils</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

NISSAN

TERRANO II

3/97-00

R20



FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitro Gas Shock		Up to 30mm Lift
FC42057B	2	41mm Foam Cell Shock		Up to 30mm Lift
TORSION BARS				
4WTB-1458	1	Replacement Torsion Bars		26mm/1232mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1388T	2	35mm Nitro Gas Shock		Up to 30mm Lift
FC41388	2	41mm Foam Cell Shock		Up to 30mm Lift
BM401388	2	40mm 9 Stage Adjustable		Up to 30mm Lift
COIL SPRINGS				
TDC739	2	0-300Kg Load	\$ 130 ea	30mm Lift
TDC739H	2	CONSTANT 300Kg Load	\$ 130 ea	30mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin Mount		Pin Style Bushing
412772	1	Suits Bottom Front Eying		Eying Bushing
404702	2	Suits Top & Bottom Rear Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro gas	ANY		
41mm Foam Cell	ANY		
Foam Cell Front Adjustable Rear	ANY		
Includes 2 x Coil Springs 4 x Shocks			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



SSANGYONG

MUSSO (INC SPORT UTE)

8/96-04

ALSO SEE DAEWOO

FRONT SUSPENSION

ESTIMATED LIFT: 35mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD2057T	2	35mm Nitrogen Gas Shock		Suits up to 35mm Lift
TORSION BARS				
4WTB-1800	1	Replacement Torsion Bars (Pair)		26mm/1040mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				

REAR SUSPENSION

SHOCK ABSORBERS				
BD1104T	2	35mm Nitrogen Gas Shock		Suit OE Height
BM401104	2	40mm 9 Stage Adjustable Shock		
BD1105T	2	35mm Nitrogen Gas		Suit 35mm Lift
BM401105	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC100	2	0-300KG Load		35mm Lift
TDC100H	2	CONSTANT 300Kg Load		35mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Front Top Pin Mount		Pin Style Bushing
412772	1	Bottom Front Eying		Eying Bushing
TW959	2	Rear Top Pin Mount		Pin Style Bushing
404702	1	Bottom Rear Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitrogen Gas	ANY		
Gas Front Adjustable Rear	ANY		
<u>Includes</u> 4 x Shocks 2 x Coil Springs			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

SUZUKI

JIMNY

10/98 ON

SN413 (JB33/43/48)



FRONT SUSPENSION

ESTIMATED LIFT: 40-80mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1133TB	2	35mm Nitro Gas Shock		Suits 40mm Lift ONLY
BD1134TB	2	35mm Nitro Gas Shock		Suits 60 & 80mm Lift
COIL SPRINGS				
TDC836	2	40mm Lift Coil		
TDC838L	2	60mm Lift Coil		Suits 10/98-05 1.3L
TDC824	2	80mm Lift Coil		
TDC824H	2	80mm Lift Coil		Suits with Bar & Winch
TDC838L	2	40mm Lift Coil		
TDC824	2	60mm Lift Coil		Suits 05 On M13AAVVT 1.5L
TDC824H	2	80mm Lift Coil		
STEERING STABILIZERS				
SD5610	1	H/Duty Replacement Damper		
SS5610-M/S	1	Return to Centre Damper		Includes Mounting Brackets
SV5610	1	9 Stage Adjustable Damper		Fitting instructions available at toughdog.com.au
CASTER CORRECTION				
TDUK-063	1	3 Degree Caster Correction Bush		1 Kit required per vehicle
PANHARD ROD				
TDPR-009	1	Adjustable Panhard Rod		Suits RHD Vehicles Only
TDPR-011	1	Adjustable Panhard Rod		Suits LHD Vehicles Only
COMPONENTS				
TDUK-039	1	Replacement Trailing Arm Bushes		(0 Degrees Adjustment)
TDSK-022	1	ABS relocation Bracket		Relocation Bracket for ABS Kit fitting instructions at toughdog.com.au

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
402267	2	Suits Top Front Pin Mount		Pin Style Bushing
412772	1	Suits Bottom Front Eying		Eying Bushing
412773	1	Suits Top Rear Eying		Eying Bushing
4W-SPF420-02	1	Suits Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Castor Correction Bushing kit fitting instructions available at toughdog.com.au

SUZUKI

JIMNY

10/98 ON
SN413 (JB33/43/48)

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1192TB	2	35mm Nitro Gas Shock		Suits 40mm Lift ONLY
BD1193TB	2	35mm Nitro Gas Shock		Suits 60 & 80mm Lift
COIL SPRINGS				
TDC837	2	40mm Lift Coil		
TDC839L	2	60mm Lift Coil		
TDC825	2	80mm Lift Coil		
TDC826	2	80mm Lift Coil - O/S MODELS		
COMPONENTS				
TDUK-039	1	Replacement Trailing Arm Bushes		
PANHARD ROD				
TDPR-010	1	Adjustable Panhard Rod		
BRAKE HOSE KITS				
TDBH-199	1	Brake Hose Kit 60-80mm		Single Rear Hose (Front not req'd)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	40mm LIFT		
<p>Includes 4 x Coil Springs 4 x Shocks</p>			
35mm Nitro Gas	60 & 80mm LIFT		
<p>Includes 4 x Coil Springs 4 x Shocks 1 x Castor correction kit 2 x Panhard Rods 1 x Brake Hose Kit 1 x ABS Relocation Bracket</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

SUZUKI

SIERRA

7/74-5/99
LEAF SPRING ONLY



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1102T	2	35mm Nitro Gas Shock		Suits up to 50mm Lift
LEAF SPRINGS				
T61	2	50mm Lift Lift		Suits All with Bar
STEERING STABILIZERS				
SD14030	1	H/Duty Replacement Damper		
SS5611-M/S	1	Return to Centre Damper		
COMPONENTS				
TDUK-013	1	Urethane Shackle Bushing Kit		
TDUB-014	1	U-Bolt Kit		Passenger Side
TDUB-013	1	U-Bolt Kit		Drivers Side
TDGS-656	1	Greasable Shackle Kit		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1364T	2	35mm Nitro Gas Shock		Suits OE Height
BD1366T	2	35mm Nitro Gas Shock		Suits 50mm Lift
BD1102T	2	35mm Nitro Gas Shock		Suits OE Height LJ80 & 80V
BD1104T	2	35mm Nitro Gas Shock		Suits 50mm Lift LJ80 & 80V
LEAF SPRINGS				
T62	2	50mm Lift		
COMPONENTS				
TDUK-013	1	Urethane Shackle Bushing Kit		
TDUB-014	2	U-Bolt Kit		
TDGS-656	1	Greasable Shackle Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin Mount		Pin Style Bushing
404702	1	Suits Bottom Front Eying		Eying Bushing
404702	2	Suits Top & Bottom Rear Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	50mm LIFT		
<p>Includes</p> <p>4 x Leaf Springs 4 x Shocks 4 x U-Bolt Kits 2 x Shackle Bushing Kit</p>			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



SUZUKI

VITARA

7/88-05

INCLUDES GRAND VITARA & XL-7

FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BDS4613	2	Mini Strut Replacement		OE Height
BDS4000LR	2	Mini Strut (Includes Camber Bolt)		30mm Lift
COIL SPRINGS				
TDC814	2	30mm Lift Spring		88-3/98 1.6L SWB
TDC816	2	30mm Lift Spring		88-3/98 2.0L SWB & 1.6L LWB
TDC818	2	30mm Lift Spring		95-3/98 2.0L V6 LWB
TDC834SL	2	30mm Lift Spring		4/98-7/05 1.6L, 2.0L SWB & LWB
TDC834	2	30mm Lift Spring		4/98-7/05 2.5L V6 LWB
TDC834H	2	30mm Lift Spring		7/01-05 2.7L V6
STEERING DAMPER				
SS5614-M/S	1	Return to Centre Damper		Manual Steering 7/88-02

REAR SUSPENSION

SHOCK ABSORBERS				
BD1166T	2	35mm Nitro Gas Shock		Up to 30mm Lift
COIL SPRINGS				
TDC815	2	0-300kg Load		30mm Lift 88-3/98 SWB
TDC817	2	0-300kg Load		30mm Lift 91-3/98 LWB
TDC835SL	2	0-300kg Load		30mm Lift 4/98-7/05 SWB
TDC835	2	0-300kg Load		30mm Lift 4/98-7/05 LWB
TDC838	2	0-300kg Load		30mm 7/01-05 XL-7 ONLY

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Rear Pin Mount		Pin Style Bushing
4W-SPF420-02	1	Suits Rear Bottom Eye		Eye Style Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	30mm LIFT		
<p align="center">Includes 4 x Coil Springs 2 x Rear Shocks 2 x Front Struts</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

FORTUNER

04 - 12/15



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404600	2	40mm Foam Cell Strut		
BM404600	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC974S	2	OE Height Only		OE Replacement Only
TDC974	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
TOY-026/01	2	BM404600/TDC974		Petrol/Diesel/Bar
TOY-026/02	2	BM404600/TDC974H		Petrol/Diesel/Bar/Winch
TOY-026/03	2	FC404600/TDC974		Petrol/Diesel/Bar
TOY-026/04	2	FC404600/TDC974H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT ASSEMBLY				
TOY-1083	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC41113	2	41mm Foam Cell Shock		Up to 40mm Lift
BM401113	2	40mm 9 Stage Adjustable		Up to 40mm Lift
COIL SPRINGS				
TDC912	2	0-300kg Load		40mm Lift
TDC912L	2	CONSTANT 300Kg Load		40mm Lift
TDC912HL	2	CONSTANT 500Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1083	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
ADJ00191	1	Suits Rear Bottom Eying		Eying Bushing
TW959	2	Suits Rear Top Pin		Pin Style Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

FORTUNER

04 - 12/15
All Models

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Coil Springs</p>	ANY		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2x Front Struts 2x Rear Shocks 4x Coil Springs</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2x Complete Struts 2x Rear Shocks 2x Coil Springs</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

FORTUNER

15 On



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404600	2	40mm Foam Cell Strut		
BM404600	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC974	2	40mm Lift Spring		Petrol/Diesel/No Bar
TDC983	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
TOY-026/01	2	BM404600/TDC974		Petrol/Diesel/No Bar
TOY-027/02	2	BM404600/TDC983		Petrol/Diesel/Bar
TOY-027/03	2	BM404600/TDC974H		Petrol/Diesel/Bar/Winch
TOY-026/03	2	FC404600/TDC974		Petrol/Diesel/No Bar
TOY-027/06	2	FC404600/TDC983		Petrol/Diesel/Bar
TOY-027/07	2	FC404600/TDC974H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT ASSEMBLY				
TOY-1083	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC43016	2	41mm Foam Cell Shock		Up to 40mm Lift
BM403016	2	40mm 9 Stage Adjustable		Up to 40mm Lift
COIL SPRINGS				
TDC913L	2	0-300kg Load		40mm Lift
TDC913HL	2	CONSTANT 300Kg Load		40mm Lift
TDC913VHL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDSP-010	1	Transmission Spacer Kit		Must be fitted with all lift kits

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1083	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
415024	1	Suits Rear Bottom Eying		Eying Bushing


Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

FORTUNER

15 On
All Models

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 4x Coil Springs 1x Transmission Spacer</p>	ANY		
<p>Foam Cell Complete Assembly Struts</p> <p>Includes 2x Complete Struts 2x Rear Shocks 2x Coil Springs 1x Transmission Spacer</p>	ANY		
<p>40mm Adjustable Struts Require Assembly</p> <p>Includes 2x Front Struts 2x Rear Shocks 4x Coil Springs 1x Transmission Spacer</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts</p> <p>Includes 2x Complete Struts 2x Rear Shocks 2x Coil Springs 1x Transmission Spacer</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

4RUNNER

11/85-89

IFS WITH LEAF REAR



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41127B	2	35mm Foam Cell Shock		Up to 50mm Lift
TORSION BARS				
4WTB-1646	1	Replacement Torsion Bars		26mm/1064mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
EXT5510	1	H/D Replacement Damper		
S55510-P/S	1	Return to Centre Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1350T	2	35mm Nitro Gas Shock		Suits OE Height
FC41350	2	41mm Foam Cell Shock		
BM401350	2	40mm 9 Stage Adjustable		
BD1377T	2	35mm Nitro Gas Shock		Suits 50mm Lift
FC41377	2	41mm Foam Cell Shock		
BM401377	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T46C	2	0-300kg Load		50mm Lift
T46L	2	CONSTANT 300Kg Load		50mm Lift
COMPONENTS				
TDUK-015	1	Urethane Shackle Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGP-385	1	Greasable Pin Kit		
TDGS-386	1	Greasable Shackle Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	1	Suits Front Top Pin		Pin Style Bushing
ADJ00191	1	Suits Top & Bottom Rear Eye		Eyering Bushing
TW038-16	1	Suits Front Bottom Eye		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Front Nitro Gas Rear	T46C 0-300KG T46L 300KG+		
41mm Foam Cell	T46C 0-300KG T46L 300KG+		
Foam Cell Front Adjustable Rear	T46C 0-300KG T46L 300KG+		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



TOYOTA

4RUNNER

89-96

IFS WITH COIL REAR

FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41127B	2	35mm Foam Cell Shock		Up to 50mm Lift
TORSION BARS				
4WTB-1646	1	Replacement Torsion Bars		26mm/1064mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
EXT5510	1	H/D Replacement Damper		
S55510-P/S	1	Return to Centre Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
FC41108	2	41mm Foam Cell Shock		Suits OE Height
BM401108	2	40mm 9 Stage Adjustable		
FC41113	2	41mm Foam Cell Shock		Suits 50mm Lift
BM401113	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC946S	2	0-300kg Load		OE Height
TDC946	2	0-300kg Load		50mm Lift
TDC946H	2	CONSTANT 300Kg Load		50mm Lift
PANHARD ROD				
TDPR-008	1	Adjustable Panhard Rod		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Front Top Pin		Pin Style Bushing
TW959	2	Suits Rear Top Pin		Pin Style Bushing
ADJ00191	1	Suits Bottom Rear Eye		Eyering Bushing
TW038-16	1	Suits Front Bottom Eyering		Eyering Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	ANY		
Foam Cell Front Adjustable Rear	ANY COIL		
Includes 2 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

HILUX

4/79-97

LEAF/LEAF 4WD



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1134T	2	35mm Nitrogen Gas Shock		Suit OE Height
FC41134	2	41mm Foam Cell Shock		
BM401134	2	40mm 9 Stage Adjustable Shock		
BD1109T	2	35mm Nitrogen Gas		Suit 50mm Lift
FC41109	2	41mm Foam Cell Shock		
BM401109	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T75	2	Petrol/Diesel/Bar		50mm Lift Spring
T78	2	Petrol/Diesel/Bar/Winch		50mm Lift Spring
STEERING DAMPERS				
EXT5500	1	H/D Replacement Damper		Suits Manual Steering Suits Power Steering
SS5500-M/S	1	Return to Centre Damper		
SS5500-P/S	1	Return to Centre Damper		
SV5500	1	9 Stage Adjustable Damper		
COMPONENTS				
TDUK-014	1	Urethane Shackle Bushing Kit		Suits D/S (1 Kit Req'd) Suits P/S (1 Kit Req'd) Fit with all Lift Kits
TDUB-015	1	U-Bolt Kit		
TDUB-016	1	U-Bolt Kit		
TDGP-385	1	Greasable Pin Kit		
TDGS-384	1	Greasable Shackle Kit		
TDDL-001	1	Adjustable Diff Locator		

FRONT END KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	T75		
	T78		
41mm Foam Cell	T75		
	T78		
9 Stage Adjustable	T75		
	T78		
<p align="center">Includes</p> <p align="center"> 2 x Leaf Springs 2 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit 1 x Diff Locator </p>			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

HILUX

4/79-97

LEAF/LEAF 4WD

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BD1382T	2	35mm Nitrogen Gas Shock		Suits OE Height 4/79-83 Models
FC41382	2	41mm Foam Cell Shocks		
BM401382	2	40mm 9 Stage Adjustable Shock		
BD1388T	2	35mm Nitrogen Gas		Suits 50mm Lift 4/79-83 Models
BM401388	2	41mm Foam Cell Shocks		
BM401388	2	40mm 9 Stage Adjustable		
BD1350T	2	35mm Nitrogen Gas		Suits OE Height 11/83-97 Models
FC41350	2	41mm Foam Cell Shocks		
BM401350	2	40mm 9 Stage Adjustable		
BD1377T	2	35mm Nitrogen Gas		Suits 50mm Lift 11/83-97 Models
FC41377	2	41mm Foam Cell Shocks		
BM401377	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T46C	2	0-300Kg Load		50mm Lift Spring
T46L	2	CONSTANT 300Kg Load		50mm Lift Spring
BP-002XHD	2	CONSTANT 500Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-015	1	Urethane Shackle Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGP-385	1	Greasable Pin Kit		
TDGS-386	1	Greasable Shackle Kit		

REAR END KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	T46C T46L BP-002XHD		
41mm Foam Cell	T46C T46L BP-002XHD		
9 Stage Adjustable	T46C T46L BP-002XHD		
Includes 2 x Leaf Springs 2 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

HILUX

10/88-97

TORSION BAR FRONT



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41127B	2	35mm Foam Cell Shock		Up to 50mm Lift
TORSION BARS				
4WTB-1646	1	Replacement Torsion Bars		26mm/1064mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
EXT5510	1	H/D Replacement Damper		
SS5510-P/S	1	Return to Centre Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1350T	2	35mm Nitro Gas Shock		Suits OE Height
FC41350	2	41mm Foam Cell Shock		
BM401350	2	40mm 9 Stage Adjustable		
BD1377T	2	35mm Nitro Gas Shock		Suits 50mm Lift
FC41377	2	41mm Foam Cell Shock		
BM401377	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
BP-007	2	0-300kg Load		50mm Lift
BP-007H	2	CONSTANT 300Kg Load		50mm Lift
BP-007HH	2	CONSTANT 500Kg Load		50mm Lift
COMPONENTS				
TDUK-037	1	Urethane Shackle Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-386/1	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Front Top Pin		Pin Style Bushing
TW038-16	1	Suits Front Bottom Eye		Eyering Bushing
ADJ00191	2	Suits Top & Bottom Rear Eye		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

HILUX

10/88-97

TORSION BAR FRONT

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Front Nitro gas Rear</p> <p><u>Includes</u> 2 x Leaf Springs 4 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>BP-007 0-300KG</p> <p>BP-007H CONSTANT 300KG</p> <p>BP-007HH CONSTANT 500KG</p>		
<p>41mm Foam Cell</p> <p><u>Includes</u> 2 x Leaf Springs 4 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>BP-007 0-300KG</p> <p>BP-007H CONSTANT 300KG</p> <p>BP-007HH CONSTANT 500KG</p>		
<p>Foam Cell Front Adjustable Rear</p> <p><u>Includes</u> 2 x Leaf Springs 4 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>BP-007 0-300KG</p> <p>BP-007H CONSTANT 300KG</p> <p>BP-007HH CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

HILUX

10/97-05

TORSION BAR FRONT



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41127B	2	41mm Foam Cell Shock		Up to 50mm Lift
TORSION BARS				
4WTB-1646	1	Replacement Torsion Bars		26mm/1064mm
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
STEERING DAMPERS				
EXT5510	1	H/D Replacement Damper		
SS5513-P/S	1	Return to Centre Damper		
SV5513	1	9 Stage Adjustable Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
Please take note of shock application for standard and lifted height vehicles				
BD1350T (D/S)	1	35mm Nitro Gas Shock		Suits OE Height
BD1377T (P/S)	1	35mm Nitro Gas Shock		
FC41350 (D/S)	1	41mm Foam Cell Shock		
FC41377 (P/S)	1	41mm Foam Cell Shock		
BM401350 (D/S)	1	40mm 9 Stage Adjustable		
BM401377 (P/S)	1	40mm 9 Stage Adjustable		
BD1377T	2	35mm Nitro Gas Shock		Suits 50mm Lift
FC41377	2	41mm Foam Cell Shock		
BM401377	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T79C	2	0-300kg Load		50mm Lift
T79L	2	CONSTANT 300Kg Load		50mm Lift
T79LL	2	CONSTANT 500Kg Load		50mm Lift
COMPONENTS				
TDUK-038	1	Urethane Shackle Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-386/1	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Front Top Pin		Pin Style Bushing
ADJ00191	2	Suits Top & Bottom Rear Eye		Eyering Bushing
TW038-16	1	Suits Front Bottom Eye		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

HILUX

10/97-05

TORSION BAR FRONT

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Front Nitro gas Rear</p> <p><u>Includes</u> 2 x Leaf Springs 4 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T79C 0-300KG</p> <p>T79L CONSTANT 300KG</p> <p>T79LL CONSTANT 500KG</p>		
<p>41mm Foam Cell</p> <p><u>Includes</u> 2 x Leaf Springs 4 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T79C 0-300KG</p> <p>T79L CONSTANT 300KG</p> <p>T79LL CONSTANT 500KG</p>		
<p>Foam Cell Front Adjustable Rear</p> <p><u>Includes</u> 2 x Leaf Springs 4 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T79C 0-300KG</p> <p>T79L CONSTANT 300KG</p> <p>T79LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

HILUX

4/05-15

KUN26R (COIL/LEAF)



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404600	2	40mm Foam Cell Strut		
BM404600	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC974S	2	OE Height Only		OE Replacement Only
TDC974	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
TOY-026/01	2	BM404600/TDC974		Petrol/Diesel/Bar
TOY-026/02	2	BM404600/TDC974H		Petrol/Diesel/Bar/Winch
TOY-026/03	2	FC404600/TDC974		Petrol/Diesel/Bar
TOY-026/04	2	FC404600/TDC974H		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
TOY-1083	2	Strut Top		Replacement Strut Top
COMPONENTS				
TDSP-011	1	Sway Bar Spacer Kit		76mm hole spacing

REAR SUSPENSION

SHOCK ABSORBERS				
FC41350	2	41mm Foam Cell Shock		Suit OE Height
BM401350	2	40mm Adjustable Shock		
FC41376	2	41mm Foam Cell Shock		Suit 40mm Lift
BM401376	2	40mm Adjustable Shock		
LEAF SPRINGS				
T80C	2	0-300KG Load		40mm Lift
T80L	2	CONSTANT 300Kg Load		40mm Lift
T80LL	2	CONSTANT 500Kg Load		40mm Lift
FIT CONSTANT LEAVES ONLY WHERE CONSTANT LOAD FITTED - PREMATURE FAILURE MAY OCCUR				
COMPONENTS				
TDUK-067	1	Urethane Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-389	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

SHOCK ABSORBERS				
TOY-1083	1	Top Front Replacement Assembly		Bushes not sold separately
ADJ00300/40	1	Bottom Front Eying		Bonded
ADJ00191	2	Top & Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

HILUX

4/05-15
KUN26R (COIL/LEAF)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T80C 0-300KG</p> <p>T80L CONSTANT 300KG</p> <p>T80LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2 x Complete Struts 2 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T80C 0-300KG</p> <p>T80L CONSTANT 300KG</p> <p>T80LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T80C 0-300KG</p> <p>T80L CONSTANT 300KG</p> <p>T80LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2 x Complete Struts 2 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T80C 0-300KG</p> <p>T80L CONSTANT 300KG</p> <p>T80LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

HILUX

4/05-15

KUN26R - MINING APPLICATIONS



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404600	2	41mm Foam Cell Strut		
COIL SPRINGS				
TDC976	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
TOY-026/05	2	FC404600/TDC976		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
TOY-1083	2	Strut Top		Replacement Strut Top
COMPONENTS				
TDSP-011	1	Sway Bar Spacer Kit		76mm hole spacing

REAR SUSPENSION

SHOCK ABSORBERS				
FC41350	2	41mm Foam Cell Shock		Suit OE Height
FC41376	2	41mm Foam Cell Shock		Suit 40mm Lift
LEAF SPRINGS				
T80LL	2	500KG CONSTANT Load		40mm Lift
FIT CONSTANT LEAVES ONLY WHERE CONSTANT LOAD FITTED - PREMATURE FAILURE MAY OCCUR				
COMPONENTS				
TDUK-067	1	Urethane Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-389	1	Greasable Shackles Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

SHOCK ABSORBERS				
TOY-1083	1	Top Front Replacement Assembly		Bushes not sold separately
ADJ00300/40	1	Bottom Front Eying		Bonded
ADJ00191	2	Top & Bottom Rear Eying		Eying Bushing

MINE SPEC APPLICATIONS PLEASE

NOTE:

Please always be aware of the GVM of the vehicle when selecting a suspension kit.

Kerb Weight - 1765-1815kg

GVM - 2810kg

Maximum Load - 995-1045 (model dependent)

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>41mm Foam Cell Struts Require Assembly</p> <p>Includes 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T80LL CONSTANT 500KG</p>		
<p>41mm Foam Cell Complete Assembly Struts</p> <p>Includes 2 x Complete Struts 2 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T80LL CONSTANT 500KG</p>		

When Selecting Mining Applications:

Carrying loads above the GVM in the tray of the vehicle will result in the following problems

- The Rear of the vehicle will drop down and the front ride height will increase.
- The struts will be riding at near full extension at all times
- When the vehicle is driven in this condition, the strut will top out (reach full extension) repeatedly.
- This leads to leakages and will eventually break the lower eye bush ring from the shock body.

With a 16" Rim fitted to the vehicle, the rim to guard ride height must not exceed **780mm as an Absolute Maximum**

Please Note:

Mining Spec Trays are often significantly heavier than traditional trays, and can weigh in excess of 500kg by themselves.

When fitted to the vehicle, the remaining carrying capacity (GVM minus Vehicle Weight) is 500kg.

When additional permanent loads are taken into account, there may be very little carrying capacity available in the vehicle.

Extra items to consider include:

1. Personnel
2. Tools & Tool Boxes
3. Vehicle Fuel
4. Front mounted accessories (Bar/Winch/Dual battery)
5. R.O.P.S

Please Call 4Way Suspension on (02) 9672 8899 for specialist assistance when selecting components for mining vehicle applications.

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

HILUX

15 On

AN120/130 (COIL/LEAF)



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404600	2	40mm Foam Cell Strut		
BM404600	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC983S	2	OE Height Only		OE Replacement Only
TDC983	2	40mm Lift Spring		Petrol/Diesel/No bar
TDC974H	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974HH	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
TOY-027/01	2	BM404600/TDC983S		OE Replacement Only
TOY-027/02	2	BM404600/TDC983		Petrol/Diesel/No bar
TOY-027/03	2	BM404600/TDC974H		Petrol/Diesel/Bar
TOY-027/04	2	BM404600/TDC974HH		Petrol/Diesel/Bar/Winch
TOY-027/05	2	FC404600/TDC983S		OE Replacement Only
TOY-027/06	2	FC404600/TDC983		Petrol/Diesel/No bar
TOY-027/07	2	FC404600/TDC974H		Petrol/Diesel/Bar
TOY-027/08	2	FC404600/TDC974HH		Petrol/Diesel/Bar/Winch
REPLACEMENT STRUT TOP				
TOY-1083	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

SHOCK ABSORBERS				
FC43014	2	41mm Foam Cell Shock		Suit OE Height
BM403014	2	40mm Adjustable Shock		
BD3015T	2	35mm Nitro Gas Shock		Fit for Comfort Applications
FC43015	2	41mm Foam Cell Shock		Suit 40mm Lift
BM403015	2	40mm Adjustable Shock		
LEAF SPRINGS - FIT CONSTANT LEAVES ONLY FOR CONSTANT LOAD FITTED - FAILURE MAY OCCUR				
T81C	2	0-300KG Load		40mm Lift
T81L	2	CONSTANT 300Kg Load		40mm Lift
T81LL	2	CONSTANT 500Kg Load		40mm Lift
COMPONENTS				
TDUK-067	1	Urethane Bushing Kit		
TDUB-016	2	U-Bolt Kit		
TDGS-392	1	Greasable Shackle Kit		
TDGP-668	1	Greasable Pin Kit		

REPLACEMENT BUSHINGS

SHOCK ABSORBERS				
TOY-1083	1	Top Front Replacement Assembly	\$ 70 ea	Bushes not sold separately
ADJ00300/40	1	Bottom Front Eying	\$ 6 ea	Bonded
ADJ00191	2	Top & Bottom Rear Eying	\$ 3 ea	Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Leaf spring front eye bolt & Headlight leveling sensor fitting instructions available at toughdog.com.au

TOYOTA

HILUX

15 On

AN120/130 (COIL/LEAF)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T81C 0-300KG</p> <p>T81L CONSTANT 300KG</p> <p>T81LL CONSTANT 500KG</p>		
<p>Foam Cell Complete Assembly Struts</p> <p><u>Includes</u> 2 x Complete Struts 2 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T81C 0-300KG</p> <p>T81L CONSTANT 300KG</p> <p>T81LL CONSTANT 500KG</p>		
<p>40mm Adjustable Struts Require Assembly</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T81C 0-300KG</p> <p>T81L CONSTANT 300KG</p> <p>T81LL CONSTANT 500KG</p>		
<p>40mm Adjustable Complete Assembly Struts</p> <p><u>Includes</u> 2 x Complete Struts 2 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>T81C 0-300KG</p> <p>T81L CONSTANT 300KG</p> <p>T81LL CONSTANT 500KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

12/77-84
40, 42 SERIES



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41364	2	41mm Foam Cell Shocks		Suit OE Height
BM401364	2	40mm 9 Stage Adjustable Shock		
FC41366	2	41mm Foam Cell Shocks		Suit 50mm Lift
BM401366	2	40mm 9 Stage Adjustable		
LEAF SPRINGS - Check Eye Size Prior to Ordering				
BP-009	2	50mm Lift Spring - 25mm Eying		Petrol/Diesel/Bar
BP-009H	2	50mm Lift Spring - 25mm Eying		Petrol/Diesel/Bar/Winch
BP-011	2	50mm Lift Spring - 35mm Eying		Petrol/Diesel/Bar
BP-011H	2	50mm Lift Spring - 35mm Eying		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5511	1	H/Duty Replacement Damper		
SS5511-M/S	1	Return to Centre Damper		Suits Manual Steering
SS5511-P/S	1	Return to Centre Damper		Suits Power Steering
COMPONENTS				
TDUK-016	1	Urethane Shackle Bushing Kit		Suits 25mm Eye Springs
TDUK-012	1	Urethane Shackle Bushing Kit		Suits 35mm Eye Springs
TDUB-017	2	U-Bolt Kit		
TDGP-346	1	Greasable pins		Suits 25mm Eye Springs
TDGS-343	1	Greasable Shackles		Suits 25mm Eye Springs
TDGP-351	1	Greasable pins		Suits 35mm Eye Springs
TDGS-348	1	Greasable Shackles		Suits 35mm Eye Springs

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
404702	2	Suits Front Top & bottom Eye		Eying Bushing
404702	2	Suits Rear Top & bottom Eye		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

**TOYOTA
LANDCRUISER**
12/77-84
40, 42 SERIES

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41366	2	41mm Foam Cell Shocks		Suit OE Height FJ40 59-84 To Chassis # 191114
BM401366	2	40mm 9 Stage Adjustable Shock		
FC41382	2	41mm Foam Cell Shocks		Suit 50mm Lift FJ40 59-84 To Chassis # 191114
BM401382	2	40mm 9 Stage Adjustable		
FC41382	2	41mm Foam Cell Shocks		Suit OE Height BJ40 12/77-80 & BJ42 - Chassis 191115 On
BM401382	2	40mm 9 Stage Adjustable Shock		
FC41388	2	41mm Foam Cell Shocks		Suit 50mm Lift BJ40 12/77-80 & BJ42 - Chassis 191115 On
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS - Check Eye Size Prior to Ordering				
BP-010	2	50mm Lift Spring - 25mm Eying		Petrol/Diesel/Bar
BP-010H	2	50mm Lift Spring - 25mm Eying		Petrol/Diesel/Bar/Winch
BP-012	2	50mm Lift Spring - 35mm Eying		Petrol/Diesel/Bar
BP-012H	2	50mm Lift Spring - 35mm Eying		Petrol/Diesel/Bar/Winch
COMPONENTS				
TDUK-016	1	Urethane Shackle Bushing Kit		Suits 25mm Eye Springs
TDUK-012	1	Urethane Shackle Bushing Kit		Suits 35mm Eye Springs
TDUB-017	2	U-Bolt Kit		
TDGP-346	1	Greasable pins		Suits 25mm Eye Springs
TDGS-343	1	Greasable Shackles		Suits 25mm Eye Springs
TDGP-351	1	Greasable pins		Suits 35mm Eye Springs
TDGS-348	1	Greasable Shackles		Suits 35mm Eye Springs

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	BP-009 + BP-010		
	BP-009H+BP-010H		
	BP-011+BP012		
	BP-011H+BP-012H		
40mm 9 Stage Adjustable	BP-009 + BP-010		
	BP-009H+BP-010H		
	BP-011+BP012		
	BP-011H+BP-012H		
<u>Includes</u>			
4 x Leaf Springs		4 x Shocks	
2 x Urethane Kits		4 x U-Bolt Kits	
<i>Please Check Eye Size Prior to Ordering No Exchange for Special Order Parts</i>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

1/65-84
45, 47 SERIES



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41364	2	41mm Foam Cell Shocks		Suit OE Height
BM401364	2	40mm 9 Stage Adjustable Shock		
FC41366	2	41mm Foam Cell Shocks		Suit 50mm Lift
BM401366	2	40mm 9 Stage Adjustable		
LEAF SPRINGS - Check Eye Size Prior to Ordering				
BP-013 (45 SERIES)	2	50mm Lift Spring - 30mm Eying		Petrol/Diesel/Bar
BP-013H (45 SERIES)	2	50mm Lift Spring - 30mm Eying		Petrol/Diesel/Bar/Winch
BP-015 (47 SERIES)	2	50mm Lift Spring - 35mm Eying		Petrol/Diesel/Bar
BP-015H (47 SERIES)	2	50mm Lift Spring - 35mm Eying		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5511	1	H/Duty Replacement Damper		
SS5511-M/S	1	Return to Centre Damper		Suits Manual Steering
SS5511-P/S	1	Return to Centre Damper		Suits Power Steering
COMPONENTS				
TDUK-017	1	Urethane Shackle Bushing Kit		Suits 30mm Eye Springs
TDUK-012	1	Urethane Shackle Bushing Kit		Suits 35mm Eye Springs
TDUB-017	1	U-Bolt Kit		
TDUB-018	1	U-Bolt Kit		
TDGP-346	1	Greasable pins		Suits 30mm Eye Springs
TDGS-343	1	Greasable Shackles		Suits 30mm Eye Springs
TDGP-351	1	Greasable pins		Suits 35mm Eye Springs
TDGS-348	1	Greasable Shackles		Suits 35mm Eye Springs

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
404702	2	Suits Front Top & bottom Eye		Eying Bushing
404702	2	Suits Rear Top & bottom Eye		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

TOYOTA
LANDCRUISER
1/65-84
45, 47 SERIES

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41382	2	41mm Foam Cell Shocks		Suit OE Height
BM401382	2	40mm 9 Stage Adjustable Shock		
FC41388	2	41mm Foam Cell Shocks		Suit 50mm Lift
BM401388	2	40mm 9 Stage Adjustable		
LEAF SPRINGS - Check Eye Size Prior to Ordering				
BP-014 (45 SERIES)	2	50mm Lift Spring - 30mm Eying		0-300kg Load
BP-014H (45 SERIES)	2	50mm Lift Spring - 30mm Eying		CONSTANT 300Kg Load
BP-016 (47 SERIES)	2	50mm Lift Spring - 35mm Eying		0-300kg Load
BP-016H (47 SERIES)	2	50mm Lift Spring - 35mm Eying		CONSTANT 300Kg Load
COMPONENTS				
TDUK-017	1	Urethane Shackle Bushing Kit		Suits 30mm Eye Springs
TDUK-012	1	Urethane Shackle Bushing Kit		Suits 35mm Eye Springs
TDUB-017	2	U-Bolt Kit		
TDGP-347	1	Greasable pins		Suits 30mm Eye Springs
TDGS-344/5	1	Greasable Shackles		Suits 30mm Eye Springs
TDGP-351	1	Greasable pins		Suits 35mm Eye Springs
TDGS-349/5	1	Greasable Shackles		Suits 35mm Eye Springs

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	BP-013 + BP-014 BP-013H+BP-014H BP-015+BP016 BP-015H+BP-016H		
40mm 9 Stage Adjustable	BP-013 + BP-014 BP-013H+BP-014H BP-015+BP016 BP-015H+BP-016H		
<p>Includes</p> <p>4 x Leaf Springs 4 x Shocks 2 x Urethane Kits 4 x U-Bolt Kits</p>			
Please Check Eye Size Prior to Ordering No Exchange for Special Order Parts			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

11/80-91
60, 61, 62 SERIES



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41113	2	41mm Foam Cell Shocks		Suit OE Height
BM401113	2	40mm 9 Stage Adjustable Shock		
FC41163	2	41mm Foam Cell Shocks		Suit 50mm Lift
BM401163	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T43L	2	50mm Lift Spring		Petrol/Diesel/Bar
T43H	2	50mm Lift Spring		Petrol/Diesel/Bar/Winch
T53	2	50mm Lift Spring <i>(T/Diesel ONLY)</i>		Factory T.Diesel/Bar
T53H	2	50mm Lift Spring <i>(T/Diesel ONLY)</i>		Factory T.Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5001	1	H/Duty Replacement Damper		Suits Power Steering
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Dampers		
COMPONENTS				
TDUK-012	1	Urethane Shackle Bushing Kit		
TDUB-019	2	U-Bolt Kit		
TDGP-351	1	Greasable pins		
TDGS-348	1	Greasable Shackles		
TAK-005	1	Offset King Pin		0.5 Degree
TAK-075	1	Offset King Pin		0.75 Degree
TAK-001	1	Offset King Pin		1.0 Degree

FRONT END KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	T43L		
	T43H		
	T53		
	T53H		
40mm 9 Stage Adjustable	T43L		
	T43H		
	T53		
	T53H		
<p align="center">Includes</p> <p align="center">2 x Leaf Springs 2 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit</p>			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

TOYOTA
LANDCRUISER
11/80-91
60, 61, 62 SERIES

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41366	2	41mm Foam Cell Shocks		Suit OE Height
BM401366	2	40mm 9 Stage Adjustable Shock		11/80-10/85 Models ONLY
FC41382	2	41mm Foam Cell Shocks		Suit 50mm Lift 11/80-10/85 Models ONLY
BM401382	2	40mm 9 Stage Adjustable		
FC41350	2	41mm Foam Cell Shocks		Suits Up to 50mm 10/85-91 Models ONLY
BM401350	2	40mm 9 Stage Adjustable		
LEAF SPRINGS				
T44L	2	0-300Kg Load		50mm Lift Spring
T44H	2	CONSTANT 300Kg Load		50mm Lift Spring
T44HM	2	CONSTANT 500Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-012	1	Urethane Shackle Bushing Kit		
TDUB-017	2	U-Bolt Kit		
TDGP-351	1	Greasable pins		
TDGS-357	1	Greasable Shackles		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
ADJ00191	1	Suits Bottom Front Eying		Eying Bushing
404702	2	Suits Top & Bottom Rear Eying		Eying Bushing (#1382)
ADJ00191	2	Suits Top & Bottom Rear Eying		Eying Bushing (#1350)

REAR KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	T44L 0-300Kg T44H 300Kg + T44HM 500Kg +		
40mm 9 Stage Adjustable	T44L 0-300Kg T44H 300Kg + T44HM 500Kg +		
Includes 2 x Leaf Springs 2 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

11/84-91
70 SERIES BUNDERA



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41005	2	41mm Foam Cell Shocks		OE Height
FC41007	2	41mm Foam Cell Shocks		40mm Lift
COIL SPRINGS				
TDC941L	2	40mm Lift Spring		Suit Petrol/Diesel/Bar
STEERING DAMPERS				
EXT5001	1	H/D Replacement Damper		
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Damper		
COMPONENTS				
TDUK-042	1	Radius Rod to Diff		2 Kits Required
TDUK-041	1	Radius Rod to Chassis		1 Kit Required

REAR SUSPENSION

SHOCK ABSORBERS				
FC43005	1	41mm Foam Cell Shocks		OE Height - D/S
FC41107	1	41mm Foam Cell Shocks		OE Height - P/S
FC41350	1	41mm Foam Cell Shocks		40mm Lift - D/S
FC41108	1	41mm Foam Cell Shocks		40mm Lift - P/S
COIL SPRINGS				
TDC942L	2	0-300Kg Load		40mm Lift Spring
COMPONENTS				
TDUK-042	1	Radius Rod to Diff		2 Kits Required
TDUK-041	1	Radius Rod to Chassis		1 Kit Required

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK (check shock fittings prior to ordering)				
TW959	4	Suits Top & Bottom Front Pin		Pin Style Bushing
TW959	2	Suits Top Rear Pin		Eyering Bushing #1108 & #1107
ADJ00191	2	Suits Top & Bottom Rear Eyering		Eyering Bushing #1350 & #3005
ADJ00191	2	Suits Top & Bottom Eye		Eyering Bushing #1108 & #1107

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	40mm LIFT		
Includes 4 x Coil Springs 4 x Shocks			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



TOYOTA

LANDCRUISER

HZJ71 & HZJ74

71, 74 SERIES SWB & LWB

FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41050	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401050	2	40mm 9 Stage Adjustable		Up to 50mm Lift
BMX1050/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1050B	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
COIL SPRINGS				
TDC950SL	2	50mm Lift Spring		Suit Petrol/Diesel/Bar
TDC950L	2	50mm Lift Spring		Suit Petrol/Diesel/Bar/Winch
STEERING DAMPERS				
EXT5001	1	H/D Replacement Damper		
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
FC41377	2	41mm Foam Cell Shocks		50mm Lift
BM401377	2	40mm 9 Stage Adjustable		50mm Lift
BMX1377/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1377	2	53mm 'Ralph' Big Bore		50mm Lift
LEAF SPRINGS				
T44L	2	0-300Kg Load		50mm Lift Spring
T44H	2	CONSTANT 300Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-012	1	Urethane Bushing kit		1 Kits Required
TDUB-017	2	U-Bolt Kits		2 Kit Required

FRONT END KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
	300KG +		
40mm 9 Stage Adjustable	0-300KG		
	300KG +		
45mm Adjustable or 53mm Ralph	0-300KG		
	300KG +		
<p align="center">Includes</p> <p align="center">2 X Coil Springs 2 x Leaf Springs 4 x Shocks</p> <p align="center">2 x U-Bolt Kits 1 x Urethane Kit</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

11/84-92
70, 73, 74 SERIES



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41113	2	41mm Foam Cell Shocks		OE Height
BM401113	2	40mm 9 Stage Adjustable		OE Height
FC41163	2	41mm Foam Cell Shocks		50mm Lift
BM401163	2	40mm 9 Stage Adjustable		50mm Lift
BMX1163/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1163B	2	53mm 'Ralph' Big Bore		50mm Lift
LEAF SPRINGS				
T52	2	50mm Lift Spring		Suit Petrol/Diesel/Bar
STEERING DAMPERS				
EXT5001	1	H/D Replacement Damper		
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Damper		
COMPONENTS				
TDUK-012	1	Urethane Bushing kit		1 Kits Required
TDUB-019	2	U-Bolt Kits		2 Kit Required
TDGP-351	1	Greasable Pins		
TDGS-357	1	Greasable Shackles		
TAK-005	1	Offset King Pin		Fits to Top of Knuckle
TAK-075	1	Offset King Pin		Fits to Top of Knuckle
TAK-001	1	Offset King Pin		Fits to Top of Knuckle

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK (check shock fittings prior to ordering)				
TW959	2	Suits Top front Pin		Pin Style Bushing
ADJ00191	1	Suits Bottom Front Eye		Eyering Bushing
ADJ00191	2	Suits Top & Bottom Rear Eyering		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

LANDCRUISER

11/84-92
70, 73, 74 SERIES

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41350	2	41mm Foam Cell Shocks		OE Height
BM401350	2	40mm 9 Stage Adjustable		OE Height
FC41377	2	41mm Foam Cell Shocks		50mm Lift
BM401377	2	40mm 9 Stage Adjustable		50mm Lift
BMX1377/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1377	2	53mm 'Ralph' Big Bore		50mm Lift
LEAF SPRINGS				
T44L	2	0-300Kg Load		50mm Lift Spring
T44H	2	CONSTANT 300Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-012	1	Urethane Bushing kit		1 Kits Required
TDUB-017	2	U-Bolt Kits		2 Kit Required
TDGP-351	1	Greasable Pins		
TDGS-357	1	Greasable Shackles		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	T44L 0-300Kg		
	T44H 300Kg +		
40mm 9 Stage Adjustable	T44L 0-300Kg		
	T44H 300Kg +		
45mm 9 Stage Adjustable or 53mm Ralph	T44L 0-300Kg		
	T44H 300Kg +		
<p style="text-align: center;"><u>Includes</u></p> <p style="text-align: center;">4 x Leaf Springs 4 x Shocks 2 x Urethane Kits 4 x U-Bolt Kits</p>			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

11/84-99
75 SERIES



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41113B	2	41mm Foam Cell Shocks		Suit OE Height
FC41163B	2	41mm Foam Cell Shocks		Suit 50mm Lift (HZJ75 3/90-99)
FC41163	2	41mm Foam Cell Shocks		Suit 50mm Lift All except HZJ75
BM401163	2	40mm 9 Stage Adjustable Shock		Suits All Models
BMX1163/2	2	45mm 9 Stage Adjustable		
TDR1163B	2	53mm 'Ralph' Big Bore		
LEAF SPRINGS				
T52	2	50mm Lift Spring		Petrol/Diesel/Bar
T52H	2	50mm Lift Spring		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5001	1	H/Duty Replacement Damper		Suits Power Steering
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Dampers		
COMPONENTS				
TDUK-012	1	Urethane Shackle Bushing Kit		0.5 Degree 0.75 Degree 1.0 Degree
TDUB-019	2	U-Bolt Kit		
TDGP-351	1	Greasable pins		
TDGS-357	1	Greasable Shackles		
TAK-005	1	Offset King Pin		
TAK-075	1	Offset King Pin		
TAK-001	1	Offset King Pin		

FRONT END KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	T52 T52H		
40mm 9 Stage Adjustable	T52 T52H		
45mm Adjustable or 53mm Ralph	T52 T52H		
Includes 2 x Leaf Springs 2 x Shocks 2 x U-Bolt Kits 1 x Urethane Kit			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

TOYOTA
LANDCRUISER
11/84-99
75 SERIES

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41350	2	41mm Foam Cell Shocks		Suit OE Height
FC41377	2	41mm Foam Cell Shocks		
BM401377	2	40mm 9 Stage Adjustable Shock		Suit 50mm Lift
BMX1377/2	2	45mm 9 Stage Adjustable		
TDR1377	2	53mm 'Ralph' Big Bore		
LEAF SPRINGS				
T51	2	0-300Kg Load		50mm Lift Spring
FS751M	2	CONSTANT 300Kg Load		50mm Lift Spring
FS751HM	2	CONSTANT 500Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-018	1	Urethane Shackle Bushing Kit		
TDUB-017	2	U-Bolt Kit		
TDGP-354	1	Greasable pins		
TDGS-357	1	Greasable Shackles		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Front Pin		Pin Style Bushing
ADJ00191	1	Suits Bottom Front Eying		Eying Bushing
ADJ00191	2	Suits Top & Bottom Rear Eye		Eying Bushing

REAR KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	T51 0-300Kg FS751M 300Kg + FS751HM 500Kg +		
40mm 9 Stage Adjustable	T51 0-300Kg FS751M 300Kg + FS751HM 500Kg +		
45mm Adjustable or 53mm Ralph	T51 0-300Kg FS751M 300Kg + FS751HM 500Kg +		
Includes 2 x Leaf Springs 2 x Shocks 1 x Urethane Kits 2 x U-Bolt Kits			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

07 on
76 SERIES WAGON



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41050	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401050	2	40mm 9 Stage Adjustable Shock		Up to 50mm Lift
BMX1050/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1050B	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
COIL SPRINGS				
TDC950SL	2	OE Height Spring		Suits OE Height Petrol/Diesel/Bar
TDC950L	2	50mm Lift Spring		Petrol/Diesel/Bar
TDC950HL	2	50mm Lift Spring		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5004	1	H/Duty Replacement Damper		
SS5004-P/S	1	Return to Centre Damper		Suits Power Steering
SV5004	1	9 Stage Adjustable Dampers		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction		Optional Component
PANHARD RODS				
TDPR-015	1	Adjustable Panhard Rod		
COMPONENTS				
TAK-8005	1	Offset King Pin		0.5 Degree
TAK-8075	1	Offset King Pin		0.75 Degree
TAK-8001	1	Offset King Pin		1.0 Degree
TDUK-1961/30	1	Urethane Spring Spacers 30mm		

REAR SUSPENSION

SHOCK ABSORBERS				
FC41377	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401377	2	40mm 9 Stage Adjustable Shock		Up to 50mm Lift
BMX1377/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1377	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
LEAF SPRINGS - Check Eye Size Prior to Ordering				
FS761	2	0-300Kg Load		50mm Lift Spring
FS761M	2	CONSTANT 300Kg Load		50mm Lift Spring
FS761HM	2	CONSTANT 500Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-048	1	Urethane Shackle Bushing Kit		instructions at toughdog.com.au
TDUB-024	2	U-Bolt Kit		
TDGP-388	1	Greasable pins		
TDGS-387/18	1	Greasable Shackles		

**FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE
PAGE (P166) IN CATALOGUE**

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

TOYOTA
LANDCRUISER
07 On
76 SERIES WAGON

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell <u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit	FS761 0-300KG		
	FS761M CONSTANT 300KG		
	FS761HM CONSTANT 500KG		
40mm 9 Stage Adjustable <u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit	FS761 0-300KG		
	FS761M CONSTANT 300KG		
	FS761HM CONSTANT 500KG		
45mm Big Bore 9 Stage Adjustable <u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit	FS761 0-300KG		
	FS761M CONSTANT 300KG		
	FS761HM CONSTANT 500KG		
53mm 'Ralph' Big Bore <u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit	FS761 0-300KG		
	FS761M CONSTANT 300KG		
	FS761HM CONSTANT 500KG		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

93-99

77 SERIES FZJ77, HZJ77, PZJ77



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41113B	2	41mm Foam Cell Shocks		Suit OE Height
FC41163B	2	41mm Foam Cell Shocks		
BM401163	2	40mm 9 Stage Adjustable Shock		Suit 50mm Lift
BMX1163/2	2	45mm 9 Stage Adjustable		
TDR1163B	2	53mm 'Ralph' Big Bore		
LEAF SPRINGS				
T52	2	50mm Lift Spring		Petrol/Diesel/Bar
T52H	2	50mm Lift Spring		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5001	1	H/Duty Replacement Damper		
SS5001-P/S	1	Return to Centre Damper		Suits Power Steering
SV5001	1	9 Stage Adjustable Dampers		
COMPONENTS				
TDUK-012	1	Urethane Shackle Bushing Kit		
TDUB-019	1	U-Bolt Kit		
TDGP-351	1	Greasable pins		
TDGS-348	1	Greasable Shackles		

REAR SUSPENSION

SHOCK ABSORBERS				
FC41377	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401377	2	40mm 9 Stage Adjustable Shock		Up to 50mm Lift
BMX1377/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1377B	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
LEAF SPRINGS - Check Eye Size Prior to Ordering				
FS761	2	0-300Kg Load		50mm Lift Spring
FS761M	2	CONSTANT 300Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-018	1	Urethane Shackle Bushing Kit		
TDUB-017	2	U-Bolt Kit		
TDGP-354	1	Greasable pins		
TDGS-357	1	Greasable Shackles		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK (check shock fittings prior to ordering)				
PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
TW959	2	Suits Top Front Pin		Pin Style Bushing
ADJ00191	1	Suits Front Bottom Eye		Eyering Bushing
ADJ00191	2	Suits Top & Bottom Rear Eyering		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



TOYOTA LANDCRUISER KZJ78 (INTERNATIONAL 78 SERIES WITH COIL SPRINGS

FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41254	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401254	2	40mm 9 Stage Adjustable		Up to 50mm Lift
COIL SPRINGS				
TDC960L	2	50mm Lift Spring		Suit Petrol/Diesel/Bar
TDC960HL	2	50mm Lift Spring		Suit Petrol/Diesel/Bar/Winch
STEERING DAMPERS				
EXT5001	1	H/D Replacement Damper		
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Damper		

REAR SUSPENSION

SHOCK ABSORBERS				
FC41255	2	41mm Foam Cell Shocks		50mm Lift
BM401255	2	40mm 9 Stage Adjustable		50mm Lift
COIL SPRINGS				
TDC961L	2	0-300Kg Load		50mm Lift Spring
TDC961HL	2	CONSTANT 300Kg Load		50mm Lift Spring

FRONT END KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	ANY COIL		
40mm 9 Stage Adjustable	ANY COIL		
Includes 4 x Coil Springs 4 x Shocks			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

10/99 On

78, 79 SERIES INC V8 (EXCEPT DUAL CAB)



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41050	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401050	2	40mm 9 Stage Adjustable Shock		Up to 50mm Lift
BMX1050/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1050B	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
COIL SPRINGS				
TDC950SL	2	OE Height Spring		Suits OE Height Petrol/Diesel/Bar
TDC950L	2	50mm Lift Spring		Petrol/Diesel/Bar
TDC950HL	2	50mm Lift Spring		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5001	1	H/Duty Replacement Damper		Suits 6 Cylinder Models
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Dampers		
EXT5004	1	H/Duty Replacement Damper		Suits V8 Models
SS5004-P/S	1	Return to Centre Damper		
SV5004	1	9 Stage Adjustable Dampers		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction		instructions at toughdog.com.au
PANHARD RODS				
TDPR-079	1	Adjustable Panhard Rod		Suits 6 Cylinder Engine
TDPR-015	1	Adjustable Panhard Rod		Suit V8 only
TDPR-019	1	Adjustable Panhard Rod		LHD Vehicles (6 Cylinder)
COMPONENTS				
TDUK-1961/30	1	30mm Urethane Spring Spacer		Suits all Panhard Rods above 0.5 Degree 0.75 Degree 1.0 Degree
TDUK-043	1	Panhard Rod Bushings		
TAK-8005	1	Offset King Pin		
TAK-8075	1	Offset King Pin		
TAK-8001	1	Offset King Pin		

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE PAGE (P166) IN CATALOGUE

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell Includes 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit (TDUK-048)	BP-019 0-300KG		
	FS781 CONSTANT 300KG		
	FS781HM CONSTANT 500KG		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Urethane Bushing kit fitting instructions available at toughdog.com.au

TOYOTA LANDCRUISER 10/99 On 78, 79 SERIES INC V8 (EXCEPT DUAL CAB)

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41377	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401377	2	40mm 9 Stage Adjustable Shock		Up to 50mm Lift
BMX1377/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1377	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
LEAF SPRINGS - Check Eye Size Prior to Ordering				
BP-019	2	0-300Kg Load		50mm Lift Spring
FS781	2	CONSTANT 300Kg Load		50mm Lift Spring
FS781HM	2	CONSTANT 500Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-048	1	Urethane Shackle Bushing Kit		For V8 & when Fitting Greasable Pins & Shackles
TDUK-048/14	1	Urethane Shackle Bushing Kit		For Ute before 06/09
TDUK-048/18	1	Urethane Shackle Bushing Kit		For Troopcarrier before 06/09
TDUB-024	2	U-Bolt Kit		
TDGP-388	1	Greasable pins		
TDGS-387/18	1	Greasable Shackles		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
40mm 9 Stage Adjustable Includes 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit (TDUK-048)	BP-019 0-300KG		
	FS781 CONSTANT 300KG		
	FS781HM CONSTANT 500KG		
45mm Adjustable or 53mm 'Ralph' Big Bore Includes 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit (TDUK-048)	BP-019 0-300KG		
	FS781 CONSTANT 300KG		
	FS781HM CONSTANT 500KG		

Final Kit price may vary depending on urethane kit required for vehicle. price reference shown here includes TDUK-048

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

12 On

79 SERIES DUAL CAB



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41050	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401050	2	40mm 9 Stage Adjustable Shock		Up to 50mm Lift
BMX1050/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1050B	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
COIL SPRINGS				
TDC950SL	2	OE Height Spring		Suits OE Height Petrol/Diesel/Bar
TDC950L	2	50mm Lift Spring		Petrol/Diesel/Bar
TDC950HL	2	50mm Lift Spring		Petrol/Diesel/Bar/Winch
STEERING STABILIZERS				
EXT5004	1	H/Duty Replacement Damper		Suits V8 Models
SS5004-P/S	1	Return to Centre Damper		
SV5004	1	9 Stage Adjustable Dampers		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction		instructions at toughdog.com.au
PANHARD RODS				
TDPR-015	1	Adjustable Panhard Rod		
COMPONENTS				
TDUK-1961/30	1	30mm Urethane Spring Spacer		
TAK-8005	1	Offset King Pin		0.5 Degree
TAK-8075	1	Offset King Pin		0.75 Degree
TAK-8001	1	Offset King Pin		1.0 Degree

REAR SUSPENSION

SHOCK ABSORBERS				
FC41377	2	41mm Foam Cell Shocks		Up to 50mm Lift
BM401377	2	40mm 9 Stage Adjustable Shock		Up to 50mm Lift
BMX1377/2	2	45mm 9 Stage Adjustable		50mm Lift
TDR1377	2	53mm 'Ralph' Big Bore		Up to 50mm Lift
LEAF SPRINGS				
FS781	2	0-300Kg Load		50mm Lift Spring
FS781HM	2	CONSTANT 300Kg Load		50mm Lift Spring
COMPONENTS				
TDUK-048	1	Urethane Shackle Bushing Kit		
TDUB-024	2	U-Bolt Kit		
TDGP-388	1	Greasable pins		
TDGS-387/18	1	Greasable Shackles		

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW957	4	Suits Top & Bottom Front Pin		Pin Style Bushing
ADJ00191	2	Suits Top & Bottom Rear Eye		Eyering Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Urethane Bushing kit fitting instructions available at toughdog.com.au

TOYOTA

LANDCRUISER

12 On
79 SERIES DUAL CAB

SHOCK CHOICE	SPRING CHOICE	PRICE	CONTENTS
<p>41mm Foam Cell</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>FS781 0-300KG</p> <p>FS781HM CONSTANT 300KG</p>		
<p>40mm 9 Stage Adjustable</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>FS781 0-300KG</p> <p>FS781HM CONSTANT 300KG</p>		
<p>45mm Big Bore 9 Stage Adjustable</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>FS781 0-300KG</p> <p>FS781HM CONSTANT 300KG</p>		
<p>53mm 'Ralph' Big Bore</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 2 x U-Bolt Kits 1 x Urethane Kit</p>	<p>FS781 0-300KG</p> <p>FS781HM CONSTANT 300KG</p>		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

3/90-07
80 & 105 SERIES



FRONT SUSPENSION

ESTIMATED LIFT: 50mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41002	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401002	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1002/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1002B	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC943S	2	Petrol/Alloy Bar		3/90-91 80 Series Application Suits 25mm Lift
TDC948L	2	Diesel/Bar		
TDC948HL	2	Petrol/Diesel Bar & Winch		
TDC943	2	Petrol/Diesel Bar		3/90-91 80 Series Application Suits 50mm Lift
TDC943H	2	Petrol/Diesel Bar & Winch		
TDC948SL	2	Petrol/Alloy Bar		9/91-98 80 Series & 3/98-07 100 Series Application Suits 25mm Lift
TDC948HSL	2	Petrol/Diesel Bar & Winch		
TDC948L	2	Petrol Deisel Bar, Winch & D/Batt		
TDC943S	2	80 Series ONLY No bar		9/91-98 80 Series & 3/98-07 100 Series Application Suits 50mm Lift
TDC948L	2	Petrol/Diesel/Bar		
TDC948HL	2	Petrol Diesel/Bar/Winch		
TDC943H	2	Petrol Diesel/Bar/Winch/D.Batt		
STEERING STABILIZERS				
EXT5001	1	H/Duty Replacement Damper		
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction Bush		instructions at toughdog.com.au
PANHARD ROD				
TDPR-006	1	Adjustable Panhard Rod		
TDPR-001	1	Adjustable Panhard Rod		LHD ONLY
COMPONENTS				
TDUK-044	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-043	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1725/20	1	Urethane Spring Spacer 20mm		1 required per coil as required
TDUK-1725/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
TAK-8005	1	Offset Kingpin		0.5 Degree
TAK-8075	1	Offset Kingpin		0.75 Degree
TAK-8001	1	Offset Kingpin		1.0 Degree

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK (check shock fittings prior to ordering)				
TW957	4	Suits Top & Bottom Front Pin		Pin Style Bushing
TW957	2	Suits Top Rear Pin		Pin Style Bushing
415024	1	Suits Bottom Rear Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

**TOYOTA
LANDCRUISER**
3/90-07
80 & 105 SERIES

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41111	2	41mm Foam Cell Shocks		Suits up to 50mm Lift
BM401111	2	40mm 9 Stage Adjustable Shock		Suits up to 50mm Lift
BMX1111/2	2	45mm 9 Stage Adjustable Shock		Suits 50mm Lift ONLY
TDR1111	2	53mm 'Ralph' Big Bore Shock		Suits up to 50mm Lift
COIL SPRINGS				
TDC945S	2	25mm Lift 0-300Kg Load		3/90-91 80 Series Application Suits 25mm Lift
TDC949L	2	25mm Lift CONSTANT 300kg		
TDC949HL	2	25mm Lift CONSTANT 500kg		
TDC945	2	50mm Lift 0-300Kg Load		3/90-91 80 Series Application Suits 50mm Lift
TDC945H	2	50mm Lift CONSTANT 300kg		
TDC949SL	2	25mm Lift 0-300Kg Load		9/91-98 80 Series & 3/98-07 100 Series Application Suits 25mm Lift
TDC949HSL	2	25mm Lift CONSTANT 300kg		
TDC949L	2	25mm Lift CONSTANT 500kg		
TDC945S	2	50mm Lift No Load		9/91-98 80 Series & 3/98-07 100 Series Application Suits 50mm Lift
TDC949L	2	50mm Lift 0-300Kg Load		
TDC949HL	2	50mm Lift CONSTANT 300kg		
TDC945H	2	50mm Lift CONSTANT 500kg		
PANHARD ROD				
TDPR-007	1	Adjustable Panhard Rod		
COMPONENTS				
TDUK-045	1	Trailing Arm Bushing Kit (Upper)		1 Kit required (Upper)
TDUK-046	1	Trailing Arm Bushing Kit (Lower)		1 Kit required (Lower)
TDUK-047	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1724/15	1	Urethane Spring Spacer 15mm		1 per coil as required
TDUK-1724/30	1	Urethane Spring Spacer 30mm		1 per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell \$130 Front Coil (Please note front coil pricing)	\$130 Rear Coils \$170 Rear Coils \$190 Rear Coils		
40mm 9 Stage Adjustable \$130 Front Coil (Please note front coil pricing)	\$130 Rear Coils \$170 Rear Coils \$190 Rear Coils		
45mm Big Bore or 53mm 'Ralph' \$130 Front Coil (Please note front coil pricing)	\$130 Rear Coils \$170 Rear Coils \$190 Rear Coils		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

1/90-07

80 & 105 SERIES 3" LIFT



FRONT SUSPENSION

ESTIMATED LIFT: 75mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41002	2	41mm Foam Cell Shocks		Suits 75mm Lift
BM401002	2	40mm 9 Stage Adjustable Shock		Suits 75mm Lift
BMX1002/2	2	45mm 9 Stage Adjustable Shock		Suits 75mm Lift
TDR1002B	2	53mm 'Ralph' Big Bore Shock		Suits 75mm Lift
COIL SPRINGS				
TDC943	2	Petrol/Alloy Bar		75mm Lift Spring
TDC948/3	2	Diesel/Bar		75mm Lift Spring
TDC943H	2	Petrol/Diesel Bar & Winch		75mm Lift Spring
STEERING STABILIZERS				
EXT5001	1	H/Duty Replacement Damper		
SS5001-P/S	1	Return to Centre Damper		
SV5001	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/2	1	2 Degree Caster Correction Bush		instructions at toughdog.com.au
PANHARD ROD				
TDPR-006	1	Adjustable Panhard Rod		
TDPR-001	1	Adjustable Panhard Rod		LHD ONLY
COMPONENTS				
TDUK-044	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-043	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1725/20	1	Urethane Spring Spacer 20mm		1 required per coil as required
TDUK-1725/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
TAK-8005	1	Offset Kingpin		0.5 Degree
TAK-8075	1	Offset Kingpin		0.75 Degree
TAK-8001	1	Offset Kingpin		1.0 Degree
BRAKE HOSE KITS				
TDBH-003	1	Rubber Brake Hose Kit		80 & 105 Series Non ABS
TDBH-197	1	Braided Brake Hose Kit		
TDBH-300	1	Rubber Brake Hose Kit		80 Series with ABS
TDBH-200	1	Braided Brake Hose Kit		
TDBH-398	1	Rubber Brake Hose Kit		105 Series with ABS
TDBH-198	1	Braided Brake Hose Kit		

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE PAGE (P166) PREVIOUS IN CATALOGUE

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

**TOYOTA
LANDCRUISER**
1/90-07
80 & 105 SERIES 3" LIFT

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41111	2	41mm Foam Cell Shocks		Suits 75mm Lift
BM401111	2	40mm 9 Stage Adjustable Shock		Suits 75mm Lift
BMX1111/2	2	45mm 9 Stage Adjustable Shock		Suits 75mm Lift
TDR1111	2	53mm 'Ralph' Big Bore Shock		Suits 75mm Lift
COIL SPRINGS				
TDC949/3	2	75mm Lift 0-300Kg Load		75mm Lift Spring
TDC945	2	75mm Lift CONSTANT 300kg		75mm Lift Spring
TDC945H	2	75mm Lift CONSTANT 500kg		75mm Lift Spring
PANHARD ROD				
TDPR-007	1	Adjustable Panhard Rod		
COMPONENTS				
TDUK-045	1	Trailing Arm Bushing Kit (Upper)		1 Kit required (Upper)
TDUK-046	1	Trailing Arm Bushing Kit (Lower)		1 Kit required (Lower)
TDUK-047	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1724/15	1	Urethane Spring Spacer 15mm		1 per coil as required
TDUK-1724/30	1	Urethane Spring Spacer 30mm		1 per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	\$130 (F) \$160 (R)		
	\$130 (F) \$170 (R)		
	\$130 (F) \$190 (R)		
	\$170 (F) \$160 (R)		
	\$170 (F & R)		
40mm 9 Stage Adjustable	\$130 (F) \$160 (R)		<p>Includes 4 x Coil Springs 4 x Shocks 2 x Panhard Rods 1 x Caster Correction 1 x Brake Hoses (TDBH-003)</p>
	\$130 (F) \$170 (R)		
	\$130 (F) \$190 (R)		
	\$170 (F) \$160 (R)		
	\$170 (F & R)		
45mm Big Bore or 53mm 'Ralph'	\$130 (F) \$160 (R)		
	\$130 (F) \$170 (R)		
	\$130 (F) \$190 (R)		
	\$170 (F) \$160 (R)		
	\$170 (F & R)		
	\$170 (F) \$190 (R)		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

1/90-07

80 & 105 SERIES 4" LIFT



FRONT SUSPENSION

ESTIMATED LIFT: 100mm (4")

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41002/4	2	41mm Foam Cell Shocks		Suits 100mm Lift
BMX1002/4	2	45mm 9 Stage Adjustable Shock		Suits 100mm Lift
COIL SPRINGS				
TDC948/4	2	Petrol/Diesel/Bar		100mm Lift Spring
TDC948/4H	2	Petrol/Diesel Bar & Winch		100mm Lift Spring
STEERING STABILIZERS				
SS5001-XHD	1	Return to Centre Damper		SUITS RHD VEHICLE Fitting instructions at toughdog.com.au
SV5001/4	1	9 Stage Adjustable Damper		
SS5002-XHD	1	Return to Centre Damper		SUITS LHD VEHICLE Fitting instructions at toughdog.com.au
SV5002/4	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDUK-054/3	1	3 Degree Caster Correction Bush		instructions at toughdog.com.au
PANHARD ROD				
TDPR-006	1	Adjustable Panhard Rod		
TDPR-001	1	Adjustable Panhard Rod		LHD ONLY
COMPONENTS				
TDUK-044	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-043	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1725/20	1	Urethane Spring Spacer 20mm		1 required per coil as required
TDUK-1725/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
TAK-8005	1	Offset Kingpin		0.5 Degree
TAK-8075	1	Offset Kingpin		0.75 Degree
TAK-8001	1	Offset Kingpin		1.0 Degree
BRAKE HOSE KITS				
TDBH-003	1	Rubber Brake Hose Kit		
TDBH-197	1	Braided Brake Hose Kit		80 & 105 Series Non ABS
TDBH-300	1	Rubber Brake Hose Kit		
TDBH-200	1	Braided Brake Hose Kit		80 Series with ABS
TDBH-398	1	Rubber Brake Hose Kit		
TDBH-198	1	Braided Brake Hose Kit		105 Series with ABS

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE PAGE (P166) PREVIOUS IN CATALOGUE

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

TOYOTA
LANDCRUISER
1/90-07
80 & 105 SERIES 4" LIFT

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41111/4	2	41mm Foam Cell Shocks		Suits 100mm Lift
BMX1111/4	2	45mm 9 Stage Adjustable Shock		Suits 100mm Lift
COIL SPRINGS				
TDC949/4	2	100mm Lift 0-300Kg Load		100mm Lift Spring
TDC949/4H	2	100mm Lift CONSTANT 300kg		100mm Lift Spring
PANHARD ROD				
TDPR-007	1	Adjustable Panhard Rod		
COMPONENTS				
TDUK-045	1	Trailing Arm Bushing Kit (Upper)		1 Kit required (Upper)
TDUK-046	1	Trailing Arm Bushing Kit (Lower)		1 Kit required (Lower)
TDUK-047	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1724/15	1	Urethane Spring Spacer 15mm		1 per coil as required
TDUK-1724/30	1	Urethane Spring Spacer 30mm		1 per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	\$ 170 (F & R)		 <p>Includes 4 x Coil Springs 4 x Shocks 2 x Panhard Rods 1 x Caster Correction 1 x Brake Hoses (TDBH-003)</p>
	\$180 (F) \$170 (R)		
	\$ 180 (F & R)		
45mm Big Bore	\$ 170 (F & R)		 <p>Includes 4 x Coil Springs 4 x Shocks 2 x Panhard Rods 1 x Caster Correction 1 x Brake Hoses (TDBH-003)</p>
	\$180 (F) \$170 (R)		
	\$ 180 (F & R)		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

1/90-07

80 & 105 SERIES 5" LIFT



FRONT SUSPENSION

ESTIMATED LIFT: 125mm (5")

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BMX1002/6	2	45mm 9 Stage Adjustable Shock		Suits 125mm Lift
COIL SPRINGS				
TDC948/5	2	Petrol/Diesel/Bar		125mm Lift Spring
TDC948/5H	2	Petrol/Diesel Bar & Winch		125mm Lift Spring
STEERING STABILIZERS				
SS5001-XHD	1	Return to Centre Damper		<u>SUITS RHD VEHICLE</u> Fitting instructions at toughdog.com.au
SV5001/4	1	9 Stage Adjustable Damper		
SS5002-XHD	1	Return to Centre Damper		<u>SUITS LHD VEHICLE</u> Fitting instructions at toughdog.com.au
SV5002/4	1	9 Stage Adjustable Damper		
CASTER CORRECTION				
TDCP-006	1	5 Degree Caster Correction Plate		instructions at toughdog.com.au
PANHARD ROD				
TDPR-006	1	Adjustable Panhard Rod		
TDPR-001	1	Adjustable Panhard Rod		LHD ONLY
COMPONENTS				
TDUK-044	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-043	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1725/20	1	Urethane Spring Spacer 20mm		1 required per coil as required
TDUK-1725/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
TAK-8005	1	Offset Kingpin		0.5 Degree
TAK-8075	1	Offset Kingpin		0.75 Degree
TAK-8001	1	Offset Kingpin		1.0 Degree
BRAKE HOSE KITS				
TDBH-003	1	Rubber Brake Hose Kit		80 & 105 Series Non ABS
TDBH-197	1	Braided Brake Hose Kit		
TDBH-300	1	Rubber Brake Hose Kit		80 Series with ABS
TDBH-200	1	Braided Brake Hose Kit		
TDBH-398	1	Rubber Brake Hose Kit		105 Series with ABS
TDBH-198	1	Braided Brake Hose Kit		

FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE PAGE (P166) PREVIOUS IN CATALOGUE

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

TOYOTA
LANDCRUISER
1/90-07
80 & 105 SERIES 5" LIFT

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BMX1111/6	2	45mm 9 Stage Adjustable Shock		Suits 125mm Lift
COIL SPRINGS				
TDC949/5	2	125mm Lift 0-300Kg Load		125mm Lift Spring
TDC949/5H	2	125mm Lift CONSTANT 300kg		125mm Lift Spring
PANHARD ROD				
TDPR-007	1	Adjustable Panhard Rod		
COMPONENTS				
TDUK-045	1	Trailing Arm Bushing Kit (Upper)		1 Kit required (Upper)
TDUK-046	1	Trailing Arm Bushing Kit (Lower)		1 Kit required (Lower)
TDUK-047	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1724/15	1	Urethane Spring Spacer 15mm		1 per coil as required
TDUK-1724/30	1	Urethane Spring Spacer 30mm		1 per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
45mm Big Bore 9 Stage Adjustable		\$ 170 (F & R)	 <p>Includes 4 x Coil Springs 4 x Shocks 2 x Panhard Rods 1 x Caster Correction 1 x Brake Hoses (TDBH-003)</p>
		\$170 (F) \$180 (R)	
		\$180 (F) \$170 (R)	
		\$180 (F & R)	

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

1/90-07

80 & 105 SERIES 6" LIFT



FRONT SUSPENSION

ESTIMATED LIFT: 150mm (6")

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BMX1002/6	2	45mm 9 Stage Adjustable Shock		Suits 150mm Lift
COIL SPRINGS				
TDC948/6	2	Petrol/Diesel/Bar		150mm Lift Spring
TDC948/6H	2	Petrol/Diesel Bar & Winch		150mm Lift Spring
STEERING STABILIZERS				
SS5001-XHD	1	Return to Centre Damper		SUITS RHD VEHICLE
SV5001/4	1	9 Stage Adjustable Damper		Fitting instructions at toughdog.com.au
SS5002-XHD	1	Return to Centre Damper		SUITS LHD VEHICLE
SV5002/4	1	9 Stage Adjustable Damper		Fitting instructions at toughdog.com.au
CASTER CORRECTION				
TDCP-006	1	5 Degree Caster Correction Plate		instructions at toughdog.com.au
PANHARD ROD				
TDPR-006	1	Adjustable Panhard Rod		
TDPR-001	1	Adjustable Panhard Rod		LHD ONLY
COMPONENTS				
TDUK-044	1	Front Radius Rod to Chassis		1 Kit required per vehicle
TDUK-050	1	Front Radius Rod to Diff		1 Kit required per vehicle
TDUK-043	1	Panhard Rod Bush Kit		1 Kit required per panhard rod
TDUK-1725/20	1	Urethane Spring Spacer 20mm		1 required per coil as required
TDUK-1725/30	1	Urethane Spring Spacer 30mm		1 required per coil as required
TAK-8005	1	Offset Kingpin		0.5 Degree
TAK-8075	1	Offset Kingpin		0.75 Degree
TAK-8001	1	Offset Kingpin		1.0 Degree
BRAKE HOSE KITS				
TDBH-003	1	Rubber Brake Hose Kit		80 & 105 Series Non ABS
TDBH-197	1	Braided Brake Hose Kit		
TDBH-300	1	Rubber Brake Hose Kit		80 Series with ABS
TDBH-200	1	Braided Brake Hose Kit		
TDBH-398	1	Rubber Brake Hose Kit		105 Series with ABS
TDBH-198	1	Braided Brake Hose Kit		

**FOR REPLACEMENT BUSHING PART NUMBERS, PLEASE SEE
PAGE (P166) PREVIOUS IN CATALOGUE**

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

**KIT PRICING REFERENCE
COMPONENTS AS PER IMAGE**
please order using part numbers

TOYOTA
LANDCRUISER
1/90-07
80 & 105 SERIES 6" LIFT

REAR SUSPENSION

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BMX1111/6	2	45mm 9 Stage Adjustable Shock	\$ 275 ea	Suits 150mm Lift
COIL SPRINGS				
TDC949/6	2	150mm Lift 0-300Kg Load	\$ 180 ea	150mm Lift Spring
TDC949/6H	2	150mm Lift CONSTANT 300kg	\$ 180 ea	150mm Lift Spring
PANHARD ROD				
TDPR-007	1	Adjustable Panhard Rod	\$ 230 ea	
COMPONENTS				
TDUK-045	1	Trailing Arm Bushing Kit (Upper)	\$ 135 ea	1 Kit required (Upper)
TDUK-046	1	Trailing Arm Bushing Kit (Lower)	\$ 135 ea	1 Kit required (Lower)
TDUK-047	1	Panhard Rod Bush Kit	\$ 50 ea	1 Kit required per panhard rod
TDUK-1724/15	1	Urethane Spring Spacer 15mm	\$ 35 ea	1 per coil as required
TDUK-1724/30	1	Urethane Spring Spacer 30mm	\$ 40 ea	1 per coil as required

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
45mm Big Bore 9 Stage Adjustable	ANY COIL (RHD ONLY)	\$ 2650	 <p>Includes 4 x Coil Springs 4 x Shocks 2 x Panhard Rods 1 x Caster Correction 1 x Brake Hoses (TDBH-003)</p>

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

98-07

100 SERIES (IFS)



FRONT SUSPENSION

ESTIMATED LIFT: 25mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41103	2	41mm Foam Cell Shock		Up to 25mm Lift
TDR1103	2	53mm 'Ralph' Shock		Up to 25mm Lift
TORSION BARS - Strengthening Bracket fitting instructions at toughdog.com.au				
4WTB-1600	1	Replacement Torsion Bars		32mm/1203mm (For Petrol)
4WTB-1610	1	Replacement Torsion Bars		32mm/1210mm (For Diesel)
4WTB-1610/BKT	1	Torsion Bar Strengthening Kit		Required with torsion bars
Adjust Torsion bars after fitting shocks - Ensure a minimum of 60mm Droop is Maintained				
RIM TO GUARD MEASUREMENTS (Bottom of Rim to Guard)				
For 16" Rim	740mm	Torsion Bars must only be adjusted so that the rim to guard measurements are not more than the measurements listed here. Lifting the vehicle higher than the specified measurement will result in the failure of front end components including shock failure.		
For 17" Rim	753mm			

REAR SUSPENSION

SHOCK ABSORBERS				
FC41114	2	41mm Foam Cell Shock		Suits up to 25mm Lift
BM401114	2	40mm 9 Stage Adjustable		
BMX1114/2	2	45mm 9 Stage Adjustable Shocks		
TDR1114	2	53mm 'Ralph' Big Bore		
COIL SPRINGS				
TDC949HSL	2	0-300kg Load		OE Height
TDC949L	2	0-300kg Load		25mm Lift
TDC949HL	2	CONSTANT 300Kg Load		25mm Lift
PANHARD ROD				
TDPR-003	1	Adjustable Panhard Rod		
COMPONENTS				
TDUK-025	1	Trailing Arm Bush Kit		1 Kit required (Upper)
TDUK-026	1	Trailing Arm Bush Kit		1 Kit required (Lower)
TDUK-1724/15	1	Urethane Spring Spacer 15mm		1 per coil as required
TDUK-1724/30	1	Urethane Spring Spacer 30mm		1 per coil as required

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
AJD00300/40	1	Suits Bottom Front Eying		Suits TDR Ralph Shocks Only
404454B	1	Suits Rear Top of Top Pin		Eying Bushing
404454A	1	Suits Rear Bottom of Top Pin		Eying Bushing
415024	1	Suits Rear Bottom Eying		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

LANDCRUISER

98-07
100 SERIES (IFS)

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>41mm Foam Cell</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 1x Torsion Bar Strengthening Bracket</p>		<p>\$ 990</p> <p>\$ 1070</p>	
<p>Foam Cell Front Adjustable Rear</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 1x Torsion Bar Strengthening Bracket</p>		<p>\$ 1050</p> <p>\$ 1130</p>	
<p>53mm 'Ralph' Front 45mm Adjustable Rear</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 1x Torsion Bar Strengthening Bracket</p>		<p>\$ 1410</p> <p>\$ 1490</p>	
<p>53mm 'Ralph' Big Bore</p> <p><u>Includes</u> 2 x Coil Springs 4 x Shocks 1x Torsion Bar Strengthening Bracket</p>		<p>\$ 1410</p> <p>\$ 1490</p>	

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

LANDCRUISER

11/07 On
200 Series



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404900	2	40mm Foam Cell Strut		
BM404900	2	40mm Adjustable Strut		9 Stage Adjustable
BMX454900	2	45mm Adjustable Strut		9 Stage Big Bore Adjustable
COIL SPRINGS				
TDC930SL	2	OE Height Spring		OE Height Spring
TDC930HSL	2	OE Height Spring Bar & Winch		OE Height Spring
TDC930L	2	40mm Lift Spring		All with Bar (excl. Sahara)
TDC930HL	2	40mm Lift Spring		All with Bar & Winch
TDC932L	2	40mm Lift Spring-45mm Adj Only		All with Bar (OE height for Sahara)
TDC932HL	2	40mm Lift Spring-45mm Adj Only		All with Bar & Winch
COMPLETE STRUT ASSEMBLY				
TOY-200/01	2	BM404900/TDC930L		Petrol/Diesel With Bar
TOY-200/02	2	BM404900/TDC930HL		Petrol/Diesel with Bar & Winch
TOY-200/04	2	FC404900/TDC930L		Petrol/Diesel With Bar
TOY-200/05	2	FC404900/TDC930HL		Petrol/Diesel with Bar & Winch
TOY-200/07	2	BMX454900/TDC932L (45mm)		Petrol/Diesel With Bar
TOY-200/08	2	BMX454900/TDC932HL (45mm)		Petrol/Diesel with Bar & Winch
REPLACEMENT STRUT TOP				
TOY-1020	2	Strut Top		Replacement Strut Top

REAR SUSPENSION

ESTIMATED LIFT: 20mm

SHOCK ABSORBERS				
FC41114	2	41mm Foam Cell Shock		Up to 20mm Lift
BM401114	2	40mm 9 Stage Adjustable		Up to 20mm Lift
BMX1114/2	2	45mm 9 Stage Adjustable		Up to 20mm Lift
TDR1114	2	53mm Big Bore 'Ralph'		Up to 20mm Lift
COIL SPRINGS				
TDC931L	2	0-300kg Load		20mm Lift
TDC931HL	2	CONSTANT 300Kg Load		20mm Lift
TDC931VHL	2	CONSTANT 500Kg Load		20mm Lift
PANHARD ROD				
TDPR-200	2	Adjustable Panhard Rod		
TDSB-006	1	33mm H/D Sway Bar Kit		Suit Non-KDSS only

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1020	1	Replacement Strut Top		Available As Complete Unit Only
4WAY-001	1	Suits Bottom Front Eying		Eying Bonded Bushing
404454B + 404454A	1 (ea)	Suits Rear Top Pin		Eying Bushing
415024	1	Suits Rear Bottom Eying		

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

Note: Vehicles fitted with KDSS require a specific fitment procedure to be followed to avoid failure.

Instructions available at toughdog.com.au

TOYOTA

LANDCRUISER

11/07 On
200 Series

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
Foam Cell Struts Require Assembly <u>Includes</u> 4 x Coil Springs 4 x Shocks	\$130 Rear Coils \$170 Rear Coils		
Foam Cell Complete Assembly Struts <u>Includes</u> 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks	\$130 Rear Coils \$170 Rear Coils		
40mm Adjustable Struts Require Assembly <u>Includes</u> 4 x Coil Springs 4 x Shocks	\$130 Rear Coils \$170 Rear Coils		
40mm Adjustable Complete Assembly Struts <u>Includes</u> 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks	\$130 Rear Coils \$170 Rear Coils		
45mm Adjustable Struts Require Assembly <u>Includes</u> 4 x Coil Springs 4 x Shocks	\$130 Rear Coils \$170 Rear Coils		
45mm Adjustable Complete Assembly Struts <u>Includes</u> 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks	\$130 Rear Coils \$170 Rear Coils		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

PRADO

7/96-03

95 SERIES



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404100	2	40mm Foam Cell Strut		
BM404100	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC971S	2	25mm Lift Spring		
TDC971	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC971H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY				
TOY-095/01	2	BM404100/TDC971		All with/Diesel/Bar
TOY-095/02	2	BM404100/TDC971H		All with/Diesel/Bar/Winch
TOY-095/03	2	FC404100/TDC971		All with/Diesel/Bar
TOY-095/04	2	FC404100/TDC971H		All with/Diesel/Bar/Winch
TOY-095/05	2	FC404100/TDC971S		All with/Diesel (OE Height)
TOY-095/06	2	BM404100/TDC971S		All with/Bar(OE Height)
REPLACEMENT STRUT ASSEMBLY				
TOY-1081	2	Strut Top		Replacement Strut Top

REAR SUSPENSION


SHOCK ABSORBERS				
FC41108	2	41mm Foam Cell Shock		OE Height
BM401108	2	40mm 9 Stage Adjustable		
FC41113	2	41mm Foam Cell Shock		40mm Lift
BM401113	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC973S	2	0-300kg Load		25mm Lift
TDC973	2	0-300kg Load		40mm Lift
TDC973H	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1081	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
TW959	2	Suits Top Rear Pin Mount		Pin Style Bushing
ADJ00191	1	Suits Rear Bottom Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>Foam Cell Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		
<p>40mm Adjustable Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

PRADO

2/03-10

120 SERIES LWB & SWB



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404400	2	40mm Foam Cell Strut		
BM404400	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS - Please check LWB/SWB prior to ordering				
TDC974S	2	OE Height Spring		Petrol/Diesel/Bar
TDC974	2	40mm Lift Spring		Petrol/Diesel/Bar
TDC974H	2	40mm Lift Spring		Petrol/Diesel/Bar/Winch
COMPLETE STRUT ASSEMBLY - Please check LWB/SWB prior to ordering				
TOY-120/01	2	BM404400/TDC974		All With/Diesel/Bar
TOY-120/02	2	BM404400/TDC974H		All With/Diesel/Bar/Winch
TOY-120/03	2	FC404400/TDC974		All With/Diesel/Bar
TOY-120/04	2	FC404400/TDC974H		All With/Diesel/Bar/Winch
TOY-120/07	2	FC404400/TDC974S		All With/Diesel/Bar (OE Height)
TOY-120/08	2	BM404400/TDC974S		All With/Bar/Winch (OE Height)
REPLACEMENT STRUT ASSEMBLY				
TOY-1084	2	Strut Top		Replacement Strut Top
COMPONENTS				
TDSP-011	1	Sway Bar Spacer Kit		76mm hole spacing

REAR SUSPENSION

SHOCK ABSORBERS				
FC41116	2	41mm Foam Cell Shock		40mm Lift
BM401116	2	40mm 9 Stage Adjustable		
COIL SPRINGS - Please check LWB/SWB prior to ordering				
TDC975S	2	0-300kg Load		OE Height - Suit LWB
TDC975	2	0-300kg Load		40mm Lift - Suit LWB
TDC975H	2	CONSTANT 300Kg Load		40mm Lift - Suit LWB
TDC975S	2	0-300kg Load		40mm Lift - Suit SWB
TDC975	2	CONSTANT 300Kg Load		40mm Lift - Suit SWB

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1084	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
TW967	2	Suits Top Rear Pin Mount		Pin Style Bushing
415024	1	Suits Rear Bottom Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue


TOYOTA

PRADO

2/03-2010

120 SERIES LWB & SWB

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>Foam Cell Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		
<p>40mm Adjustable Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

PRADO

2010 On

150 SERIES LWB & SWB



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404400	2	40mm Foam Cell Strut		
BM404400	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS - Please check LWB/SWB prior to ordering				
TDC974H	2	40mm Lift Spring		Suits with Bar - Suit LWB
TDC974HH	2	40mm Lift Spring		Suits with Bar & Winch - Suit LWB
TDC974S	2	40mm Lift Spring		Suits with Bar - Suit SWB
TDC974	2	40mm Lift Spring		Suits with Bar & Winch - Suit SWB
COMPLETE STRUT ASSEMBLY - Please check LWB/SWB prior to ordering				
TOY-150/03	2	BM404400/TDC974H		All with Bar - Suit LWB
TOY-150/04	2	BM404400/TDC974HH		All with Bar & Winch - Suit LWB
TOY-150/07	2	FC404400/TDC974H		All with Bar - Suit LWB
TOY-150/08	2	FC404400/TDC974HH		All with Bar & Winch - Suit LWB
TOY-150/01	2	BM404400/TDC974S		All with Bar - Suit SWB
TOY-150/02	2	BM404400/TDC974		All with Bar & Winch - Suit SWB
TOY-150/05	2	FC404400/TDC974S		All with Bar - Suit SWB
TOY-150/06	2	FC404400/TDC974		All with Bar & Winch - Suit SWB
REPLACEMENT STRUT ASSEMBLY				
TOY-1083	2	Strut Top		Replacement Strut Top
COMPONENTS				
TDSP-012	1	Sway Bar Spacer Kit		83mm hole spacing

REAR SUSPENSION

SHOCK ABSORBERS				
FC41118	2	41mm Foam Cell Shock		40mm Lift
BM401118	2	40mm 9 Stage Adjustable		
COIL SPRINGS - Please check LWB/SWB prior to ordering				
TDC975S	2	0-300kg Load		OE Height - Suit LWB
TDC975	2	0-300kg Load		40mm Lift - Suit LWB
TDC975H	2	CONSTANT 300Kg Load		40mm Lift - Suit LWB
TDC975S	2	0-300kg Load		40mm Lift - Suit SWB
TDC975	2	CONSTANT 300Kg Load		40mm Lift - Suit SWB

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1083	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
TW967	2	Suits Top Rear Pin Mount		Pin Style Bushing
415024	1	Suits Rear Bottom Eying		Eying Bushing

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

PRADO

2010 On

150 SERIES LWB & SWB

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>Foam Cell Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		
<p>40mm Adjustable Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

FJ CRUISER

06 On
All Models



FRONT SUSPENSION

ESTIMATED LIFT: 40mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404400	2	40mm Foam Cell Strut		
BM404400	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS				
TDC974H	2	40mm Lift Spring		Suits with Bar
TDC974HH	2	40mm Lift Spring		Suits with Bar & Winch
COMPLETE STRUT ASSEMBLY				
TOY-150/03	2	BM404400/TDC974H		All with Bar
TOY-150/04	2	BM404400/TDC974HH		All with Bar & Winch
TOY-150/07	2	FC404400/TDC974H		All with Bar
TOY-150/08	2	FC404400/TDC974HH		All with Bar & Winch
REPLACEMENT STRUT ASSEMBLY				
TOY-1083	2	Strut Top		Replacement Strut Top
COMPONENTS				
TDSP-011	1	Sway Bar Spacer Kit		76mm spacing - 06-2009 vehicles
TDSP-012	1	Sway Bar Spacer Kit		76mm spacing - 2010 on vehicles
Check hole spacing of sway bar mounting locations to ensure the correct kit is ordered.				

REAR SUSPENSION

SHOCK ABSORBERS				
FC41116	2	41mm Foam Cell Shock		40mm Lift
BM401116	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC975	2	0-300kg Load		40mm Lift
TDC975H	2	CONSTANT 300Kg Load		40mm Lift

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TOY-1083	1	Replacement Strut Top		Available As Complete Unit Only
ADJ00300/40	1	Suits Bottom Front Eying		Eying Bonded Bushing
TW967	2	Suits Top Rear Pin Mount		Pin Style Bushing
415024	1	Suits Rear Bottom Eying		Eying Bushing


Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

TOYOTA

FJ CRUISER

06 On

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
<p>Foam Cell Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>Foam Cell Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		
<p>40mm Adjustable Struts Require Assembly Includes 4 x Coil Springs 4 x Shocks</p>	ANY		
<p>40mm Adjustable Complete Assembly Struts Includes 2 x Front Strut Assy 2 x Coil Springs 2 x Rear Shocks</p>	ANY		

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

TOYOTA

RAV 4
5/94-00
SAX 10, 11



FRONT SUSPENSION

ESTIMATED LIFT: 30mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
BDS4001	2	Nitrogen gas Strut Insert		Suits up to 30mm Lift
COIL SPRINGS				
TDC981S	2	OE Height Spring		
TDC981	2	30mm Lift Spring		

REAR SUSPENSION

SHOCK ABSORBERS				
BD1106TB	2	35mm Nitr Gas Shocks		Suits up to 30mm Lift
BM401106	2	40mm 9 Stage Adjustable		
COIL SPRINGS				
TDC982S	2	0-300kg Load		OE Height Spring
TDC982	2	0-300kg Load		30mm Lift Spring

REPLACEMENT BUSHINGS

QUANTITY PER SHOCK				
TW959	2	Suits Top Rear Pin Mount		Pin Style Bushing
ADJ00191	1	Suits Rear Bottom Eying		Eying Bushing

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
35mm Nitro Gas	ANY COIL		
Nitro Gas Front Adjustable Rear	ANY COIL		
Includes 4 x Coil Springs 2 x Shocks 2 x Front strut inserts			

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



TOYOTA

TUNDRA

03/07 On
UCK, UPK, USK 55, 56

ESTIMATED LIFT: 45mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404910	2	40mm Foam Cell Strut		Suits up to 45m Lift
BM404910	2	40mm Adjustable Strut		Suits up to 45m Lift
COIL SPRINGS				
TDC930L	2	45mm Lift Spring		Suits with Alloy Bar
TDC930HL	2	45mm Lift Spring		Suits with Bar/Winch

REAR SUSPENSION

SHOCK ABSORBERS				
FC41117	2	41mm Foam Cell Shocks		Suits 45mm Lift
BM401117	2	40mm Adjustable Shocks		
LEAF SPRINGS				
FS701	2	0-300kg Load 45mm Lift Spring		Includes bushings in spring
COMPONENTS				
TDUK-074	1	Urethane Shackle Bushing Kit		Not required if ordering FS701
TDUK-076	1	Urethane Chassis Bush Only		Required for lift kit
TDUB-016HD	2	U-Bolt Kit		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300KG		
40mm Adjustable	0-300KG		
Includes 2 x Coil Springs 2 x Shocks 2 x Front struts 1 x Urethane Bushes (Chassis Only) 2 x U-Bolt Kits			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

UAZ

ALL MODELS

1965 On

UAZ, HUNTER, PATRIOT



FRONT SUSPENSION

ESTIMATED LIFT:

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC41382	2	41mm Foam Cell Shock		Suits UAZ 452 (65-72), UAZ 469 (72-85) & UAZ 3151 (85-03)
BM401382	2	40mm Adjustable Shock		
FC41391	2	41mm Foam Cell Shock		Suits Hunter (2003 On)
BM401391	2	40mm Adjustable Shock		
FC41150	2	41mm Foam Cell Shock		Suits Patriot (2005 On)
BM401150	2	40mm Adjustable Shock		
COIL SPRINGS				
TDC150SL	2	OE Height Spring		
TDC150L	2	40mm Lift Spring		Suits with Bar
TDC150HL	2	40mm Lift Spring		Suits with Bar & Winch

REAR SUSPENSION

SHOCK ABSORBERS				
FC41382	2	41mm Foam Cell Shock		Suits UAZ 452 (65-72), UAZ 469 (72-85) & UAZ 3151 (85-03)
BM401382	2	40mm Adjustable Shock		
FC41389	2	41mm Foam Cell Shock		Suits Hunter (2003 On)
BM401389	2	40mm Adjustable Shock		
FC41389	2	41mm Foam Cell Shock		Suits Patriot (2005 On)
BM401389	2	40mm Adjustable Shock		
LEAF SPRINGS				
FS160H	2	0-300Kg Load		40mm Lift Spring
FS160HH	2	CONSTANT 400Kg Load		40mm Lift Spring

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue



VOLKSWAGEN

AMAROK
10 On
All Models

ESTIMATED LIFT: 20mm

PART NO.	QTY	DESCRIPTION	RRP inc GST	NOTES
SHOCK ABSORBERS				
FC404730	2	40mm Foam Cell Strut		
BM404730	2	40mm Adjustable Strut		9 Stage Adjustable
COIL SPRINGS - Suits 2.5L Engine Only				
TDC110SL	2	OE Height Spring		
TDC110L	2	20mm Lift Spring		Suits with Bar
TDC110HL	2	20mm Lift Spring		Suits with Bar & Winch
Complete assembly not available for this vehicle. Please visit www.toughdog.com.au for installation video				
COIL SPRINGS - Suits 3.0L V6 Engine Only				
TDC120L	2	20mm Lift Spring		Suits with Bar
TDC120HL	2	20mm Lift Spring		Suits with Bar & Winch

REAR SUSPENSION

SHOCK ABSORBERS				
FC41390	2	41mm Foam Cell Shocks		Up to 20mm Lift
BM401390	2	40mm 9 Stage Adjustable Shock		Up to 20mm Lift
LEAF SPRINGS				
FS710M	2	0-300Kg Load		20mm Lift Spring
FS710HM	2	CONSTANT 300Kg Load		20mm Lift Spring
COMPONENTS				
TDUK-072	1	Urethane Bushing Kit (Leaf)		included in kit pricing
TDUK-075	1	Urethane Bushing Kit (Chassis)		not included in kit pricing (order separately if needed)
Amarok chassis bush has two thicknesses - TDUK-075 includes both sizes - please use correct set.				
TDUB-005	2	U-Bolt Kit		

COMPLETE KIT PRICE REFERENCE

SHOCK CHOICE	SPRING CHOICE	RRP inc GST	CONTENTS
41mm Foam Cell	0-300kg		
	CONSTANT 300KG		
9 Stage Adjustable	0-300kg		
	CONSTANT 300KG		
Includes 2 x Coil Springs 4 x Shocks 2 x Leaf Springs 1 x Urethane Kit (TDUK-072) 2 x U-Bolt Kits			

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination

FITTING SHEET

ESSENTIAL BEFORE & AFTER MEASUREMENTS

PLEASE COMPLETE THIS FORM BEFORE ANY FITMENT


Please File this form with your vehicle service records for reference. Failure to complete this form or may delay resolution of issues.

CUSTOMER DETAILS			
Fitted By:		Date	
Owner's Name		Year	
Address		Make	
Suburb	P'Code	Model	
Phone Number		Odometer:	
Email:		Comments:	

Measurements should be taken from the bottom of the rim to the wheel arch on each corner. In the case of a tray, measure to the same point each time

BEFORE & AFTER MEASUREMENTS	AFTERMARKET FITMENTS	BEFORE & AFTER MEASUREMENTS
-----------------------------	----------------------	-----------------------------

PASSENGER FRONT SIDE	
Original Height	
Height After Lift	
Height 500km Service	
Shock Fitted (P/N)	
Spring Fitted (P/N)	
Comments	



DRIVERS FRONT SIDE	
Original Height	
Height After Lift	
Height 500km Service	
Shock Fitted (P/N)	
Spring Fitted (P/N)	
Comments	

PASSENGER REAR SIDE	
Original Height	
Height After Lift	
Height 500km Service	
Shock Fitted (P/N)	
Spring Fitted (P/N)	
Comments	

DRIVERS REAR SIDE	
Original Height	
Height After Lift	
Height 500km Service	
Shock Fitted (P/N)	
Spring Fitted (P/N)	
Comments	

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

DISCLAIMER FORM

VEHICLES LIFTED MORE THAN 50MM

Vehicles fitted with a lift kit greater than 50mm over Original Equipment height may not be suitable for on road use. Consult your local Authority or a Qualified Engineer

CUSTOMER DETAILS			
Rego No:		Date	
Owner's Name		Year	
Address		Make	
Suburb		P'Code	
Phone Number		Model	
Email:		Odometer:	
		Comments:	

Declaration

The suspension components fitted to this vehicle (Registration _____) are suitable for off-road use only and may not comply with the requirements of registration. Operation of this vehicle on a road or road related area is done so at the operator's own risk.

Compliance with the requirements of registration is the responsibility of the owner of the vehicle and no liability shall be accepted by any other person. Compliance of the vehicle can be undertaken with the assistance of a qualified certifying Engineer.

Schedule of Parts Fitted		
	FRONT	REAR
Shock Absorbers		
Coil Springs		
Steering Stabilizer		
Panhard Rods		
Castor Bushes/Plates		
Transmission Spacers		
Brake Hoses		

Signed: _____

Date: _____

Name (Print) _____

Disclaimer

4Way Suspension Products Pty Ltd markets a range of off road products that may require certification from a qualified engineer prior to driving on public roads. The fitment of these items and the operation of the vehicle on public roads or road related areas prior to certification may render the vehicle unroadworthy, and may affect the status of your registration. Please check with the relevant ADR authorities in your state or territory and a qualified Engineer. Details of suitable Engineers are provided by the state/territory authority.

Vehicle fitment sheet must be completed when suspension fitted. Failure to do so may affect warranty. Fitment sheet can be found in all product boxes & on page 194 of this catalogue

VEHICLE WEIGHT

GVM & RELATED INFORMATION

GVM - WHAT IT MEANS TO YOU

The GVM, or Gross Vehicle Mass of any vehicle is the weight in Kg that the manufacturer has specified as being the maximum that the vehicle can weigh when fully loaded.

Exceeding the GVM (overloading the vehicle) can result in premature failure of a range of parts, including structural failure of the chassis.



ACCESSORIES & GVM

When Calculating how much load you are able to carry in your vehicle, remember to consider the weight of the accessories fitted. Accessories fitted add to the weight of the car, and reduces the allowable load that the vehicle can carry. These can include:

- Bullbar
- Winch
- Dual Batteries
- Underbody protection plates
- Sidesteps and scrub bars
- Long Range Fuel Tank(s)
- Draw Systems
- Rear bars
- Canopies
- Roof rack & accessories

After adding passengers, fuel, food and water, the vehicle must remain under the specified GVM from the manufacturer to avoid potentially dangerous & expensive vehicle damage and/or component failure. Consideration should be given towards the purchase of an offroad trailer.

Failure to observe the legal GVM of your vehicle is irresponsible and illegal. This may result in legal ramifications including fines and registration/licence cancellation as well as void insurance in the event of an accident. Vehicles operating above GVM are operating outside the tested and warrantable parameters of the suspension, and are therefore not covered by 4Way Suspension Product Warranty

**SAFETY FIRST,
NEVER OVERLOAD
YOUR VEHICLE!**

Freight should be added where required. When determining spring choice, include only permanent accessories & weights. Towing requirements are not included in constant load determination